



capacity. The water in the bottom part is brought to a boil and the double boiler is taken from the stove and carried to where there is no flame.

Then one part, by volume, of gasoline is put in the top part and allowed to heat as much as it will and the soap is added and the mess is stirred until it thickens. A better way to heat gasoline is to fill a bathtub with water as hot as you can get it. It will hold its heat longer and permit a much larger container than will the double boiler.

=====

- \ Match Head Bomb / -

Simple safety match heads in a pipe, capped at both ends, make a devastating bomb. It is set off with a regular fuse

A plastic Baggie is put into the pipe before the heads go in to prevent detonation by contact with the metal.

Cutting enough match heads to fill the pipe can be tedious work for one.

=====

- \ Fuse Ignition Fire Bomb / -

A four strand homemade fuse is used for this. It burns like fury. It is held down and concealed by a strip of bent tin cut from a can. The exposed end of the fuse is dipped into the flare igniter. To use this one, you light the fuse and hold the fire bomb until the fuse has burned out of sight under the tin. Then throw it and when it breaks, the burning fuse will ignite the contents.

- \ Disclaimer / -

NAPALM2.TXT

-----  
I am not responsible for any death  
or injury caused by using what is  
contained herein.

-Optimus Prime-

-----  
/\DONE  
DOWNLOADED FROM P-80 SYSTEMS.....