

home power

The Hands-On Journal of Home-Power

SOLAR HOT WATER


System Sizing & Savings

How to Get Started with
RENEWABLE ENERGY

100% SOLAR ELECTRIC
Energy-Smart Home Retrofit

PLUS...

- + Off-Grid Independence with the Sun & Wind
- + Go Green! Electric Bikes, ATVs & More
- + Tap Into Tankless Water Heaters



Apr / May 07, Issue 118

\$6.95 US • \$8.95 CAN



homepower.com



ADVANCING THE SOLAR REVOLUTION !



NATIONAL WHOLESALE DISTRIBUTOR
28 Years of Solar Experience

SOLAR ELECTRIC (PV) SYSTEMS

SOLAR WATER HEATING SYSTEMS

SOLAR POOL HEATING SYSTEMS

- Utility-tied and Off-grid Systems
- Network of Authorized Installers
- Team of Engineers / Technicians
- Complete Pre-packaged Systems
- Assistance with Rebate Filing
- Delivery to Job-site
- Large Inventory

Solar Water Pumping
Complete Packages
Agricultural / Residential



Covering California with 3 Locations

- Corona **800.680.7922**
- Petaluma **800.822.4041**
- Sacramento **800.321.0101**

Owner-builder discounts

Homeowners call us at **800.822.4041**
for a referral to an authorized installer

Dealer Inquiries Welcome

www.solardepot.com





10-year warranties are standard on Xantrex GT Series inverters.

Put your customer's mind at ease by using Xantrex GT Series inverters in their solar energy system. At Xantrex, reliability is a top priority, that's why we include a standard 10-year warranty with every new Xantrex GT Series inverter.

Xantrex GT Series inverters, ranging from 2.5 kW to 5.0 kW, offer the flexibility to combine multiple inverters for larger systems and maximize home owners' investment due to outstanding energy harvest and integrated design features.

When looking for a grid tie inverter that offers the optimal balance between performance and value, installers choose Xantrex, the smart choice for power.

Xantrex inverters are available through industry-leading renewable energy distributors. For more information about our inverters or a list of distributors, please visit www.xantrex.com.



**Xantrex GT 5.0 Grid Tie
Solar Inverter**

xantrex

Wholesale Supply of PV Modules • Wind & Hydro • All Balance-of-System Items

New from AEE Solar!

28 YEARS
of dealer
satisfaction!

The only one-stop, full-service wholesale distributor you'll ever need!

Now in Stock!



Evergreen Spruce Line™ PV Modules

"The environmental module" – These modules offer the best energy payback time of any crystalline module, just 18 months; use lead-free solder for all inter-connections; and only emit 30g of CO₂ per kWh generated, 33% less than leading technologies. 170W, 180W, 190W



WEEB Grounding Systems

These UL-listed washers bond solar modules to mounting structures. The mounting structure can be grounded at one location, saving half the cost of conventional grounding.

Midnight Solar MNPV Combiners

These rainproof combiners are an economical way to combine up to four 600-VDC strings or six 150-VDC strings. We also have the complete line of other Midnight Solar products.



UniRac SolarMount Light Rail

Lower-cost SolarMount Light Rail employs 38% less aluminum. The economical solution to flush-mounting.



Module String Overvoltage Protection

Protect inverters and charge controllers from high PV open-circuit voltage at low temperatures by bypassing one module in a string when the temperature drops below 10°C.

AEE Exclusive!



Apollo Solar T80 Turbocharger

80-Amp MPPT Charge Controller with a built-in Trimetric Energy Monitor. A wireless remote monitor is also available.

Order Online at www.aeesolar.com


Call us for a password and quick demo!

We offer dealers and installers:

- Competitive prices on all the top brands
- Unsurpassed technical expertise
- Widest selection in the business including all items for NEC-compliant installations

2007 AEE Catalog Available –

with space for your name and logo!



800-777-6609

8:30 - 5:00 Pacific Time, Monday - Friday

www.aeesolar.com

1155 Redway Drive • PO Box 339, Redway, CA 95560
707-923-2277 tel • 707-923-3009 fax • info@aaesolar.com



The Only Wholesale
Distributor You'll Ever Need

Conergy – Your partner for renewable energy solutions



With a global presence in 24 countries, Conergy is one of the world's largest renewable energy companies and is 100% dedicated to renewable energy solutions. Conergy is your partner for on-grid, off-grid, commercial and residential solutions including solar electric, solar thermal, solar water pumps, and small wind power systems. We offer innovative products created by our team of 700+ product engineers and leading industry suppliers. In addition, we offer key business and operational services to keep your business growing.

Conergy offers:

- | Excellent customer care and technical support
- | Innovative financing through Conergy Commercial Finance Program
- | Best order fulfillment rate and responsiveness in the industry
- | DealerNet – 24/7 product look-up, ordering and account management tool
- | Wholesale-only policy



For further information, to become a Conergy Partner, or for referrals to qualified installers in your area, visit www.conergy.us or call toll-free (888) 396-6611.

CONERGY UPCOMING EVENTS* PROUD SPONSOR & PARTICIPANT

Solar Power Finance Summit
May 9-11 | San Diego, CA

**MREA | Renewable Energy &
Sustainable Living Fair**
June 15-17 | Custer, WI

ASES | Solar 2007
July 7-12 | Cleveland, OH | **Booth # 143**

*Visit our website for event updates



CONERGY

OUR WORLD IS FULL OF ENERGY

PHOTOVOLTAICS | SOLAR THERMAL | SOLAR WATER PUMPS | SMALL WIND POWER | BALANCE OF SYSTEM

Solahart has been designing and building solar water heaters since 1953. The Solahart brand is backed by Rheem, the leading water heater manufacturer in the world.

- Simple and reliable passive thermosiphon systems
- Open and closed loop systems for installation in almost any environment

For more information on Solahart systems and dealers, call **334-260-1525** or email us at **solar@rheem.com**

Dealer inquiries are welcomed!

Hot Water Free from the Sun™ is a trademark of Solahart Industries Pty Ltd



Solahart systems OG-300 certified by SRCC

Hot Water Free from the Sun™

Qualifies for New Energy Tax Credit!

Solar Water Heaters built by Solahart and backed by Rheem!



Rheem Water Heating | 101 Bell Road | Montgomery, AL 36117-4305 | www.rheem.com



KACO Grid Tie Solar Inverters Have Landed!

The KACO blueplanet 1501xi, 2901xi and 3601xi line of grid tie inverters are now shipping. The blueplanet series inverters have the best overall energy yield in their class. They are ideally suited for PV systems using a Performance Based Incentive.

blueplanet...
green power™


Designed specifically for the California Solar Initiative.

- Higher monthly incentive payments
- Integrated data interfaces
- Standard 10 year warranty

Call us and find out how easy it is to become a KACO Partner. **1-866-KACOSOLAR**



1002-B O'Reilly Avenue
San Francisco, CA 94129
T: 1 (866) 522-6765
F: 1 (415) 931-1688
info@kacosolar.com
www.kacosolar.com




contents

April & May 2007



Courtesy Khanti Munro



Courtesy www.solarthermal.com

26 **brighter** future.....

Justine Sanchez

A Colorado family invests in energy efficiency upgrades and a state-of-the-art, grid-tied PV system to meet 100 percent of their electricity needs.

34 **solar** sizing

Carl Bickford

Solar hot water can be one of the most cost-effective renewable energy technologies, if you size your system correctly. Here's how.

42 **electric** sidekicks

Rick Doran

Efficient and fun transportation comes in many shapes and sizes. Check out this rundown of electric-powered wheeled wonders.

48 **half** plan

Gary Reysa

Whittle your home's energy waste line and cut carbon emissions with this first-in-a-series of inexpensive, weekend projects.

54 **sustainable** education

Joanne Kuntz

The National Outdoor Leadership School hits the road to teach wilderness skills and energy awareness in a biofueled fun-mobile.



Courtesy Myers Motors NmG



Courtesy Curtis Tronolone

On the Cover

Tim Dawson of Solar Collection on the roof with two solar hot water collectors. See page 34.

Photo by Shawn Schreiner



Courtesy www.windenergy.com



60 **wind** addition

Gus Smith

An off-grid solar-electric household turns to wind energy to round out their energy needs and wean themselves from wintertime generator use.

68 **first** steps

Phil Livingston

Reap the rewards of making these simple conservation moves and efficiency upgrades—*before* you buy renewable energy gear.

74 **instant** H₂O

Doug Puffer & Erin Moore Bean

Can a tankless water heater save you energy and money? Straight talk on how to choose a heater that's right for your household.

86 **get** grounded

Christopher Freitas

Grounding can be easily misunderstood and misused even by the smartest DIYer. The mysterious “extra” wire—exposed and explained.

94 **efficient** cooking

Laurie Stone

Bake cookies, make pizza, and cook entire meals in a built-in solar oven that offers fossil-fuel-free cooking from the comfort of your kitchen.

98 **hot** air

Andy Kerr

A solar hot air system can offset home heating bills, but by how much? Andy Kerr provides a detailed analysis of the gains of going solar.

Regulars

8 From Us to You

Home Power crew

One step at a time

12 Ask the Experts

Industry Professionals

Renewable energy Q & A

18 Mailbox

Home Power readers

Feedback forum

92 REsources

Erin Moore Bean

Green building

104 Code Corner

John Wiles

Setting standards

106 Power Politics

Michael Welch

First-hour achievements

110 Word Power

Ian Woofenden

Renewable payback

114 Home & Heart

Kathleen

Jarschke-Schultze

Ranch house remodel

128 RE People

Ian Woofenden

The Janssen family

118 RE Happenings


120 Marketplace

122 Installers Directory

127 Advertisers Index

FLEXware

Powering solutions
from 2 kW to 36 kW



FLEXware 1000



FLEXware 500



FLEXware250

OutBack
Power Systems™

Powering the Planet

19009 62nd Avenue NE
Arlington, WA USA
(+1) 360-435-6030

European Sales Office
Barcelona, España
(+34) 600-843-845

www.outbackpower.com

from us to you



Reducing Your Energy Footprint

...One Step at a Time

Climate change, energy independence, and rising utility rates are common topics in the mainstream media these days. But proven solutions to these ongoing and escalating problems can be hard to come by.

For nearly twenty years, *Home Power* magazine has been publishing practical and hype-free solutions to the energy dilemmas we face. We're here to help you identify the steps you can take at home, at work, and on the road to lower the impact your energy use has on the environment, and your wallet. Here are just a few of the solutions you'll find in this issue.

- In many locations, solar-electric modules will generate as much energy as it took to manufacture them in only a few years, and can yield better returns than some traditional investments. Follow seasoned renewable energy educator Justine Sanchez as she walks you through the steps her family took to install a solar-electric system that meets all of their electricity needs.
- Water heating is one of the largest energy uses in an average home. Solar thermal systems can produce the majority of your hot water and reduce both your utility bills and your reliance on fossil fuel. Engineering professor Carl Bickford provides expert tips for sizing your household solar hot water system.
- According to the Federal Highway Administration, the average round-trip to the store is less than 15 miles—a range well suited for the new wave of light electric vehicles (LEVs). Electric vehicle designer Rick Doran gives you the low-down on a variety of LEVs that can be effectively charged with solar-electric systems, and get you around town fossil-fuel free.
- Energy you save is energy you—and the environment—don't have to pay for. Do-it-yourselfer and solar enthusiast Gary Reysa lines out a series of inexpensive weekend projects that cut his household's energy use, and its greenhouse gas emissions, in half.

Together, we're moving toward a sustainable energy future one step at a time. What steps are you taking? Drop us a line at mailbox@homepower.com. We'd love to hear from you.

—The *Home Power* crew

Think About It...

*And I urge you to please notice when you are happy,
and exclaim or murmur or think at some point,
"If this isn't nice, I don't know what is."*

—Kurt Vonnegut

home power 118 / april & may 2007

Inspired by Installers Engineered by OutBack



You spoke, we listened. FLEXware is the most integrated, modular and spacious line of balance-of-system components we have ever engineered and we couldn't have done it without the feedback of the people who know best, system designers and installers. Visit www.outbackpower.com and see how FLEXware is bridging the gap between imagination and reality.

 **FLEXware**

FLEXware 250 • FLEXware 500 • FLEXware 1000

19009 62nd Avenue NE
Arlington, WA USA
(+1) 360-435-6030

OutBack
Power Systems™
Powering the Planet

European Sales Office
Barcelona, España
(+34) 600-843-845

www.outbackpower.com



Independently Published Since 1987

Publishers **Richard & Karen Perez**
Executive Editor & CEO **Joe Schwartz**
Managing Editor **Claire Anderson**
Art Director **Ben Root**

Senior Editor **Ian Woofenden**
Senior Editor **Michael Welch**
Graphic Artist **Dave Emrich**
Solar Thermal Editor **Chuck Marken**
Green Building Editors **Rachel Connor, Laurie Stone, Johnny Weiss**
Transportation Editors **Mike Brown, Shari Prange**
Columnists **Kathleen Jarschke-Schultze, Don Loweberg
Michael Welch, John Wiles, Ian Woofenden**

Advertising Manager **Connie Said**
Advertising Director **Kim Bowker**
Chief Information Officer **Rick Germany**
Operations Director **Scott Russell**
Technical Assistant **Doug Puffer**
Customer Service & Fulfillment **Jacie Gray, Shannon Ryan**

Copyright ©2007 Home Power Inc. All rights reserved. Contents may not be reprinted or otherwise reproduced without written permission. While *Home Power* magazine strives to publish only safe and accurate content, we assume no responsibility or liability for the use of this information.

Legal: *Home Power* (ISSN 1050-2416) is published bimonthly for \$24.95 per year at PO Box 520, Ashland, OR 97520. Periodicals postage paid at Ashland, OR, and at additional mailing offices. POSTMASTER Send address corrections to Home Power, PO Box 520, Ashland, OR 97520.

Interior paper is made from 85%–100% recycled material, including 20%–30% postconsumer waste.

Contact Us...

Subscriptions

To subscribe, renew, change, or inquire about a subscription:

800-707-6585 or 541-512-0201
subscription@homepower.com
www.homepower.com/subscribe

Back Issues

All back issues are available for purchase in PDF or CD-ROM format. Most are also available in print. Search our complete archive at:

www.homepower.com/archive

Order online or by phone:

800-707-6585 or 541-512-0201

Submissions

For inquiries and information related to editorial submissions, write to us at:

submissions@homepower.com
www.homepower.com/writing

Marketing

Promotional opportunities and offers:

marketing@homepower.com

Ask the Experts

To have your technical questions considered for publication, send them to:

asktheexperts@homepower.com

Web Site

www.homepower.com

Send your comments and suggestions regarding the site to:

web@homepower.com

Advertising

For inquiries and information related to advertising in *Home Power* or on homepower.com, contact:

connie.said@homepower.com
541-512-0201

kim.bowker@homepower.com
541-858-1791

www.homepower.com/advertising

Letters to the Editor

E-mail your comments and suggestions to us at:

mailbox@homepower.com

or write to the address below.

**Keeping
unnecessary
paperwork
where it
belongs.**

Web: www.fronius-usa.com



POWERING YOUR FUTURE

Home Power magazine • PO Box 520 • Ashland, Oregon 97520 • USA



A forest of paperwork? Or just a forest?

At Fronius, we wondered why so much paperwork was needed for a solar inverter purchase and support. So we got rid of it.

Need priority engineering support with an installation of a Fronius solar inverter? Require a warranty replacement? Just call us. There are no forms, no shipping costs, and – most importantly – no membership, exams, or fees to get world-class service since every customer is important at Fronius!

Even a ten-year warranty is now paperwork free at Fronius.

All of our inverters now come with a ten-year warranty – standard.

Take a look at what 60 years of experience can do for you.

Fronius USA LLC, 10421 Citation Drive, Ste 1100, Brighton, MI 48116

Tel: 810-220-4414

Email: pv-us@fronius.com

Web: www.fronius-usa.com



POWERING YOUR FUTURE

**All Fronius
inverters
now
come with
a ten-year
warranty –
standard.**



PV Longevity & Degradation

I have been wondering lately about the life span of solar-electric (photovoltaic; PV) modules. They are usually warranted for 20 or 25 years, but what actually goes bad, and when? Do they really have an infinite theoretical life span, but develop corrosion in the metal parts? Do they run out of electrons? Yours in anticipation,

Anton Berteaux • Winters, California

Although several types of photovoltaic modules exist, laminated crystalline modules are by far the most common and have the longest history in the field, dating from the 1950s, with mass-production beginning in the late 1970s. The information here relates to this type of module.

Crystalline modules are typically designed for a 30-year operational lifetime. Manufacturers perform accelerated life-cycle testing during the design phase to predict module longevity in the field. The actual silicon cells used in modules have an infinite life span and show no degradation after decades of use. However, module output can decrease over time. This performance degradation is the result of two main factors—the slow breakdown of a module's encapsulant (typically ethylene vinyl acetate; EVA) and back sheet (typically polyvinyl fluoride films), as well as the gradual obscuration of the EVA layer between the module's front glass and the cells themselves.



Module encapsulant protects the cells and internal electrical connections against moisture ingress. Because it's impossible to completely seal out moisture, modules actually "breathe" to a very small degree. Moisture that enters a module is, in turn, forced back out on a daily basis, as module temperature increases. Because modules spend their lives out in the elements, sunlight slowly breaks down the encapsulation materials through ultraviolet (UV) degradation, and they become less elastic and more

plastic. Over time, this limits a module's ability to force out moisture. The trapped moisture eventually leads to corrosion at the cell's electrical connections, resulting in higher resistance at the affected connections and, ultimately, decreased module operating voltage.

The second source for output degradation occurs as UV light breaks down the EVA layer between a module's front glass and the silicon cells. This gradual breakdown of the material isn't usually visible to the naked eye, but over time this obscuration limits the amount of sunlight that can hit the cell. A slight but incremental decrease in cell output current is the result.

PV warranties typically allow for 20 percent output degradation over the module's 20- to 25-year warranty life. But measurements of many modules put into service in the 1980s show that it's unusual to see even half that much degradation. Many of those earliest modules still perform to their original specifications. It is safe to say that modules carrying warranties of 20 years or more have a high probability of working well 30 years from now.

Windy Dankoff • Solar Pioneer

Joe Schwartz • Home Power

Backup Power from Batteryless Inverters?

Why can't I run at least some of my daytime AC appliances off a batteryless inverter PV system if the grid goes down?

Liz Hamman • Arcata, California

Currently available batteryless inverters simply aren't designed to do this job. Instead, they automatically shut down as soon as the grid is out of spec to eliminate the possibility of the inverter backfeeding a failed utility grid. If you want backup during power outages, you need to buy a battery-based utility-intertie inverter.

When you think about it, the application you mention would likely serve a very small niche market. This feature would only be useful: when the utility is down; during daylight hours and when the sun is not behind a cloud; and when the loads are within the

capacity of the sunlight intensity (irradiance), PV array, and inverter. In a typical location, that would amount to very few hours during the year.

Although engineers can design most anything, business people have to decide whether they can design, build, and sell it at a profit. I think this is a case where the numbers don't really lead to a viable product feature, but time will tell. If there is enough consumer demand, we'll probably see a product emerge.

Ian Woofenden • Home Power

Now appearing in backyards everywhere.

Small wind has never been so easy. Announcing the Skystream 3.7™ residential power appliance. It's the first compact, utility-connected, all-inclusive wind generator designed to provide inexpensive, quiet, clean electricity to reduce or eliminate your home's monthly energy bill. Learn if Skystream can work for you at www.skystreamenergy.com.

SKYSTREAM 3.7™

THE POWER TO CHOOSE.



www.skystreamenergy.com


Solar Thermal System Pressure

I installed an automatic air vent last summer when I was having trouble with air bubbles in the pump of my solar thermal system. The vent works very well—I do not have any air in the system now and my pump has never gotten stuck. But I cannot maintain pressure on the solar thermal collector loop.

I'm wondering if the vent is causing the pressure release. I charged the system with a positive pressure pump (15 psi) while the collector pump was running. It seemed to hold the charge for 10 to 15 minutes, until the air vent started hissing to release leftover air from a refill I did two days prior, when I changed the fluid. There's no evidence of glycol leaks at the manifold connections or anywhere in the pump lines. The collector has been performing well at heat collection. Last summer, I turned off my boiler for about eight weeks while the solar hot water system supplied 100 percent of my hot water needs.

Jim Kasper • Hamden, Connecticut

Charging a Closed-Loop System with Glycol



Automatic air vents are designed to spontaneously eliminate air from hydronic heating systems, but are not well suited for your solar thermal system. Hydronic systems have a makeup water line with a pressure-reducing valve that keeps the pressure in the system at the desired level. When new water is introduced into the system through the makeup line, some air is also normally present in the water. The automatic vent is a good idea in hydronic systems where the temperature of the fluid never falls below freezing.

However, I don't recommend using automatic air vents on closed-loop solar hot water systems. Automatic vents can introduce air into a collector loop—either due to a defect in the component or, more likely, the result of the high temperature swings



Coin Vent

a glycol loop can undergo in normal operation in the winter months. If you purge all the air out of the system when it is charged, there is no reason for an automatic air vent.

I do recommend manual vents called coin vents. These small vents are valves that can be opened and closed with a slot screwdriver (or a dime—hence the name). A coin vent has a 1/4-inch pipe thread and can usually be substituted for an automatic air vent without any piping changes. They are normally located at the high point in the system piping, and can be cracked open periodically to eliminate any air that may have accumulated in the system—a rare occurrence if the system is charged correctly.

Chuck Marken • Home Power

Off-Grid Appliances

I'm considering buying some new appliances, and I'm trying to find out which ones are the most efficient, particularly from a renewable, off-grid perspective. I have searched your Web site and can't find anything that compares products, and highlights the most efficient brands and models. Can you send me in the right direction?

Myron Devereux • Veteran, Alberta, Canada

Home Power regularly publishes articles on improving your home's overall energy efficiency. But tracking energy use data for current model appliances is a moving target because new models are continually being introduced. Here are two great online sources to get you started.

First, Energy Star (www.energystar.gov), a federally funded program of the U.S. Environmental Protection Agency (EPA), can help you choose efficient appliances in a couple of ways. Energy Star rates appliances based on a number of criteria, including an appliance's energy use compared to other models in the same class,

and how much energy an appliance consumes when it's turned off or in standby mode. In general, appliances that have achieved an Energy Star rating will be among the most efficient you can buy. So when you're shopping for appliances, using the Energy Star sticker is a good place to start.

Second, the nonprofit American Council for an Energy Efficient Economy (ACEEE; www.aceee.org) publishes the *Consumer Guide to Home Energy Savings*, which is a great overall introduction to appliance and home energy efficiency strategies. Condensed portions of the guide are available on their Web site. *(continued on page 16)*



Proud Distributor of **SHARP** Solar Energy Products



SHARP Solar Racking System (SRS):

- Integrated grounding
- No protruding screws
- No cutting, no drilling
- Fast, simple installation
- Shared rail design
- Ultra low profile
- Covered rails
- Economical

To order the new Sharp SRS System
call us at 800-967-6917



DC Power Systems

Full spectrum of solar energy products, in-house tech support, product training,
financing solutions and unparalleled product availability

Become a DC Power Systems dealer today

30 C Mill St Healdsburg, CA 95448 phone 800-967-6917 fax 707-433-5698
info@dcpower-systems.com www.dcpower-systems.com

For off-grid systems, choosing the most energy efficient appliances that will meet your needs is paramount for keeping system costs down and limiting backup generator use during long periods of cloudy or windless weather. Energy Star's Web site is your best resource for comparing current appliance energy use. For example, go to www.energystar.gov > Products > Refrigerators & Freezers. Here, you can search by a range of criteria, including brand, layout, and size. Results display yearly KWH usage and more.

Finally, if you have the opportunity to visit with some off-grid homeowners, ask about their efficiency-related experiences with

the appliances they use. If they're up for it, get a little down and nerdy with a watt-hour meter and check their appliances' energy use. One caveat, however: Appliance models are changing all the time, and it pays to compare current models before buying. Consider getting specific appliance recommendations from your local renewable energy dealer, a strategy that can pay off well when it comes to installing an RE system, since every dollar you spend on efficiency can save you \$3 to \$5 on your off-grid system costs.

Ian Woofenden • *Home Power*

Small Battery System Advice

Our family cabin's small 12-volt PV system charges a deep-cycle battery used to power a handful of DC lights and a DC recirculating toilet pump. I want to learn how to make sure the various system elements are functioning correctly. Since many family hands touch this system, with Murphy's Law, I'm never sure if the module is generating electricity, if the battery is still OK, and if the charge controller is functioning properly. I just bought a multimeter, and aim to start educating myself. Suggestions welcome, especially signs I should post about things *not* to do!

Reid Fisher • San Martin, California



Safety Glasses



Gloves



Multimeter



Fire Extinguisher



Baking Soda



Funnel



Distilled Water

While there's not much we can do about the all-pervasive Murphy's Law, it is a good idea to control (to the degree possible) Murphy's operating range. Toward that end, here are some basic suggestions for maintaining your off-grid PV system.

- Folks who are unfamiliar with renewable energy system batteries should stay away from them. Batteries can be dangerous and, at the same time, can be damaged if mistreated. As such, batteries should be contained in an enclosure that prevents or at least discourages access by unqualified people.
- Use eye protection and rubber gloves when working with batteries, and keep baking soda on hand in case of accidents involving spilled electrolyte.
- Ideally, all off-grid battery systems include a battery monitor (amp-hour meter) so users can accurately track battery state of charge. Overly discharging your battery bank will quickly decrease battery capacity and longevity. With the small system you're running, even a simple analog voltmeter (about \$20), installed in a location where people can conveniently see it, will provide good information.
- Another common problem with battery systems is running the battery state of charge too low, creating a chronic undercharge situation where the battery is rarely, if ever, completely recharged. For small systems with DC loads and unknowledgeable users, I recommend a charge controller with a low-voltage disconnect for the DC loads. That gives last-ditch protection for the battery, since folks will not be able to completely discharge it.

- Make sure the fluid levels in flooded lead-acid batteries come up to the bottom ring of the filler hole, but take care not to overfill the batteries. Note how much distilled water the batteries use so you can get a good handle on how often it needs to be added. The battery plates should *never* be exposed above the electrolyte level. If electrolyte finds its way onto the battery tops, do not use baking soda to clean it up, as some of it might find its way into the battery. Just use a dry, clean cloth on battery tops.
- Occasionally check all wiring at the battery, charge controller, PV array, breaker panel, and DC loads, and make sure that all connections are secure and corrosion free.
- Finally, calculate how much energy each of your appliances uses, so you can determine whether your solar-electric array and battery bank are appropriately sized to support the total electrical load.

Michael Welch • *Home Power*




To submit a question to
Home Power's Ask the Experts,
write to: asktheexperts@homepower.com
or, Ask the Experts
Home Power, PO Box 520, Ashland, OR 97520


Published questions will be edited for content and length. Due to mail volume, we regret that unpublished questions may not receive a reply.



Irrigation



Livestock Watering



Solar Pool Filtration



Solar Tracking

Distributors wanted, please contact us!

State-of-the-art Solar Pumping and Solar Tracking

Reliable Water Supply: PS Pump Systems

Our wide range of different types of pump systems provides the optimum solution for every off-grid pumping situation - reliable, efficient, maintenance-free. We offer solar pumping solutions for 12V to 96V DC or 115 to 400V AC with helical rotor, centrifugal or rotary vane pump mechanisms.

Crystal-clear Water: PS600 BADU Top12 Pool Pump

LORENTZ solar-operated pool filtration pump BADU Top12 provides crystal-clear water for your residential pool and substantially reduces your power bills.

Highest Energy Yields: ETATRACK Tracking Systems

Solar tracking greatly increases the energy yield of your modules by up to 20-35% per year depending on the location. LORENTZ provides solar tracking mounts for off-grid systems of up to 17m²/180sqft (approx. 2.5 kWp) size. No use of failure prone light sensors or wind sensors. For solar power plants LORENTZ offers a central control system to operate and monitor enough trackers to reach several MW size.

LORENTZ solar products run worldwide in more than 100 countries, in various projects, for farms and villages, under the toughest climatic conditions.

For more information, visit our website



Courtesy Katy Troyer (2)

Happy Twentieth!

I apologize for not being more communicative, but life and time has a way of slipping by more quickly every year. I treasure all of my collection of *Home Power* magazines, starting with No. 1 in November 1987. Let me be the first to congratulate you on your upcoming twentieth anniversary! *Home Power* has always been, and still is, one of the best publications available. Enclosed is a little extra show of support. Maybe you can use it for a little celebration. Many blessings to you all!

Bill Sams • Keene, Virginia

It's always a pleasure to hear from one of our many longtime readers. We're excited to reach our 20 years of independent publishing milestone, and looking forward to the next 20 years as well. These are exciting times for renewables—we have more momentum now than ever. While the *Home Power* crew doesn't shy away from celebrating—and appreciates

the thought behind your gift—we've passed on your contribution to the Central American Solar Energy Project (CASEP), which works out of your home state of Virginia. Since 1991, CASEP has been promoting the use of solar cooking in Honduras, Guatemala, and Nicaragua, and doing a world of good.

Joe Schwartz • *Home Power*

Plenty of Sunshine

In "Mapping Renewable Energy Resources" in *HP116*, New England and most of New York State are depicted as having an average daily solar availability of between 3 and 4 hours.

This general information may be misleading to people in specific areas. For instance, the National Renewable Energy Laboratory data gives the 30-year average full sun-hours available in Albany, New York, as 4.3 hours per day for collectors at latitude tilt. Uneducated homeowners may be discouraged by the map's very general figures, and shy away from choosing a photovoltaic or solar domestic hot water system for their locations.

"While the Northeast does not get as much sun as some areas of the country, we get plenty of sunshine for very effective solar systems in my home area of upstate New York."

While the Northeast does not get as much sun as some areas of the country, we get plenty of sunshine for very effective solar systems in my home area of upstate New York. The addition of 1.3 sun-hours per day to your figure can make the difference in the economic analysis and sizing of systems. Sincerely,

Jon A. Sharp, SolarWrights Inc. •
Gansevoort, New York

The maps included in our December/January 2007 issue were intended to give readers a relative sense for the different renewable resources available across the United States. The data in the maps is general in nature, and precise, site-specific data should always be used when designing solar-electric and thermal systems. Visit <http://tredc.nrel.gov/solar> for solar insolation data for your location.

Joe Schwartz • *Home Power*

We've got you covered.



No matter what your power needs, we have an inverter for you.

From our entry-level 600 watt MM and MM-AE Series to the robust 4000 watt MS Series, with 12, 24, and 48-volt options, and sine wave or modified sine wave models there is a Magnum inverter/charger designed to meet your needs.



And to expand our available offerings, Magnum has teamed with MidNite Solar to create a MidNite Solar E-Panel, designed to work specifically with the MS and RD Series, combines necessary components into one easily installed panel.

- 600 to 4000 watt models
- 12 to 48 volt models
- Sine wave and modified sine wave models
- Smaller and lighter weight than comparable models
- Easy installation and operation
- Durable design
- Economical



www.magnumenergy.com
Phone: 425-353-8833

Distributors:

Carmanah Technologies	800-667-6527	Energy Outfitters, LTD	800-467-6527
Solatron Technologies	888-647-6527	Wholesale Solar	800-472-1142
SunWise Solar	800-817-6527	AEE	800-777-6609

Dealer and distributor inquiries welcome

The Powerful Difference

Letter to the Future

Dear great, great, great grandchild, You probably think of my generation as an industrious group. We work hard to maintain a lifestyle that includes big automobiles and mini-mansions. We travel thousands of miles by air or land each year for recreation, and many of us have boats and RVs. Some of us

“You probably think of my generation as an industrious group. We work hard to maintain a lifestyle that includes big automobiles and mini-mansions.”

have personal spas and swimming pools. We’ve consumed most of the world’s supply of oil, coal, and other natural resources, and we’ve destroyed mountains, prairies, rivers, streams, and nearly caused a meltdown of the planet to maintain our lifestyle.

My dear grandchildren, some of us try to conserve and protect natural resources, and a few of us are pioneers of what we call renewable energy. Unfortunately, we get very little support. I know it must sound crazy to you, but the biggest subsidies go to oil and coal companies, the worst polluters. It makes no sense until you consider campaign contributions. But I digress.

Please don’t judge us too harshly. Those who profit from oil and coal want us to believe that alternatives offer too little benefit for their high cost. Those of us who work with the alternatives know that this is untrue. Many of us are saving money, and reducing our negative impact on the planet at the same time. And we’re doing this now, with technology that must seem crude to you.

The fact that you’re reading this means that the planet has survived peak oil and peak coal. Perhaps some good has come from our selfishness. Because you don’t burn fossil fuels, global warming is less of a problem and oil-related wars



INTRODUCING... **SUNSAVER DUO™** Two Battery Solar Controller with Remote Meter

- Ideal for RV's, caravans, boats and cottages.
- Independently charges both the "house" and engine battery.
- Charging priority is user selectable.
- Remote meter displays digital and pictorial system information.



Phone: +1-215-321-4457
Fax: +1-215-321-4458
info@morningstarcorp.com
www.morningstarcorp.com

are unnecessary. Of all of our mistakes, I'm sorry for what we've done to the mountains most of all. While you've done a lot renew the planet, you'll never see those mountains in their original splendor. Your great, great, great, great grandfather,

John Dalhaus • Fairview Heights, Illinois

RE Education


Laurie Stone's article, "Get Your Renewable Energy Start," in *HP116* is a positive indicator of the renewable energy industry's growth in North America. The programs she highlights may be driven by industry demand, but they are attracting a motivated cadre of students who see great potential for exciting careers in the various disciplines of renewable energy.

Ms. Stone highlights a few of the RE-related programs available in North America, but several others are worth noting as well. On the technician side, Iowa Lakes Community College offers an Associate in Applied Science degree

in Wind Energy and Turbine Technology. Columbia Gorge Community College in The Dalles, Oregon, recently initiated a Wind Energy Technicians program, and Lakeshore Technical College in Cleveland, Wisconsin, has added a new Wind Energy focus to its Electro-Mechanical System Technician program.

"I can testify that these students are not only interested in engineering and technology, but they also have a deep desire to make a substantial positive impact on society."

Recently, several bachelor's degree programs focused on renewable energy have started offering courses. Unlike the programs highlighted in Ms. Stone's article, these focus exclusively on renewable energy technology or engineering. The State University of New York (SUNY)-



Apricus[®]
SOLAR HOT WATER

Apricus, helping to provide a bright future!

Visit www.apricus.com to learn more

Apricus Solar Co., Ltd

“When you are picking out your building lot, try to find one with views and potential solar gain south of the building site.”

Canton now offers an Alternative & Renewable Energy Applications bachelor's degree in Engineering Technology. This four-year degree program focuses on solar thermal systems, photovoltaic systems, and building efficiency and design. The Oregon Institute of Technology, in *Home Power's* own backyard, offers a unique Bachelor of Science degree in Renewable Energy Systems. Oregon Tech intends to develop this program into the first ABET-accredited renewable energy engineering program in North America. The degree provides a broad base of engineering fundamentals and covers numerous renewable energy technologies and systems.

These programs are tapping into a unique subset of college and university students. From my own professional experience, I can testify that these students are not only interested in engineering and technology, but they also have a deep desire to make a substantial positive impact on society. It is reassuring to know that the need

for renewable energy specialists is being provided by the nation's colleges and universities, and that brilliant, socially motivated individuals are filling the seats offered.

Robert Bass, Ph.D, Oregon Institute of Technology • Portland, Oregon


Passive Solar Plans

I was pleased to see you address basic design ideas (*“Designing Your Place in the Sun,” HP116*), since this is where many free or inexpensive ideas can pay off big time in terms of energy efficiency. I'd like to add a few ideas I've come up with over the last 31 years building houses.

First, I notice all but one house design has a long east-west axis. It's important to use this basic design whenever possible. It puts more exposure to the south in the winter, for solar gain, and minimizes the exposure of east and west walls, where a longer north-south axis would result in unwanted heat gain from the summer sun.

Winds Of Change 6 kW Eoltec Scirocco

- High efficiency / Low sound
- Variable pitch, low rpm, no furling
- MPPT grid-connect or charge controller
- European reliability, 5 year warranty
- 5.6 meter rotor diameter
- Affordable



USA
Pine Ridge Products LLC
www.pineridgeproducts.com
1 (406) 738-4283

Canada
Solacity Inc.
www.solacity.com
1 (613) 686-4618



west, or north aspects, because the sun rises in the southeast and sets in the southwest.

Another issue worth considering is—to the extent possible—placing the most-used rooms on the south side of the house. This usually is the kitchen, living room, den, and perhaps the bedrooms. Locate the other rooms, (bathrooms, laundry room, garage, pantry, stairways) on the north side. This will

save you big on heating loads, as these rooms will act as buffers against the outside cold temperatures, and don't usually need to be kept as warm as the rest of the house. In most houses, keeping these types of spaces at "normal" living temperatures will result in keeping the main living spaces warmer than necessary.

The article mentioned shading, including using trees. I want to point out that trees—even evergreen trees—are invaluable on the east, west, and north sides of the house, because they provide shade in the summer, and allow full sun in the winter. The winter sun, in most temperate latitudes, will never be shaded by a tree on the east,

One last note, and it's possibly more important than anything else I have addressed: When you are picking out your building lot, try to find one with views and potential solar gain south of the building site. If your fabulous view is to the west or the east, you'll want to have lots of windows on those sides, and it will make it much more difficult to design a solar-friendly home. I hope this will be of some help to those designing a new house.

Malcolm Drake • Grants Pass, Oregon



To send a letter to **Home Power's Mailbox**, write to:

mailbox@homepower.com
or
Mailbox, c/o Home Power
PO Box 520, Ashland, OR 97520

Published letters will be edited for content and length. Due to mail volume, we regret that unpublished letters may not receive a reply.



SOLARMOUNT®

Three great innovations make PV's most versatile mounting system better than ever.

UniRac Grounding Clip

Save time on the roof. Conforms to UL Standard 467 without running a wire to every module. Clips align easily and stay in rail slots hands-free. Use familiar SolarMount top mounting clamps and easily create a grounding path through a single wire.




SolarMount® Light

Less aluminum means lower cost — much lower. SolarMount Light is more than a third lighter than standard rail, yet its double hollow construction delivers all the strength to meet code in flush mount applications. Use the same top mounting clamps and footings that have always made SolarMount so easy to install.



SolarMount® Ballast Frame

Secure a rooftop array with ballast. UniRac's full-system approach makes it possible for arrays tilted up to 30 degrees. Our applications engineers will design a system based on your code requirements and site-specific wind loads.



These products are available now! Contact your PV distributor or UniRac for more information.



THE STANDARD IN PV MOUNTING STRUCTURES™

www.unirac.com

U.S. and other patents pending.

groSolar™

What the World Needs. **NOW**

Our product lines, distribution, and value-added services have been expanded to meet your business needs. We welcome new dealer inquiries.

Experience the groSolar™ difference!



PV FROM PV COMPANIES. CALL US TODAY!

Paul Coughlin, Dealer Distribution Manager	800-977-2079	Paul@groSolar.com
Eric McCluskey, Southern & Central CA Sales	800-GO-SOLAR (800.467.6527)	Eric@groSolar.com
Kirpal Khalsa, Northern CA & Northwest US Sales	800-GO-SOLAR (800.467.6527)	Kirpal@groSolar.com
Jen Elam, Southwest & Rocky Mountain US Sales	800-977-2071	Jen@groSolar.com
Paul Farley, Mid-Atlantic & Northeast US Sales	866-585-0700	Paul.Farley@groSolar.com
Canadian Sales	888-GRO-4SUN (888.476.4786)	Canada_sales@groSolar.com



Now Energy Outfitters has merged with groSolar to create the first true North American RE distributor with stocking warehouses across the U.S. and Canada.





Tower#102-AULETEB007

Towerful

Sunny Tower: Easiest Installation, Fastest Payback



SMA brings you the best in commercial inverter solutions: The new Sunny Tower. Designed with the installer in mind, we've combined ease of installation, lowest price per Watt, and the highest efficiency to maximize rebates and power production while minimizing your payback period. It is available in sizes up to 42 kW and comes standard with a Sunny WebBox making it Internet ready.

Contact your local SMA dealer for detailed specifications today.

www.sma-america.com



Creating *A Brighter* Future

by Justine Sanchez



Courtesy Khanti Munro

Justine Sanchez, shown with daughter Ruby and husband Mike, invested in home energy efficiency upgrades and a solar-electric system for a cleaner energy present—and future.

For the past eight years, I have been teaching solar electricity workshops for Solar Energy International (SEI). It's always been important to me to practice what I teach, so I can help students from firsthand experience. The funny thing is that my life keeps changing, and every time it does, I am again faced with a new home upgrade to meet my sustainability goals.

On the Move

When my husband Mike and I were first married, we rented a little two-bedroom, one-bath apartment. Since we didn't own the place, we weren't in a position to invest in a solar-electric (photovoltaic; PV) system, but we did what we could to make the apartment low impact in terms of our energy use. We installed compact fluorescent (CF) lightbulbs, purchased blocks of wind power from the local utility, and even succeeded in talking our landlords into upgrading the apartment's ancient refrigerator with a new, energy efficient model.

When our daughter Ruby came along, we decided it was time to purchase a home that would accommodate our growing family. We bought an existing house, instead of building from the ground up, for a couple of reasons. First, it would immediately provide more space for the three of us. But more importantly, we liked the idea of buying, rather than building, for environmental reasons—think of it as house “recycling.”

Upgrading older homes for energy efficiency almost always results in a net decrease in resource consumption, because fewer construction materials need to be harvested, manufactured, and transported. With this in mind, we set out to reduce our energy use in this 3,000-square-foot home, and install a solar-electric system to meet all of our electricity needs.

Efficiency First

When we moved into our new home, the first thing we did was replace all incandescent lightbulbs with compact fluorescents, which only consume about a quarter of the electricity of incandescent bulbs, while providing the same amount of light.

Next, we used a watt-hour meter to determine which of our appliances use energy even when they are turned “off.” We placed all of them—computer equipment, TV, VCR, and DVD player—on plug strips so we could conveniently and completely shut them down when not in use. Finally, we replaced the old pink 1970s-era refrigerator, dishwasher, and washer/dryer set with new Energy Star models (see Appliance Upgrades table for details).

The average U.S. home consumes about 940 kilowatt-hours (KWH) of electricity each month. The simple efficiency upgrades we made allowed us to bring our average monthly electricity consumption down to 210 KWH per month—or 7 KWH per day—less than a quarter of what a typical household consumes.

These basic energy efficiency strategies reduced our electric bill and also helped us meet our environmental goals. For every KWH we do not use, about 2.2 pounds of carbon dioxide (CO₂), a greenhouse gas, is kept out of the atmosphere, along with other pollutants emitted from the coal-based power plants that provide most of the utility electricity here in Colorado.

Appliance Upgrades for Energy Efficiency

Appliance	Cost (Approx.)	KWH Per Yr.	% KWH Reduction
Kenmore fridge, 18 c.f., Energy Star	\$600	417	71%
Kenmore dishwasher, Energy Star	\$250	319	40%
Kenmore clothes washer, horizontal axis, Energy Star	\$900	161	76%
20 Compact fluorescent lightbulbs	\$50	334	75%

While our motivation for reducing electricity demand was primarily environmental (at about 8 cents per KWH, electricity rates in our town are relatively cheap), our goal of reducing our natural gas usage was primarily economic. During the first winter in our new home, we faced gas bills in excess of \$360 per month! To reduce our natural gas consumption, we added another 12 inches of blown-in insulation on top of the fiberglass batts in the attic, and undertook the expensive project of replacing all the old, leaky aluminum-framed windows with new, top-quality double-pane, vinyl-framed windows. The new windows and increased insulation alone reduced our natural gas consumption by more than 25 percent.


Incentives & Net Metering

Finishing our energy efficiency upgrades just happened to coincide with some favorable legislation that got our PV system off the “wish list” and out into the sun, generating

The crew of volunteer installers checks out the solar-electric awning from below.



Sanchez On-Grid PV System



Running the DC wiring from the array to the disconnect.

clean, renewable energy. Last year, Colorado voters passed Amendment 37, which requires investor-owned utilities (IOUs) servicing Colorado to obtain 3 percent of their electricity from renewable energy resources by 2007 and 10 percent by 2015. As a result of this legislation, Xcel Energy is offering a solar-electric rebate program to customers in their territory.

Though we are not serviced by Xcel Energy, for a limited time, they also offered to buy renewable energy credits (RECs) from PV systems in Colorado that are outside of their service territory and purchase the RECs with a one-time payment of \$2.50 per DC watt of installed PV. The Xcel Energy REC purchase offer, combined with the \$2,000 federal tax credit now available for solar-electric and solar hot water systems, gave us the financial incentives we needed to design, purchase, and install our PV system immediately (see PV System Costs table).

Our local utility, Delta Montrose Electric Association (DMEA), offers net metering for systems up to 25 KW. Ironically, while DMEA is one of the progressive utility cooperatives in Colorado, their \$20 monthly minimum utility bill policy can undermine the financial benefits of residential-scale grid-tied PV systems. The result is that even if you offset *all* of your electricity consumption with a solar-electric system, you will still be charged \$240 each year for electricity! While this policy significantly reduces (or may even negate) the financial payback of a grid-tied PV system in their service territory, and is in direct conflict with energy efficiency and green power strategies otherwise promoted by DMEA, we refused to be deterred from accomplishing our green power goals.





An inside look at the Fronius inverter, which converts the DC generated by the PV array into AC for house loads and the grid.



Conductors for the AC and DC disconnects, and KWH meter base with lightning arrester, are routed through a wiring gutter.

Designing the System

Our initial goal was to design a grid-tied PV system that would offset 100 percent of our annual electricity use. The next consideration was whether to include batteries to provide a backup energy source for some of our household appliances when the utility grid goes down. We rarely experience utility outages at our location, and when we do, they are typically short in duration and don't inconvenience us much, so we opted for a batteryless system. In fact, we look at utility outages as a nice little break from all the technology that surrounds us day in and day out.

We used our average annual electrical consumption of 2,520 KWH to size our PV array (see System Sizing Calculations sidebar) and, after making a few calculations, determined that a 1.7 KW array would meet our electrical needs. Our home's roof faces east and west, and has trees blocking the sun on both sides. Thankfully, we didn't have to do much tree trimming to

allow the south wall of our house full solar access from 9 AM to 3 PM—the optimal solar window. The two-story construction of the house allowed us to design an awning structure to support a PV array that would both generate electricity and, during the summertime, shade our first-floor windows, while admitting full sun through the windows during the winter months.

PV System Costs

Item	Cost
10 Mitsubishi PV modules, 170 W	\$10,950
Fronius IG 2000 inverter	2,295
2 DP&W PV mounts	1,062
Misc. wire, electrical, hardware, etc.	600
Fronius wireless display	410
DC disconnect	165
AC disconnect	60
Total, Before Incentives	\$15,542
Federal tax credit	-\$2,000
Green tags (\$2.50 per W)	-4,250
Grand Total	\$9,292

Tech Specs

Overview

System type: Batteryless, grid-tie solar-electric

Location: Paonia, Colorado

Solar resource: 5.8 average daily peak sun-hours

Production: Designed for 210 AC KWH per month, average

Utility electricity offset: 100 percent

Photovoltaics

Modules: Ten Mitsubishi PV-MF170EB3, 170 W STC, 24.6 Vmp

Array: One, 10-module series string, 1,700 W STC total, 246 Vmp

Array installation: Two Direct Power & Water Roof/Ground Mounts (low profile with telescoping legs), each holding five modules; installed on south-facing wall, 40-degree tilt

Balance of System

Inverter: Fronius IG 2000, 2,000 Wp, 150–450 VDC operating range, 500 VDC maximum, 240 VAC output

System performance metering: Wireless Fronius IG Personal Display and AC KWH meter



Courtesy Mike Pandy

The dual-purpose solar-electric awning generates year-round electricity and, in the summertime, shades the first-floor windows.

An Eye on Electricity

Although electricity is an indispensable part of our everyday lives, most people know very little about how much electricity they use, where it comes from, or what the environmental consequences are. Part of the problem is that electricity is invisible—it just does its job in the background. But some grid-tie inverter manufacturers now offer convenient, wireless system performance displays that allow system owners to “see” the results of their investment in solar energy.

Once our system was installed, we were excited to try out the new wireless display available for Fronius inverters, especially since it was a piece of PV gear that I had not installed before. The Fronius IG Personal Display shows instantaneous data such as power, voltage, and current, and daily and cumulative energy (KWH) production values. You can also view CO₂ offset and the amount of money your PV system is saving.

The wireless display works great anywhere in our house or out in the yard (the manual says the range is 150 feet indoors or up to 450 feet outdoors). We tend to leave it on our kitchen counter so we can check our system’s performance over a cup of coffee in the morning or before we sit down for dinner.

*Fronius Wireless Display Values**

Max. Watts Today: 1,461 W

KWH Today: 8 KWH

KWH Total: 642 KWH

CO₂ Offset: 1,251 lbs

\$ Saved: \$89

*Reading from 12/23/2006; system installation completed 8/31/2006

Have Modules, Add Sunshine

We decided to use Mitsubishi modules (sourced from Bob-O-Schultze of Electron Connection) and a Fronius inverter. We also ordered a prefabricated Direct Power and Water (DP&W) mount that we could simply attach to the house. Jeff Randall from DP&W helped us adapt their standard mounting structure for our particular situation. The roof-ground mount is normally installed so that the adjustable legs sit underneath the top of the array. For wall-mounting, we flipped the mount so that the legs would be adjustable from the bottom of the array.

Our PV project coincided with one of SEI’s PV Design and Installation workshops, and we were fortunate to have several of the students volunteer to help with the installation. Their skills and attention to detail were top notch.

We spent two and a half days mounting

and wiring all the system components—PV array, AC and DC disconnects, inverter, and an AC PV system production meter (required by our local utility)—along with mounting the junction box and wiring gutter, running and securing the conduit, pulling the wire, and, finally, completing all wiring connections.

On the last day of the installation, after double-checking our wiring and connections, it was finally time to bring the system online. Once the inverter was energized and producing electricity, we all rushed over to see the electrical meter merrily spinning in reverse! And as all of us were cheering, I was reminded that this was the first grid-tied PV installation these students had been involved with, and what a thrill it is to see solar energy hit the grid for the first time.

Another Day in the Sun

The system has worked flawlessly since its installation. When the sun is shining, the PV array produces more electricity than we typically use around the house. In this case, our electrical meter spins backwards and the utility gives us a “credit” for the surplus kilowatt-hours generated. When the PV array produces less electricity than we consume, we simply pull whatever amount of additional electricity is needed from the grid, dipping into our surplus credits.

The Fronius inverter and its wireless display have proven to be very user-friendly, and overall system production has been impressive. On bright, sunny days during the fall, our 1,700-watt array produced about 10 AC KWH each day. Around the winter solstice, the system produced about 8 AC KWH on sunny days. This past year we experienced an unusually cloudy late fall and early winter, so our total KWH production has been lower than expected. But considering that our PV modules will generate electricity for 30 years or more, there’s a lot of sunshine—and solar electricity—coming our way!

(continued on page 32)

System Sizing Calculations

If you're thinking about designing a grid-tied PV system for your home, here's a simplified overview of the steps required. System sizing relies on electricity consumption, site-specific solar insolation data, and array shading, tilt, and orientation specifics.

Step 1: Determine average daily AC electricity use. Grid-tied PV systems can provide some or all of your home's electricity. Reviewing your past year's electric bills will get you started. In our case, we wanted to offset 100 percent of our grid electricity with solar electricity.

$$2,520 \text{ AC KWH/year} \div 365 \text{ days/year} = 6.9 \text{ AC KWH/day}$$

On average, we'd need our PV system to generate 6.9 AC KWH per day.

Step 2: Determine the initial array size (unadjusted for system efficiency) necessary to meet your average daily AC KWH solar-electric generation goal.

You'll need to know the average daily peak sun-hours at your location (visit <http://rredc.nrel.gov/solar>) and what percentage of the total solar resource is available, depending on shading at your site and array orientation. A solar resource evaluation tool, like the Solar Pathfinder, is needed to determine array shading. Our array faces true south, so no adjustment for orientation was necessary.

Average daily peak sun-hours at our location: 5.8 (Grand Junction, CO data)

$$6.9 \text{ AC KWH/day} \div 5.8 \text{ average daily peak sun-hours} = 1.19 \text{ KW (initial array size needed, unadjusted for system efficiency)}$$

$$1.19 \text{ KW} \div 0.90 \text{ (fraction of total solar resource available)} = 1.32 \text{ KW (initial array size, adjusted for solar resource at site, unadjusted for system efficiency)}$$

Step 3: Determine array size based on system efficiency factors. Precisely calculating overall system conversion efficiency depends on a number of variables, including module performance at elevated temperatures, the production tolerance specified for a given PV module, mismatch between individual modules wired in series, and inverter efficiency. Installation-specific details, such as array mounting as it relates to air circulation and cooling, transmission losses in system wiring, and PV output losses due to soiling/dust buildup, all come into play.

Overall efficiencies for grid-tied PV systems typically fall between 75 and 85 percent of the rated array output at standard test conditions (STC; 25°C, 1,000 W/m²).

Our estimation, considering the variables above, is based on a predicted system conversion efficiency of 77.5 percent.

$$1.32 \text{ KW (unadjusted PV array rating)} \div 0.775 = 1.7 \text{ KW (specified array size)}$$

FRONIUS IG System Configuration Tool

english | español

Please select your system parameters

System Components

Inverter Model: FRONIUS IG 2000 (240V)

Module Manufacturer: MITSUBISHI

Module Type: PV-MF170E03

Environmental Conditions

Hottest Ambient Temp: 57°F / 14°C

Coldest Ambient Temp: -5°F / -21°C

Show Module Details

Possible System Configurations

STRINGS	W
1	1364
2	2728
3	4092
4	5456
5	6820
6	8184
7	9548
8	10912
9	12276
10	13640
11	15004
12	16368
13	17732

Please press a button!

Legend:
■ Array May Be Underused
■ Optimal Configuration
■ Array May Be Overused

Module Data

Module	Mitsubishi
Model	PV-MF170E03
Open Circuit Voltage	38.6 V
Power at MP	170 Wp
Current at MP	4.83 A
MP Voltage at 138°F	28.5 V
Short Circuit Current	7.38 A
Voltage at MP	24.8 V
Open Circuit Voltage (V _{oc}) at 14°F	34.6 V
MP Voltage at 122°F	22.3 V

Optional Configuration

Number of Strings: 10
 Number of Modules per String: 10
 Maximum String Current: 7 A
 Maximum PV Current: 7 A
 Maximum V_{oc} according to NEC: 382.5 V

FRONT

Step 4: Determine the number of modules required to meet energy generation criteria. We were planning on installing Mitsubishi 170 W modules. Dividing our specified array size by 170 watts gives us the total number of modules required.

$$1.7 \text{ KW} \times 1,000 \text{ W/KW} = 1,700 \text{ W}$$

$$1,700 \text{ W} \div 170 \text{ W/module} = 10 \text{ modules}$$

Step 5: Determine array voltage based on compatibility with selected inverter model. Almost all modern grid-tied inverters are high voltage, with maximum DC voltages of 600 volts for some models. Pay attention to several variables when matching your PV array requirements to a specific inverter.

We decided to install a Fronius inverter, based on the product's reputation for solid performance and reliability in the field. We chose a 2,000-watt IG 2000 model based on our calculated array size of 1,700 watts.

The next step was to check what module string voltages are compatible with the inverter. Most grid-tie inverter manufacturers, including Fronius, have convenient string sizing calculators available online. Factors that affect array string sizing include maximum power, peak and open-circuit module voltage specifications, and the inverter's maximum voltage limit and operating voltage range. Because array voltage increases as temperature decreases (and vice versa), string sizing calculators require the input of the record low and high temperatures at your site (visit www.weather.com/common/home/climatology.html).

The record low temperature in our town of Paonia, Colorado, is 31°F below zero. The Fronius configuration tool confirmed that, at our location, ten 170 W Mitsubishi modules in series were a good match for the IG 2000 inverter, and that the maximum DC input voltage would not exceed the inverter's 500 VDC limit, even during record cold temperatures.

A Cleaner Future

It has been a fun and exciting project to blend our growing family needs with our "green power" goals. If your primary goal is environmental, it's best to pursue energy efficiency strategies first. Once a home's energy efficiency has been addressed, installing a PV system to meet the remaining electrical demand makes good sense, both financially and environmentally.

By investing in a PV system when we did, we were able to take advantage of solar incentive programs that reduced the up-front cost, while hedging ourselves against future electricity rate increases. But the primary factor that motivated us to invest in energy efficiency and PV technology wasn't money or cutting-edge PV gear; we did it to create a cleaner environment for our daughter Ruby and the generations that follow.

Access

Justine Sanchez, Solar Energy International, 39845 Mathews Ln., Paonia, CO 81428 • 970-527-7657 • Fax: 970-527-7659 • justine@solarenergy.org • www.solarenergy.org

Electron Connection • 530-475-3401 • www.electronconnection.com • Equipment supplier

System Components:

Direct Power and Water Corp. • 800-260-3792 • www.directpower.com • PV rack

Fronius USA LLC • 805-683-2200 • www.fronius-usa.com • Inverter & display

Mitsubishi Electric Corp. • 714-229-3814 • www.mitsubishielectric.com/products/solar.html • PVs



Harris Hydroelectric

Hydro-Power for Home Use

Introducing a new adjustable Permanent Magnetic Brushless Alternator

- 25 - 30% more efficient than Hi Output Alternator
- Marine Grade Construction throughout
- Re-connectable Stator
- Retrofittable on existing turbine



Manufactured by Lo Power Engineering
P.O. Box 1567
Redway, CA 95560



Denis Ledbetter
707-986-7771
delejo@humboldt.net

Get Solar Access and Shading Data On-Site with the Touch of a Button!



The Solmetric SunEye™ is all you need.

- One-click analysis with integrated fish-eye lens, digital camera & GPS
- Immediate onsite sunpath images and bar charts
- Simulates removal of shade-causing obstructions
- Transfer data to computer and automatically generate reports

New Solar Pro™ software upgrade

- On-site output in kW-hr, peak sun hour and dollar values
- Panel tilt, NREL data and transit-level angle measurements
- Fully compliant with CSI EPBB rebate requirements

To purchase, contact DC Power Systems
1-800-967-6917 or www.dcpower-systems.com





Get an
Extra Discount!
Mention this code:
HP118
when you order
today!



the **alternative energy store**

www.altenergystore.com

Shop online 24/7 or call now (M-F, 9AM-7PM EST)
Toll-free: 1.877.878.4060 or Direct: +1.978.562.5858

store

**Natural Light Solar Attic Vent/Fan
10W & 20W Modules**



A simple and environmentally sensible solution that can save you money! Powered completely by solar energy, these efficient units are installable by the do-it-yourselfer.
starting at: \$315

Natural Remodeling for the Not-So-Green House

by Carol Venolia and Kelly Lerner

This book will show you how to start with the home you have and transform it into an eco-paradise—on any budget. If you want your home to be more sustainable, but don't know how to sort through the myriad options, this book is for you!
\$25



**Southwest Windpower
Whisper 200**




The Whisper 200 can be installed in just a few hours with no welding, concrete or cranes. Now wind is as easy to use as photovoltaics!

\$2,367

**Solar Water Heating
A Comprehensive Guide to Solar Water and Space Heating Systems**

by Bob Ramlow with Benjamin Nusz

Great source of info for the do-it-yourselfer! Learn about the history and energy savings of heating water with the sun! A must-read for those considering "going solar."
\$23



**Samlex 300W 12V
Pure Sine Wave Inverter**

Run appliances with electric motors 30% more efficiently - won't cause interference with your radios or TVs.



\$149

**Alt-E SOLARVOYAGER™ Bronze
Plus Photovoltaic RV Package**

Power your RV with the sun! New and improved, Alt-E staff-designed packaged systems in stock and ready to go. (Airstream not included!)



\$775

Packaged Systems!

Visit our website to peruse the wide variety of Sunwize

Grid-tied and

Alt-E, staff-designed, Off-grid Packaged Systems!

www.AltEnergyStore.com

Panels by the Pallet

Get a special low price on pallet loads of Unisolar, Sharp, Matrix... Call for details. While supplies last!

Sun-Mar Compact Composting Toilet

Wherever there is a poorly working septic system, a Sun-Mar can take care of the toilet waste; where there is an outhouse we offer the luxury of an indoor facility; and where there is no toilet at all, a Sun-Mar provides the right environmental choice. Sun-Mar units are economical, quick to install and easy to use!



\$1,420

GreenMeter Hybrid Energy Monitor

Now you can monitor the performance of your PV, wind, hydro systems and batteries simultaneously; log data; track cost savings, greenhouse gas emissions and more over the Internet!



\$507



"Making renewable do-able"

The Alternative Energy Store is the premiere retailer of renewable energy goods. We provide not only the expertise and the technical service the Do-It-Yourselfer needs, but also a place for learning & sharing with others who have the same passion. We make renewable do-able.




We Are Hiring Sales People Now!

Would you like to work for a fun, growing, renewable energy company?

Send your resume to careers@altenergystore.com

Sizing Solar Hot Water Systems



by Carl Bickford

While most people are captivated by the high-tech nature of solar-electric (photovoltaic; PV) systems, in most cases, a solar hot water system will harvest more energy at a substantially lower cost. In fact, compared to PVs, solar domestic hot water (SDHW) collectors are more than three times as efficient at producing energy from the sun.

Daily Hot Water Usage for a Family of Four

Hot Water Use	Efficient Household			Typical American Household		
	Avg. Gallons Per Usage	x Times Per Day	= Gallons Per Day	Avg. Gallons Per Usage	x Times Per Day	= Gallons Per Day
Showering	10.0	4.0	40.0	20.0	4.0	80.0
Automatic dishwashing	4.0	1.0	4.0	12.0	1.0	12.0
Preparing food	2.0	2.0	4.0	5.0	2.0	10.0
Automatic clothes washing, hot cycle (4 loads per week)	18.0	0.6	10.8	32.0	0.6	19.2
Hot Water Usage Per Day (Gal.)			58.8	121.2		

Investing in a solar domestic hot water (SDHW) system is a smart solar solution for most homeowners. This proven and reliable technology offers long-term performance with low maintenance. And with federal, state, and utility incentives available, these systems offer a quick payback—in some cases, only four to eight years.

A thoughtfully designed SDHW system could provide *all*, or at least a significant amount, of your household hot water needs for some portion of the year. The California Energy Commission estimates that installing an SDHW system in a typical household using electric water heating can shave 60 to 70 percent off water heating costs. To get the most for your money, you'll want a properly sized system that offers the best performance in your climate. Here's what you need to know to size right—before you buy.

Efficiency First, Then Loads

Before you install a solar hot water system, insulate pipes and storage tanks, install high-quality, restricted- or low-flow

faucets and showerheads, and lower your water heater's thermostat setting if possible. Making these improvements and repairing plumbing leaks will minimize losses, reduce your hot water demand, and make your solar hot water system both smaller and less expensive.

To size your solar hot water system, start by estimating your household's hot water use—its loads. Calculating a household's actual hot water load can be a social science exercise (people have very different water use habits), but a

SDHW Advantages

- Year-round usage
- Relatively low installed cost (often less than \$5,000)
- Federal and state rebates or tax credits available (see Access)
- Small area required for collector mounting (usually less than 80 sq. ft., and sometimes less than 40 sq. ft.)
- High efficiency—more than three times that of PV systems
- Integrates with existing plumbing systems
- Variety of system types to meet specific needs
- Proven technology and system designs
- Quality components widely available
- Expandable (with proper design)
- Long system life
- Low maintenance
- Large energy displacement
- Significant utility bill savings possible

Shower Power

After bathing, showering generally is the highest hot water consumer. If you really want to get a handle on your hot water use, you can measure the flow rate of your showerhead with a bucket and a timer, in gallons per minute (gpm). You will also need to measure the temperature of your shower water (fill a cup while you're showering) and that of the cold water supply (preferably while you're not).

Measuring the water temperature and timing the length of your showers will allow you to calculate energy consumed. For example, a 10-minute shower at 110°F (heated from a 50°F supply) with a flow rate of 1.5 gpm (a high-quality, low-flow showerhead) would result in an energy consumption of roughly 7,500 Btu.

Volume (gallons) x Temperature rise (°F) x 8.33 (the density of water multiplied by its specific heat) = Energy (Btu)

$$1.5 \text{ gpm} \times 10 \text{ min.} \times 60^\circ\text{F} \times 8.33 = 7,497 \text{ Btu}$$

Even though the energy use is relatively low, it must be supplied at a high rate (power). That rate of energy usage (45,000 Btu per hour) would have to be matched by the input of an on-demand water heater, but with sufficient storage, we can do the job with low-power solar collection.

Another helpful conversion factor is: 1 watt equals 3.412 Btu per hour. With this, you can convert your shower power from 45,000 Btu per hour to 13,190 watts, which would require 55 amps from a 240-volt electric element—that's what an on-demand electric water heater would have to supply to keep you in hot water!

Load & Collector Sizing Calculations

Some up-front number-crunching can help you size your SDHW system appropriately for your household, saving you money from the get-go. The example below sizes a system for an efficient household in Des Moines, Iowa, that uses about 60 gallons of hot water daily.

1. Calculate your daily household water heating load. Two formulas are particularly important to calculating hot water loads:

Volume (gallons) x Temperature rise (°F) x 8.33 (the density of water multiplied by its specific heat) = Energy (Btu)

Suppose you heat 1 gallon of water from 50°F to 130°F. The temperature rise is 80°F, so the energy formula would tell you that 666 Btu (1 x 80 x 8.33) are required. A family of four, using 15 gallons of hot water each, would require:

60 gal. x 80 (temperature rise) x 8.33 (lbs./gal.) = 39,984 Btu

2. Determine your site's average daily insolation and equivalent SRCC "Sky Type." Use the PVWatts online calculator, or an equivalent source (see Access), and convert the KWH/m²/day figure to Btu/ft.²/day, using the following:

1 KWH/m²/day = 317.1 Btu/ft.²/day

Des Moines receives an average of 4.83 KWH/m²/day (collector at a 41.5 degree tilt angle). Applying the conversion factor:

4.83 KWH/m²/day x 317.1 Btu/ft.²/day = 1,531.6 Btu/ft.²/day

This available solar resource most closely matches the SRCC's "Mildly Cloudy" (1,500 Btu/ft.² per day) sky-type category.

3. Categorize your climate. For all but the coldest locations in the United States, using the "C" category will give you a reasonable estimate. (For more tips on improving your estimate's accuracy, see the SRCC Collector Ratings sidebar.)

4. Obtain collector performance output data from the SRCC Web site (see Access). One popular 4- by 8-foot, flat-plate collector produces about 24,000 Btu per day in Category C and "mildly cloudy" conditions. If we assume system losses of about 20 percent (80 percent efficiency), one collector can be expected to produce about 19,200 Btu (24,000 Btu x .80) per day—almost half of the family's hot water needs.

To take advantage of the federal tax credits, this family would need to install two collectors and have at least 64 gallons of storage capacity, which would provide most of their annual hot water requirements.

You can find an Excel spreadsheet to help you through the process of estimating a collector's output at www.homepower.com/promisedfiles. SRCC also provides comparisons and ratings of prepackaged SDHW systems. See their Web site (www.solar-rating.org) for details.

Example Collector Data*

Category (T _i -T _a)	Thousands of Btu/Sq. Ft./Day		
	Clear (2,000 Btu/ ft. ² per day)	Mildly Cloudy (1,500 Btu/ ft. ² per day)	Cloudy (1,000 Btu/ ft. ² per day)
A (-9°F)	43	32	21
B (9°F)	39	28	18
C (36°F)	33	24	13
D (90°F)	23	13	4
E (144°F)	13	4	negligible

*Black chrome, flat-plate collector, 32 sq. ft. nominal

rough rule is to estimate 30 gallons of hot water per day, per person. A family of four typical Americans would result in a load of about 120 gallons of hot water every day. (If you have a water-wise household, this figure results in overestimating hot water consumption.) You can estimate your household water heating loads using the Daily Hot Water Usage table on the previous page. If you use natural gas for space and water heating, you can also look at your summertime utility bills to estimate your water heating needs.

After you've determined your household load, you can estimate your energy needs for heating water (see Load & Collector Sizing sidebar). An "average" American household requires about 80,000 Btu each day for water heating, but an efficient household uses *half* this amount.

Choosing the Right Collector

Once you have a good understanding of how much hot water your household uses and the amount of energy required, it's time to choose your collectors, which convert the sun's radiant energy to heat energy and warm your water. Whether you choose flat-plate or evacuated tube collectors, focus on

how much energy a collector will produce on an average day at your site.

One piece of the solar puzzle is knowing how much insolation (average daily peak sun-hours) your site receives. You'll need this number to figure out how much output to expect from your collectors. For a quick estimate, you can convert the average yearly insolation data from the online solar resource calculator PVWatts (see Access). Next, choose your collector make and model, and determine how many you'll need to offset your water heating needs. The Solar Rating and Certification Corporation (SRCC) maintains a Web site that provides thermal output performance estimates on many commonly available collectors. The examples and equations above and the SRCC Collector Ratings sidebar will help guide you through these steps.

Most SDHW experts recommend installing enough collectors to cover 40 to 70 percent of the annual load. To qualify for federal tax credits, an SDHW system must supply at least 50 percent of the household's water heating. A system that is sized to supply 100 percent of the annual load will produce very hot water in the summertime, which is unnecessary and potentially problematic.



Courtesy www.solarthermal.com

Evacuated tube collectors are more efficient than flat-plate collectors in cloudy or colder conditions, but can be more expensive.

Storage Sizing

Electric and natural gas-fired tank-style water heaters can minimize their storage capacity because energy is typically always available. This isn't the case with solar water heaters, because the weather affects their output. A solar water heater can be slower to recover after hot water usage, so greater storage capacity is required. A backup heating source for extended periods of cloudy weather is typically included.

Your climate and the total area of the collectors will determine the storage tank capacity that's needed. Storage tanks are available in a range of sizes—from 30 to 120 gallons. A tank's capacity should be equal to or greater than that required by the daily loads. (For more climate-specific recommendations for sizing a solar storage tank, see "Solar Hot Water: A Primer" in *HP84*.) Systems installed in sunny, warm climates can accommodate more storage volume than systems in cloudy and cold ones, since more energy can be collected.

In general, more storage volume leads to lower collector operating temperatures, which improves the collector's performance. If possible, the storage tank should be dedicated to its task, and be separate from the backup tank. Any backup heating system (tank or tankless) should be sized for 100 percent of the load to guarantee sufficient hot water in any weather.

Solar Savings

Tax credits and other financial incentives can sweeten the deal for solar water heating systems. Through December 31, 2008, you can claim up to 30 percent (to a maximum of \$2,000) of your system costs as a tax credit for a residential installation that provides at least 50 percent of your water heating needs. Businesses can receive a 30 percent tax credit—with no cap.

Using the SRCC Collector Ratings

Solar thermal collector output depends on four main criteria: 1) size, type, and construction materials of the collector; 2) solar energy available at the site; 3) difference between the collector inlet temperature and the ambient air temperature; and 4) the application of the collector(s).

Using the SRCC's online performance tables for individual collectors (OG-100) can help you correctly size your solar hot water system (see *Access*). The SRCC boils down the relatively complex test results to a user-friendly table or matrix, which dovetails two of the four factors governing collector output (see Example Collector Data table on opposite page).

Three columns in the matrix classify available solar energy into sunny, clear day; mildly cloudy day; and cloudy day. Five rows describe temperature ratings derived from the simple formula $(T_i - T_a)$, the difference of the collector temperature inlet minus the temperature ambient.

All collectors lose some of their heat to the outside (ambient) air. The higher the collector inlet temperature is above the ambient temperature, the more heat lost and consequently the lower the collector's output. As the temperature difference $(T_i - T_a)$ gets larger, the collector's output drops accordingly. Output also decreases as the solar energy available drops.

SDHW use is year-round and collector output varies significantly with changing seasons. Most locations cannot be classified into a single cell in the matrix. To more accurately predict the output, an average between two, and sometimes more, cells is required. When using the SRCC data to predict performance at any location, keep in mind that the daytime temperature is the important factor. You can closely approximate daytime temperatures by knowing the lows and highs for a given period.

Typical SDHW systems can have large temperature variations throughout the day. This is due to the changing relationship between the inlet temperature and the daytime ambient temperature. Collectors will typically operate in the B and C categories in the morning, when cooler ambient temperatures are closer to the inlet temperatures. As a typical day progresses, SDHW inlet temperature outpaces the ambient temperature, and the collector operates in the C and D categories.

As a general rule, if you must pick a single category of operation in any location, the C category will be most accurate year-round in all but the very coldest climates in the United States. Many systems will operate closer to the D category in the winter, but will predominately be closer to the C category in the spring, summer, and fall.

Using the SRCC collector matrix to estimate a solar collector's performance is only an approximate science—with a little art in the mix. The art is being familiar with the nuances of local climate conditions, prevailing weather patterns, and educated guessing.

—Chuck Marken

Maximizing Efficiency

Heat losses typically occur through the plumbing and the solar storage tank walls. Properly insulating pipes and the storage tank can reduce these losses to less than 5 percent per day. Use 3/4-inch-thick, closed-cell foam pipe insulation, and wrap tanks with insulating blankets. Select solar storage tanks with insulation levels greater than R-15, or with more than 2 inches of foam insulation.

Many states and local utilities also offer rebates, shortening the payback period significantly. (See Access to find more information on SDHW rebates and incentives.)

Besides having a positive effect on your pocketbook, SDHW systems are also good for the planet. According to the U.S. Department of Energy, over a twenty-year period, one solar water heater can prevent more than 50 tons of carbon dioxide, a notorious greenhouse gas associated with global warming, from being emitted.

Access

Carl Bickford, Associate Professor of Engineering, School of Math and Science, San Juan College, 4601 College Blvd., Farmington, NM 87402 • 505-566-3503 • bickfordc@sanjuancollege.edu

Database of State Incentives for Renewables & Efficiency (DSIRE) • www.dsireusa.org • Federal, state, and local incentives

U.S. DOE, Office of Energy Efficiency & Renewable Energy • www.eere.energy.gov/consumer/your_home/water_heating/index.cfm/mytopic=12760 • Hot water savings tips

PVWatts • http://rredc.nrel.gov/solar/codes_algs/PVWATTS • Web-based software for solar energy data

Solar Rating and Certification Corporation (SRCC) • www.solar-rating.org

Further Reading:

"Solar Hot Water: A Primer," Ken Olson, *HP84*

"Solar Hot Water Simplified," John Patterson, *HP107*


"Solar Hot Water for Cold Climates: Closed-Loop Antifreeze System Components," Ken Olson, *HP85*

"Solar Hot Water for Cold Climates, Part 2: Drainback Systems," Tom Lane & Ken Olson, *HP86*

"Installation Basics for Solar Domestic Water Heating Systems," Chuck Marken & Ken Olsen, *HP94*

"SDHW Basics, Part 2: Closed-Loop Antifreeze," Chuck Marken & Ken Olson, *HP95*

"Heat Exchangers for Solar Water Heating," Chuck Marken, *HP92*



Stand-alone Pure Sine Wave Inverter Solutions



- 2 Year Warranty
- < 3% Total Harmonic Distortion
- From 150 to 3000 continuous watts
- Consumer and Commercial applications
- Models with a transfer switch are available.

Samlex America is proudly supported by:



www.samlexamerica.com/solar

Toll Free 1-800-561-5885 E-mail: sales@samlexamerica.com

NOW PLAYING



WWW.MIDNITESOLAR.COM
425-374-9060

**MidNite Solar 120/240VAC E-Panel
(MNE175STM240)**

**Magnum 4400 watt, 48 volt,
120/240VAC Inverter/Charger
(MS4448)**

MIDNITE SOLAR PRESENTS

THE MIDNITE SOLAR 120/240-E PANEL



The MidNite/Magnum system provides split phase 120/240VAC in and out eliminating the need for two inverters. This system coupled with a Magnum ME-RC50 remote lists for about \$3600. In stock at wholesalesolar.com.

DIRECT POWER & WATER CORP

POWER-FAB
QUALITY HARDWARE FOR THE PV INDUSTRY

Top-of-Pole



SunStrut



Enclosures - Battery Boxes



(800) 260 - 3792


Albuquerque, NM USA (505) 889 - 3585

www.power-fab.com • info@power-fab.com



SunEARTH inc.
Quality Solar Energy Products

**THINK THERMAL-
THINK SUNEARTH**



The Empire Series Liquid Flat Plate Collector

www.sunearthinc.com

SunEarth, Inc.

8425 Almeria Avenue, Fontana, CA 92335

(909) 434-3100, FAX (909) 434-3101

Distributor inquiries welcome.

solar powered



\$83.99

**DIFFERENTIAL TEMPERATURE
CONTROLLER
FOR SOLAR HEATING**

- Operates direct from 12 Volt PV panel
- Uses standard 10K thermistor temperature sensors
- Switch inside for ON/AUTO/OFF to simplify testing
- Pump run indicator—green LED on front panel
- Switches up to 6 Amps (72 Watts)
- Replaceable 6 Amp 3AG-type fuse inside
- Built in surge protection protects electronic motors
- Reverse polarity protection
- Measures only 2.25 x 3.3 x 1.1 inches

www.arttec.net/dtc

No Power? No Problem!

There is more to a working renewable energy system than a cheap deal on a pile of hardware.

We Provide:

Complete service. We do solar, wind, microhydro and pumping systems. Load analysis, site survey, system design, sales, installation, user training, and tech support long after the warranties expire. We live on renewable energy, have 20 years of experience, and have established over 500 systems. We specialize in NEC® compliant, safe systems that will make your Electrical Inspector smile!

Equipment for DIY. We offer reasonable deals and technical reality checks. Why settle for a packaged system when you can have yours custom designed by an expert?

Your best resource is a local pro. Tap into our network of qualified, competent Electron Connection associates across the country.

Going into the Biz? Why talk to a "sales technician" when you can talk to an electrician? We KNOW what works and how it works. We offer technical support, system design help, prompt shipment, fair pricing and NO BULL. Local referrals always. Electrical competence required.

Electron Connection

Bob-O Schultze
CA Electrical Lic #613554
OR CCB Lic #149724



800-945-7587 toll free

www.electronconnection.com online catalog



PO Box 203, Hornbrook, CA 96044 USA
Voice / Fax: 530-475-3401 • E-mail: bob-o@electronconnection.com


Light Electric Vehicles

by Rick Doran

You turn the key, and with a questioning look, wonder, "Is it really turned on?" There's no sound, no movement, just a little green light on the dash. Open the throttle carefully, and the electric vehicle (EV) springs to life. Five minutes later, you're back with windblown hair and a big grin. I've seen it happen time and time again with first-time EV drivers.

Over the years, I've worked for five different EV companies, including two of my own, each building practical vehicles with diverse uses. I've witnessed the emergence of highway-ready EVs designed and manufactured by major automakers, the disappearance of these product lines, and the current resurgence in their interest.

Most highway-ready, full-size EVs on the road today were originally internal combustion rigs, converted to run on an electric motor and batteries. It's my hope that soon, production electric cars will be readily available. Until then, several categories of light electric vehicles (LEVs), and an ever-growing share of commuter and special-purpose EVs, are catching people's attention. Best of all, most of these can be effectively charged by small to mid-sized solar-electric systems for even cleaner, greener wheels. Here's a look at some of the newest—and coolest—ways to get on down the road.



Model: Patmont Motor Werks Go-Ped ESR750
Price: \$899
Top Speed: 20 mph

Range: Up to 10 miles
Battery: Sealed lead-acid, 260 watt-hours (WH) at 24 VDC
Web Site: www.goped.com

Stand-Up Scooters

Even though some adults have found these vehicles useful for very localized transportation, they are primarily for kids and for fun. Stand-up scooters vary from lightweight toys (\$89 and up) to tire-squealing hot rods costing as much as \$4,000.

With a few exceptions, electric scooters have small wheels, a pair of sealed lead-acid batteries, and exaggerated range claims. Most are good for top speeds of 8 to 10 mph, and 2 to 12 miles in range. They are only suitable for use on paved surfaces, and are outlawed for street use in some areas because of guilt-by-association with their obnoxiously noisy gas-powered counterparts. Various imports are popular on the low end of the price range. In the mid-range, Patmont Motor Werks's Go-Ped is a well-liked model.

Electric Bikes

Electric bike design is typically based on a heavy-duty or mountain bike frame, with a motor and battery pack added for perspiration-free propulsion. Many of the early designs had a friction drive that was very inefficient, and wore out tires in a hurry. Most current models are chain or direct drive, and almost silent. Speed is regulated by either a twist or thumb throttle.

On the low end, electric bikes with a low-capacity 12-volt battery won't do much for you—except give you exercise as you push these overweight brutes back home. High-end designs are configured to operate at 36 volts, and provide lots of speed, but high speeds can put a significant dent in the bike's range. E-bikes are limited to 20 mph by federal law and many max out at 12 to 15 mph. Most are suitable for use on smooth paths and, except for the high-end ones, don't handle hills very well. Typical range is from 5 to 10 miles for low performers to 20-plus miles for high performers. Prices range from \$499 on the low end ("you get what you pay for" has never been so true) to \$3,000 for rugged, high-performance machines.

While most e-bikes require some pedaling to top out on steep hills or to help out when the battery gets low, some electric bikes *demand* pedaling to get "assist" from the motor. These bikes are known as human-augmented electric bikes. By law in Japan, human-augmented is the only type of electric bicycle available. With pedal assist, cyclists can use most bike lanes, trails, and bike parking—and still get some exercise.

The high-quality Japanese brands may look too utilitarian for the "gotta be cool" U.S. market (think mom's Western Flyer back in the '50s, with a basket and fully enclosed chain guard.) But in Japan, these bikes are everywhere. Makes like Panasonic and Yamaha are sold in appliance stores alongside washing machines and vacuum cleaners. These models may be difficult to find in the United States, but some available e-bikes use their drive systems.



Model: Giant Suede E Step-Thru (pedal-assist or throttle modes)

Price: \$1,000

Top Speed: 17 mph

Range: Up to 30 miles

Battery: Nickel-metal hydride, 325 WH at 36 VDC

Web Site: www.giantbicycles.com



Model: eZee Sprint (pedal-assist, throttle, or combination)

Price: \$1,445

Top Speed: 20 mph

Range: Up to 28 miles

Battery: Nickel-metal hydride, 324 WH at 36 VDC (Lithium-ion, 370 WH at 37 VDC option available)

Web Site: www.ezeebike.com

Electric Motorcycles, Motor Scooters & Mopeds

Model: eGo Cycle 2 Classic

Price: \$1,399

Top Speed: 24 mph

Range: Up to 25 miles

Battery: Sealed lead-acid, 816 watt-hours at 24 VDC

Web Site: www.egovehicles.com

Some EVs in this category have already come and gone, or have been “coming soon” for many years. Nevertheless, great models are available. Companies like Peugeot and Yamaha manufacture several high-quality but pricey scooters for the European and Japanese markets, but unfortunately these models are not available in the states. Lepton’s Oxygen, an Italian-built scooter, does have some U.S. distribution.

Vehicles in this class come stock with 24-, 48-, 72-, and even 125-volt battery packs, with acceleration and top speeds that can go toe to toe with most gas scooters. Once again, this is proof that power and speed are not the problems with electric vehicles—range is still the big limitation. And just like electric cars, battery weight and capacity limitations are keeping these vehicles from grabbing a significant share of the scooter market.

In most states, you’ll need to add a motorcycle or motor scooter endorsement to your driver’s license to legally operate electric motorcycles and scooters on the roadways. Top speeds can vary from 18 to 62 mph, with ranges of 25 to 68 miles. Prices can also vary significantly depending on quality, from \$1,400 to \$9,000.

Mopeds fall into a different regulatory class than electric motorcycles and scooters. During the 1960s through the ‘80s, more than a few teens relied on their trusty mopeds to get around. These original mopeds typically had 50 cc or smaller gas engines (usually two-stroke) and could also be pedaled when the lunch money (and the gas) ran out. The pedal-powered “silent mode” was perhaps a moped’s best feature—perfect for sneaking home late at night.

Although most electric bikes could technically fit into the moped class, most stay in the bike classification to avoid additional safety regulations and licensing. Many of the larger electric motor scooters try to stay in this class as well to avoid more stringent federal regulations. Mopeds are limited to speeds of 30 mph, and some states, such as California, do not require pedals (if electric only). Today’s electric mopeds typically have a 24- or 36-volt battery pack, and ranges of 10 miles to unlimited (by pedaling). This is another class that varies from bare-bones models on the low end at \$799, to works of art on the high end.



Single Person Stand-Up Transport Vehicles

A few years back, stand-up EVs caught the public’s attention with the introduction of the Segway, which stirred up such media frenzy that more than a few people were convinced that they would forever change the face of urban transportation. The Segway is an engineering marvel with a motor in each wheel and three computer-connected gyroscopes to provide stability. Segways are a real kick to ride, but a pricey kick at \$4,995 for the i2 base model and \$5,495 for the x2 sport version.

Besides urban transportation, stand-up EVs are well suited to industrial and work environments as time- and money-saving alternatives to walking, with the bonus of some cargo capacity. Gorilla Vehicle’s Chimp, a nimble three-wheeler that uses inexpensive lead-acid batteries, has a top speed of 12 mph, a 30-mile range, and includes some cargo capacity for shopping, security, or warehouse work. Retail price: \$3,395.

Be aware that some communities, such as San Francisco and New York City, have passed laws banning Segways to keep pedestrian walkways safe from motorized vehicles. Other locales allow owners to use them on bike paths and even sidewalks. Make sure to check out local regulations before you hand over your credit card and, as with all EVs, check the accessory and replacement battery prices before buying to avoid cardiac problems later on.

Model: Segway i2

Price: \$4,995

Top Speed: 12.5 mph

Range: Up to 24 miles

Battery: Lithium-ion, 426 WH at 73.6 VDC

Web Site: www.segway.com



Model: Gorilla e-ATV24
Price: \$6,895
Top Speed: 14 mph
Range: Up to 30 miles
Battery: Flooded lead-acid,
 3.3 KWH at 24 VDC
Web Site: www.gorillavehicles.com



Electric Tractors, ATVs & Utility Vehicles

Most electric-drive utility vehicles offer a lot of power to get hauling work done, and are great for a quiet recreational cruise once the chores have been wrapped up. General Electric's Elec-Trak is considered to be the original electric work vehicle. Thousands were built from 1968 to 1972, and later under the Wheelhorse brand name. These popular single-seat garden tractors had a wide assortment of optional accessories, including plows, trailers, mower decks, and even snow blowers. Elec-Traks now have quite a cult following, and you can still find them for sale from time to time on the Internet.

New electric work vehicle models include John Deere's Gator TE, which features a wide track, side-by-side seating for two, and a dump bed with an 11.3-cubic-foot volume and 500-pound cargo capacity. Gorilla Vehicles manufactures the Gorilla e-ATV. With its narrow track, sharp turning radius, and tandem seating for two, the e-ATV is a good fit for both recreational and mobility use, as well as for work around the homestead. The Gorilla and Gator TE are both great off-road hill climbers and powerful tow vehicles with their stump-puller rear-end ratios and heavy-duty, lead-acid batteries. Also available is the E-Z-GO ST-Sport 2+2 that features an 800-pound total load capacity, including the operator, passenger, accessories, and cargo. The maximum capacity of the cargo bed is 250 pounds.

Model: John Deere Gator TE
Price: \$8,299
Top Speed: 15 mph
Range: Not available
Battery: Flooded lead-acid,
 10.8 KWH at 48 VDC
Web Site: www.johndeere.com





Model: Myers Motors NmG
Price: \$24,900
Top Speed: 75 mph
Range: 30 miles
Battery: Sealed AGM lead-acid,
6.2 KWH at 156 VDC
Web Site: www.myersmotors.com

Neighborhood Electric Vehicles

Sixty-five percent of U.S. families own, operate, and maintain more than one car. But more than half of a typical second vehicle's use is for trips to places that can be reached in 10 minutes of driving time or less. These brief, around-town errand runs are a perfect fit for modern neighborhood electric vehicles (NEVs).

Golf carts have long held the distinction of being the most widely used EV class in the United States, and basic NEV design is based on their success. What sets the two apart is that NEVs, to be street legal, are required to have seatbelts, headlights, brake lights, turn signals, mirrors, and windshields—things beyond the scope of a day on the back nine. In 44 states, NEVs can be legally operated on streets with speed limits of 35 mph or less. Federal safety standards for low-speed vehicles limit NEV speeds to 25 mph.

The majority of the NEV models available have a 72-volt battery pack to boost their top speeds, but reduced range and shortened battery life can be the net result. The claimed range of most NEVs is about 30 miles under optimal conditions. With more than 32,000 GEMs on the road, Global Electric Motorcars, whose parent company is DaimlerChrysler, is dominant in this class. They have several different models in their GEM line. Other manufacturers or U.S. distributors of road-ready NEVs include Columbia ParCar Corp., Zenn, and Dynasty. While the NmG from Myers Motors isn't technically an NEV (it goes too fast), it's included here because it's just plain cool.

Model: GEM E2
Price: Starting at \$6,795
Top Speed: 25 mph
Range: 35 miles
Battery: Sealed lead-acid,
5.8 KWH at 72 VDC
Web Site: www.gemcar.com



Electric Sidekicks

Before you buy, don't forget to check the price for accessories and replacing the battery pack, and be aware that "your mileage may vary." Factors such as ambient temperature, battery age, payload, uphill grades, tire pressure, and driving style will all affect how fast and how far your vehicle will travel. Specified mileage ranges are often stated under ideal conditions and can be overly optimistic.

Although all the major auto manufacturers have pulled the plug on their programs for full-function, highway-ready, pure-electric vehicles, a wide range of choices exists for light electric vehicles and special-use EVs. Compared to their internal combustion counterparts, LEVs require less maintenance, run quietly, and all can be recharged by a

properly sized solar-electric system for truly emissions- and pollution-free riding. So think about which EV just might fill a niche in your daily life. With a variety of models suited for many tasks, you'll likely be able to find an EV that fits your budget and needs—whether for work, convenience, or just for fun.

Access

Rick Doran • 714-377-7776 • rick@gorillavehicles.com • www.gorillavehicles.com

Eric Sundin • 206-547-4621 • eric@electricvehiclesnw.com • www.electricvehiclesnw.com



Intelligent Regulators

from



and



* Informative

Comprehensive LCD screen displays battery voltage, charge current, Ah in and out, load current, battery temperature (w/ optional sensor) & more.

* Versatile

Every PL works in 12, 24, 32, 36 and 48V systems. Plus, the four-stage charging algorithm allows all charging voltages and times to be adjusted making PL adaptable to all battery requirements.

* Powerful

PL is equipped with a sophisticated backup generator controller w/ four different modes of control and quiet time option. Also included is a powerful event controller for nightlights, water pumps etc.

* Smart

30-Day datalogger stores system performance data for the past month. All data can be read from the controller LCD screen or from an optional remote display. The controller remembers what happened, even if the user does not.



Introducing:

PL

Available in 20, 40, and 60A versions for use in PV systems up to 180A.

Exclusively Distributed by:

Phocos USA
742 E. 46th Street
Tucson, AZ 85713
Phone: +1 (520) 882-9100
Fax: +1 (520) 844-6316
info-usa@phocos.com

www.phocos.com
www.plasmatronics.com.au

FULLRIVER DEEP CYCLE NEXT GENERATION VRLA BATTERIES

Unique Design & Manufacturing process Provides Higher Reserve Capacity and Longer Cycle Life. Wide range of models available from 30 AH to 3000 AH.



ISO9001 UL CE & TUV (Europe) DOT, IATA, IMDG Approved

WWW.FULLRIVERDCBATTERY.COM



From China's Premier Quality manufacturer - **Fullriver Battery Mfg. Co. Ltd.**

- Already a famous brand name in Europe and Asia
- Now available in the USA.
- Warehouse locations coast to coast. Huge inventory of Deep Cycle AGM Batteries
- Higher AH & Reserve Capacity, Longer Cycle life.

Contact us for a distributor near you.

phone:
1-800-522-8191

e-mail:
sales@fullriverdcbattery.com

The Half

Plan

by Gary Reysa

Reducing Your Carbon Footprint

Part One: Thermal Gains

Almost all human activities impact the environment, but it's only been in the past two centuries that we've witnessed a marked increase in the atmospheric concentration of carbon dioxide (CO₂) as a result of one main activity—burning fossil fuels for everything from home heating to electricity generation to transportation.

An average American contributes 40,000 pounds of CO₂ each year: the equivalent of making almost two complete trips around the globe in a 20-mpg SUV. Many scientists say that our overloading of the atmosphere with CO₂ is increasing the severity of storms and droughts, and having an impact on ecosystems worldwide. Although global warming's full-scale impacts are difficult to predict, researchers say that its probable effects—water shortages, coastal flooding, rising agricultural pest populations, and habitat disruption—will be far reaching.

“Half” is my family’s plan to reduce our energy consumption and greenhouse gas emissions by 50 percent.

The good news is that taking steps to minimize your carbon footprint—the total amount of CO₂ you generate each year—can make a difference, both for the planet and for your pocketbook. Conserving energy and improving your home's energy efficiency will lower your heating and electricity bills, and driving a more fuel-efficient car can save you hundreds of dollars at the pump each year.



Cut Your Consumption

“Half” is my family’s plan to reduce our energy consumption and greenhouse gas emissions by 50 percent. We took on more than 20 projects that fit our skill levels and particular household needs. You can follow our progress—and implement your own plan—over the next few issues of *Home Power*, where we’ll describe seasonal projects we completed at our house, and give estimates of cost, economic return, and greenhouse gas reduction.

The CO₂ Reduction Plan

1. Conduct a home energy audit and make a list of potential projects to reduce your household energy use.

Many utilities will send out a technician, often for free, to assess your home's efficiency—from basement to attic—and provide a report and recommendations for efficiency upgrades. Some utilities even offer rebates to offset the cost of certain projects, like replacing windows or installing a new furnace. If your utility offers blower door and duct blower tests, use that opportunity to find and seal all the locations where air is infiltrating.

If you're off the grid, or your utility doesn't offer audits, you can perform an energy audit yourself, using the online Home Energy Saver program (see Access).

2. For each project, estimate the cost, energy savings, time and degree of difficulty, and greenhouse gas reduction. For insulation upgrades you can use the Insulation Upgrade Cost Saving Calculator (see Access). Simply enter a few figures, and the calculator will determine your first-year and projected 10-year savings, and CO₂ emissions reduction.

For this article's projects, financial savings in fuel in the first year are based on the projected kilowatt-hours (KWH) saved, and multiplied by 10 cents per KWH—my cost for utility electricity. The projected 10-year fuel savings assumes a 10 percent rise in fuel prices each year. Converting all nonelectrical forms of the energy to KWH will allow you to compare energy savings for electricity, transportation, and heating projects on the same basis. Some handy conversion factors:

1 KWH = 3,412 Btu

1 gal. of propane = 92,000 Btu or 27 KWH

1 therm of natural gas = 100,000 Btu or 29.3 KWH

1 gal. of gasoline = 125,000 Btu or 36.6 KWH

1 gal. of heating oil = 139,000 Btu or 40.7 KWH

To estimate greenhouse gas savings for each project, I used the calculator at www.infinitepower.org. For transportation-related energy and greenhouse gas savings, I recommend the www.hybridcars.com calculator. (See Access for more resources.)

3. Using the results of your evaluations, list all the projects that have good payoffs—both economic and environmental. Prioritize projects according to CO₂ savings, and budget, time, and skill constraints.

4. Keep a file of your utility bills to review, so you can see what progress you are making. The bills can also be used to demonstrate your home's improved energy efficiency, if you plan sell it, and may be needed to claim rebates or tax credits.

Investing in energy-saving projects to reduce greenhouse gas emissions is a win-win situation—you can do something that is good for the planet and also earn a good economic return.

Window Dressing

Our home, with its large expanses of east-facing, double-glazed windows, doesn't make heating easy. To minimize heat loss and reduce air infiltration, we added two types of thermal shades. Both are accordion-pleated, but one style has an "Energy Track" on the sides (see photo), which prevents air from flowing around the edges of the shade. The shades' manufacturer claims R-values of R-2.8 without the track and R-4.3 with the track, giving total R-values of 4.8 and 6.3, respectively, for the windows in my home.

The energy savings for improving window R-values by using storm windows or thermal shades can be estimated using the Insulation Upgrade calculator (see Access). You will need to know the window area, the existing window's R-value, and the improved R-value. Single-glazed windows have an R-value of about 1; double-glazed windows about R-2; and double-glazed, low-E, argon-gas-filled windows about R-3. More exact values can be found at www.efficientwindows.org using their Window Selection Tool. A more precise method would be to use RESFEN, a free software program that provides an hour-by-hour heat loss simulation (see Access).

Project 1: Custom Thermal Shades

Up-front Cost: \$1,086 (8 shades, various sizes, 140 sq. ft. total)

DIY Labor: 3 hrs.

DIY Difficulty: 3 (on a scale of 10)

Annual Energy Savings: 3,159 KWH or 117 gal. of propane*

First Year Energy Cost Savings: \$258 (117 gal. of propane at \$2.20 a gallon)

Projected 10-Year Savings: \$4,109

Annual CO₂ Reduction: 1,525 lbs.

Energy Use Reduced: Propane

*For details on the assumptions and calculations used to determine energy and dollar savings, see www.buiditsolar.com/References/Half/Projects.htm



**Thermal Shades eliminate
1,525 lbs. CO₂ per year**



**Insulating Panels eliminate
1,100 lbs. CO₂ per year**

More Panes, More Gain

Oddly shaped windows are architecturally interesting, but can be a heat-loss nightmare, and difficult to insulate with any kind of conventional thermal shade or shutter. Customized interior storm windows made from triple-wall polycarbonate glazing can boost insulation values by an additional R-2.5, while still allowing daylight in and a (slightly distorted) view out.

Project 2: Insulating Panels

Up-front Cost: \$450 (for 6 panels, various shapes, 134 sq. ft.)

DIY Labor: 8 hrs.

DIY Difficulty: 4

Annual Energy Savings: 2,700 KWH or 100 gal. of propane

First Year Energy Cost Savings: \$220

Projected 10-Year Savings: \$3,500

Annual CO₂ Reduction: 1,100 lbs.

Energy Use Reduced: Propane

A Perfect Storm

A smaller, but still significant, project was adding a glass storm door to the front door, which helped reduce the thermal losses for both conduction and infiltration. By replacing the glass with a screen in the summer, it also allows for better ventilation in warmer months.

Project 3: Glass Storm Door

Up-front Cost: \$200

DIY Labor: 3 hrs.

DIY Difficulty: 4

Annual Energy Savings: 216 KWH or 8 gal. of propane

First Year Energy Cost Savings: \$18

Projected 10-Year Savings: \$270

Annual CO₂ Reduction: 100 lbs.

Energy Use Reduced: Propane



**Storm Door eliminates
100 lbs. CO₂ per year**

The DIY Scale of Difficulty

- 1 As easy as changing a lightbulb
- 2 Still easy, but a bit more time consuming
- 3 May involve installing more complex devices, making simple parts, some ladder work, or working in dusty or awkward places
- 4 Like 3, but a bit more complex or time consuming
- 5–7 Projects require some design and planning, and mechanical or carpentry skills
- 8–9 A good challenge for almost any DIYer
- 10 Nearly impossible for ordinary mortals

Cold House, Warm Bed

In our frigid Montana climate, keeping warm can be a struggle—and heating bills can eat a household alive. Although we set the bedroom area thermostat to 62°F at night, the bedroom's forced-air furnace would still cycle off and on frequently.

Our solution was to use electric mattress pads (aka bed warmers), and heat the bed instead of the room. Unlike electric blankets, the power consumption for mattress pad heaters is very low (about 13 W each). Using the pad heaters at night allows us to turn off the furnace that heats the bedrooms. The savings in propane is considerable, the comfort is outstanding, and—even better—there's no furnace noise.

Project 5: Electric Mattress Pads (2)

Up-front Cost: \$125 (for a king-size bed)

DIY Labor: 0 hrs.

DIY Difficulty: 0

Annual Energy Savings: 1,270 KWH or 47 gal. of propane

First Year Energy Cost Savings: \$103

Projected 10-Year Savings: \$1,624

Annual CO₂ Reduction: 510 lbs.

Energy Use Reduced: Propane

Wise Drying

The advantage of venting a dryer to the inside is twofold: you recover much of the heat that was added to dry the clothes (about 2.2 KWH per load); and you avoid bringing in cold outside air to make up for the air that the dryer is pushing outside.

To vent to the inside, you need 1) a dry climate, 2) an electric—*not gas*—dryer, and 3) a way to catch the lint in the dryer exit stream. (Gas dryers should never be vented inside, since the vented air contains combustion by-products. Electric dryers should only be vented inside if your climate is dry—be alert for moisture problems, such as mildew buildup and excessive condensation on windows and door frames.)

The simplest way to vent the dryer to the inside is to separate or cut the dryer vent pipe, and duct-tape a pair of pantyhose as a lint trap over the vent. To prevent cold airflow, block off the vent pipe leading to the outside. Be sure to regularly check the new lint trap for clogging and keep good air movement through the dryer. Once warmer weather has arrived, you can splice the cut pipe back together to vent the hot air outside.

Project 4: Dryer Vent

Up-front Cost: \$20 (tubing and a lint filter)

DIY Labor: 2 hrs.

DIY Difficulty: 3

Annual Energy Savings: 630 KWH

First Year Energy Cost Savings: \$63

Projected 10-Year Savings: \$1,002

Annual CO₂ Reduction: 286 lbs.

Energy Use Reduced: Propane (reduces space heating needs)



**Electric Mattress Pads
eliminate 510 lbs. CO₂
per year**

Resources

Carbon Calculators

HybridCars.com • www.hybridcars.com/calculator • CO₂ calculator for vehicles

Infinite Power • www.infinitepower.org/calculators.htm

Safe Climate • www.safeclimate.net

Window Information

Efficient Windows Collaborative • www.efficientwindows.org

Co-Ex Corp. • www.co-excorp.com/mac.html • Multiwall polycarbonate panels

RESFEN, Window Heat Loss Simulation software • <http://windows.lbl.gov/software/resfen/resfen.html>

Symphony Shades, with Energy Track • www.symphonyshades.com/comforttracks.html

Project Evaluation Software

Insulation Upgrade Calculator • www.builditsolar.com/References/Calculators/InsulUpgrd/InsulUpgrade.htm

HEED Simulations Software • www.aud.ucla.edu/heed/

Home Energy Saver • <http://hes.lbl.gov/> • Online DIY home energy audit

Example Evaluations • www.builditsolar.com/References/half/projects.htm

Next Issue—Trimming Your Waste Line

Gary's family puts their household on an energy-slimming diet, and offers more tips on how you can cut your electricity use and reduce your household CO₂ emissions.

Your Solutions

What smart steps have you taken to reduce your carbon footprint? Write to us at footprint@homepower.com. If we choose to print your projects, you'll get a free *Best of Home Power* CD-ROM and a one-year gift subscription to send to a friend or family member.

Access

Gary Reysa, Build It Solar Projects • www.builditsolar.com



Power You Can Depend On

RENEWABLE ENERGY GEL BATTERIES

- Proven product in demanding photovoltaic applications
- Less than 2% per month stand loss means little deterioration during transport and storage
- World's largest, most modern battery plant site
- EPA "Part B"-permitted recycling facility
- U.L. recognized component
- High cycle performance
- Minimum maintenance
- Competitive warranty
- Knowledgeable staff
- Made in the U.S.A.

QUALITY SYSTEM
CERTIFIED TO
ISO 9001
QS 9000



800-372-9253
Domestic Inquiries: www.mkbattery.com

EAST PENN
manufacturing co., inc. **610-682-3263**
International Inquiries: www.dekabatteries.com

Use ALL the power from PV Arrays, ALL day, at ALL temperatures

T80 TurboCharger™

MPPT Charge Controller

80 Amp output at up to 40°C ambient

Built-in TriMetric™ Energy Monitor

Wireless Remote Readout option

Optimum MPPT Energy Harvest

Data Logging with Computer Display

Runs cool – quiet variable speed fan

Large wiring box and connectors



Wireless Remote Readout

Available in Wired, Wireless and Wireless PC Link versions.

Shows Battery State of Charge, Amp-Hours, charge/discharge current plus energy history.

Wireless Link to PC displays all the data plus graphs.



APOLLO SOLAR

23 F. J. Clarke Circle
Bethel, CT 06801
(203) 790-6400
www.Apollo-Solar.net



POWER LEVELS FROM 1KW TO 60KW

OUTPUT VOLTAGES OF 100,120,230

INPUT VOLTAGES OF 12 TO 108

20+ YEARS MTBF

EXPANDABLE



MODULAR

REMOTE CAPABLE

"HOT" SWAPABLE



7317 JACK NEWELL BLVD. NORTH,
FORT WORTH, TEXAS 76118-7100
TOLL FREE: 800.886.4683
VOICE: 817.595.4969 FAX: 817.595.1290
WEBSITE: WWW.EXELTECH.COM

CREATING A CLIMATE FOR CHANGE

RENEWABLE ENERGY ON THE ROAD

by Joanne Kuntz
photos by Curtis Tronolone

There's nothing like a colorful 36-foot-long bus to turn heads. Especially if it has a climbing wall bolted to one side, solar-electric modules on the roof, and a tailpipe that burps out the unmistakable odor of french fries.

The bus, owned by the nonprofit National Outdoor Leadership School (NOLS) and funded through a partnership with Stonyfield Farm (maker of organic dairy products), is powered by a diesel engine with a modified fuel system designed to run on waste vegetable oil (WVO)—a renewable alternative to petroleum diesel. Eight solar-electric (photovoltaic; PV) modules on the roof produce electricity for the bus's outdoor theater, audio equipment, lights, computers, and refrigeration units.



Left: NOLS marketing rep Nora Kratz explains the inner workings of the bus's waste vegetable oil fuel system.

With 50,000 miles and 820 days on the road under its belt, the NOLS bus and its crew are crisscrossing the country to promote the school's mission—to be the leading source and teacher of wilderness skills and leadership that serves people and the environment.

ENVIRONMENTAL CONSCIOUSNESS

In its 40-year history, NOLS has been a pioneer in the field of wilderness and leadership education all over the world. In 2004, when the school was searching

Right: Two members of Creative Energies, a Wyoming-based renewable energy company, install solar-electric modules on the roof of the bus.



With a new bus tour for 2007, “Creating a Climate for Change,” the use of renewable energy sources like WVO and solar electricity is both timely and influential. The campaign will combine renewable energy education with NOLS’ leadership values, along with information on Stonyfield Farm’s sustainable, organic farming practices.

As the bus travels along, stopping at schools, outdoor stores, concerts, and “green” events, the crew hosts fly fishing and wilderness medicine clinics, shows outdoor films on their PV-powered theater system, and spots climbers on their portable bouldering wall. Inside, pictures of graduates from NOLS courses around the world cover the walls, and visitors can learn more about NOLS and sample Stonyfield Farm yogurt while the crew explains the workings of the WVO system and the benefits of using renewable fuel sources.


VEGGIE CONVERSION

After the idea was sparked, NOLS implemented the bus’s WVO conversion with the help of California-based Veg Powered Systems. A diesel mechanic for more than 20 years and the company’s owner, Joel Woolf worked for a week with NOLS employees Jared Scott and Matt Armstrong to install the special fuel system.

The stock diesel fuel system—complete with 100-gallon tank, lines, pumps, and filters—was left intact and functional. Woolf and the NOLS team simply installed a second, distinct, parallel fuel system. The veggie oil fuel system is almost

for an innovative way to spread its educational message, a veggie-powered bus seemed like a natural fit. As the demand for petroleum rises, the remote, wild places that serve as NOLS’ wilderness classrooms are increasingly threatened by petroleum and natural gas development—areas like Wyoming’s Red Desert, the Arctic National Wildlife Refuge in Alaska, and Utah’s Green River corridor.

NOLS estimates that their WVO approach has saved 5,000 gallons of petrodiesel so far, neutralizing associated carbon dioxide emissions, eliminating sulfur dioxide emissions, and significantly reducing the release of other harmful pollutants. Meanwhile, the PV array on the roof produces clean electricity from sunshine—eliminating the pollution associated with fossil-fuel-based electricity production.



identical to the stock diesel fuel system with one notable extra—it's heated. Copper tubing, coursing with hot engine coolant, is coiled around the WVO fuel line and inside the 90-gallon WVO tank.

A toggle switch in the driver's cab controls which fuel system is being used, but the bus is always started and shut down using the conventional or "dino diesel" system. As the Caterpillar 3116 diesel engine heats up, it transfers that heat to the coolant, which in turn transfers it to the veggie oil fuel lines and tank. In approximately five minutes, the WVO is warmed and thinned enough to run through the fuel line, pumps, and a diesel fuel filter, and into the fuel injectors.

WVO SYSTEM DETAILS

1. Engine coolant reservoir
2. WVO water-separating fuel filter
3. Diesel fuel filter
4. Electric pump housing
5. Voltmeter, engine temperature gauge, external starter
6. Caterpillar 3116 diesel engine




Aside from the heat needed to reduce the WVO's viscosity, the only other requirement for running veggie oil fuel in a diesel engine is thorough filtration. To ward off the inevitable chunks of tortilla chips and wontons, Armstrong designed, built, and installed an in-line prefilter system. When compared to the low-tech solution of nylon sock filters favored by many WVO users, Armstrong Technologies' 30-gallon filtering unit seems like a sci-fi collaboration between NASA and Rube Goldberg.

For the bus's high fuel demands and crew's tight time constraints though, it's just the thing. Veggie oil can be scooped, poured, or pumped straight from a waste receptacle into the filter system, where it is heated by PV-powered water heating elements and pumped through progressively finer wire-mesh filters en route to the WVO fuel tank. And the icing on the fossil-fuel-free cake? The entire process is powered with electricity from the solar-electric array.



A toggle switch on the dashboard allows the driver to choose between tanks of petrodiesel or veggie oil.



The grease-gathering payoff is free fuel—used fryer oil from a restaurant's grease barrel—for the bus.

FREE FILL-UPS

When it comes time to fill up at the pump, the savings of using WVO really add up. The bus gets roughly the same mileage running on WVO as it does with petroleum diesel—between 5 and 12 mpg depending on road conditions and oil


quality—but the waste veggie oil is *free*. Many restaurants and dining halls are happy to get rid of their unwanted, leftover oil. After being used to make french fries, chicken nuggets, egg rolls, or tempura, the oil gets filtered into the bus's WVO fuel tank. The bus crew frequents higher-quality Chinese and Mexican restaurants for the best oil. Fast food chains, they say, use hydrogenated oil, which can clog the fuel injectors.

The fuel-finding expeditions go something like this: Slink down alleys looking in grease disposal barrels, knock on back doors, and be prepared to answer a lot of questions. "Some restaurants think it's a prank," says Matt Copeland, NOLS

Visitors learn more about NOLS wilderness adventures on the PV-powered flat-screen TV.

While students practice their climbing skills, the photovoltaic (PV) array on the roof collects solar energy to power electronics and appliances on the bus.





Some of the PV system's components, such as the charge controller and battery bank, are housed in one of the bus's storage compartments.

marketing manager and former bus marketing rep. "They've been throwing the oil away or paying to have it removed for years, and now someone wants it." The owner of a Chinese restaurant in Laramie, Wyoming, tried to talk the bus crew out of taking his used veggie oil. "He said to us, 'Are you sure you want to do this? You'll ruin a perfectly good bus!'" recalls Copeland. Besides free fuel, an added bonus is that grease-finding efforts are another opportunity to educate people about the benefits of veggie oil fuel.

PV POWER

Creative Energies, a renewable energy company in Lander, Wyoming, installed the solar-electric system on the bus. Led by former NOLS instructors, their crew initially installed six BP125 125-watt PV modules, and recently added two Evergreen 120-watt modules, on the bus's roof. The array produces DC electricity that's stored in six Trojan L16 batteries inside one of the bus's storage compartments. An OutBack MX60 charge controller manages and optimizes the battery charging from the solar-electric array.

Fans and interior lights are run at 12 volts DC, while everything else runs on 120 volts AC provided by a pair of OutBack FX2012, 2,000-watt inverters. The system, of course, depends on the sun, but can collect some solar energy even on cloudy days. The system is monitored with both an OutBack Mate and a TriMetric 2020 amp-hour meter, mounted in the cab of the bus. The batteries can be charged from the solar-electric array, an onboard Honda generator, or by plugging into the grid if it's available. The system does not currently use the alternator of the bus for system battery charging.

The system generates and stores enough electricity for the bus's educational and operational needs. The sun can hide for a few days without forcing electricity rationing for the two 12-cubic-foot Crosley high-efficiency chest refrigerators, 36-inch flat-screen television, public address system, stereo, dome lights, or outdoor theater. In fact, the only significant challenge to NOLS' solar-electric system is powering the WVO filtering system.

But even that daunting task is managed quite nicely by Creative Energies' design. According to Copeland, "Phil, Toby, and the rest of the Creative Energies team performed a thorough needs and use analysis. Recognizing the need to

balance desired capabilities with the budget constraints of a nonprofit and the space constraints of a bus's roof, they were able to design and implement a system that has performed beautifully. Nine times out of ten, we're able to meet our grease-filtering needs with the solar reserves, but it's nice to know that we have the ability to plug in or run the generator if need be."

PROMOTING CHANGE

"When we first went on tour in 2004, we were met with confusion," admits Copeland. "But, with time and more public awareness of renewable energy, the concepts have become more accepted, and people walk away excited."

Some seek out the bus to swap stories and tips, or to show off their own veggie-powered vehicles. "When we're on the road, every grease car in town comes by," Copeland says. "They're always very helpful and willing to exchange information." Some of them even come bearing gifts of WVO. One couple in Santa Fe, New Mexico, stopped by a bus event with leftover oil from frying their Thanksgiving turkey.

Whatever types of interactions the big bus sparks, one thing's for sure—it's getting people thinking about change. "Driving a veggie-powered vehicle and becoming electricity independent may not be feasible for all of us," says Copeland, "but the power of the bus is that it gets people to take a good hard look at the status quo and consider creating change." Meanwhile, the NOLS crew has grown used to the stares, waves, and beeping horns that follow wherever the bus goes.

ACCESS

Joanne Kuntz, National Outdoor Leadership School, 284 Lincoln St., Lander, WY 82520 • 800-710-6657 or 307-332-5300 • Fax: 307-332-1220 • joanne_kuntz@nols.edu • www.nols.edu

Creative Energies • 866-332-3410 • www.cesolar.com • PV system installer

Veg Powered Systems • 805-525-4515 • www.vegpowersystems.com • Vegetable oil fuel system conversion

PV System Components:

Bogart Engineering • 831-338-0616 • www.bogartengineering.com • TriMetric battery monitor

BP Solar • 800-521-7652 • www.bpsolar.com • PV modules

Evergreen Solar Inc. • 508-357-2221 • www.evergreensolar.com • PV modules

OutBack Power Systems • 360-435-6030 • www.outbackpower.com • Inverter, charge controller, monitor

Trojan Battery Co. • 800-423-6569 • www.trojanbattery.com • Batteries

Xantrex Technology Inc. • 800-670-0707 or 604-422-8595 • www.xantrex.com





Another Bright Idea From Blue Sky Energy



SB3024i & SB2512i shown

We've done it again. Blue Sky Energy is proud to announce *Dusk to Dawn Solar Lighting* control for all of our *IPN based Charge Controllers.

*FOR NEW PRODUCTS WITH SOFTWARE VERSION 2.0

Features include...

- Patented Multi-Stage MPPT Charge Control
- Fully adjustable Post Dusk & Pre-Dawn timers



From industrial to consumer, we have a product that's right for your needs.

Blue Sky Energy, Inc. manufactures and distributes worldwide. Reasonably priced and quality built since 1993.

Contact us today for more information
 800-493-7877 or 760-597-1642
 2598 Fortune Way, Suite K, Vista, CA 92081 USA
blueskyenergyinc.com

QUALITY.....RELIABILITY.....BLUE SKY ENERGY, CHANGING THE WAY SOLAR IS USED EVERYDAY



BUS STOPS



CONSTRUCTION



HOME LIGHTING



1.800.329.3283
 6315 Canyon Dr.
 Amarillo, TX
 79110

re-designed www.earthsolar.com
 re-designed www.armadillosolar.net



A New Dawn,
 A New Day,
 A New Earth Solar



Watts in the Wind

by Gus Smith

What's a family living in an off-grid solar home to do when it's dark and cloudy for three solid months out of the year? Call it global climate change or just an odd cycle in local weather patterns, but for the past two years, my partner Joy and I have been dumping gas into the "backup" engine generator far too often. "Off-grid" was becoming "on-generator" during the long and sun-scarce winter months.



Our property has a great, shade-free site for capturing solar energy, and we take advantage of this with a solar-electric (photovoltaic; PV) system and our home's passive solar design. But October, November, and December are nearly always cloudy months. This, coupled with the short days of early winter, wasn't sufficient to keep our system's battery bank charged up without us grudgingly firing up the generator. This year, we decided that it was time for a change. Meeting our need for a consistent supply of renewable energy was our ultimate motivation, and installing a wind generator to supplement our solar-electric array was the solution.

Capturing the Wind

One thing our site definitely has going for it is a wind resource. Although notoriously windy Lake Superior is 13 miles to the north, our property's elevation offers consistent, if somewhat lower, wind speeds. More times than not it is windy at the house, so a hybrid PV and wind-electric system seemed like the ticket to putting our generator use behind us.

When I first considered wind power, I had dreams of batteries charging at night and during the cloudy months of our northern Wisconsin winters. I had initially considered installing more PV modules, but even doubling the size of our array wouldn't make more electricity at night or during inclement weather ($2 \times 0 = 0$)—even I knew that. So wind power was clearly the answer. But wind-electric systems were completely new to me—tall tower, moving parts, winches I knew nothing about, and lots of instructions to read over and over—I had a steep learning curve ahead of me.

The Bottom Line

I'm a pretty average guy, with an average income. Although I'm totally hooked on renewable energy (RE), I also live within a budget, and I knew wind energy would be relatively expensive to capture. My dad kept asking me why I didn't just connect to the utility grid. Tying in with the grid would only cost about \$8,000, but relying on its predominately coal-fired



The author double-checks the guy-anchor layout. Accurate positioning is critical for smooth raising and lowering of tilt-up towers.

generation would put me into the fossil-fueled generation loop that's causing mercury contamination in Lake Superior, and contributing to climate change by releasing carbon dioxide into the atmosphere. Generating renewable energy locally is important to us. With this in mind, the grid just seems so far away when the renewable solutions are right at home.

A wind-electric system would cost about \$1,500 more than extending the utility grid to our home, and for us this was "close enough." Plus, we wouldn't get monthly bills from the wind-electric system. However, using my dad's economic terms, at current electricity rates, we wouldn't

Tower base



Gin pole anchor



Guy anchor



recoup the additional expense of installing a wind-electric system for about 21 years (offsetting 1,020 KWH per year at \$0.08 per KWH). But financial payback was only one variable that entered into our decision. Given the fact that we could pay for the project, our desires to minimize our impact on the environment and maintain our energy independence were the most important.

Site Suitability

The next step was a wind site assessment. Without it, we would not be eligible for the cash-back incentive available from Focus on Energy, Wisconsin's public-private partnership agency offering information, services, and incentives for renewable energy. Sam Simonetta, a certified wind site assessor for Focus on Energy, and his partner Christine showed up on a windless day in December 2005 to survey our site's suitability for wind-electric generation.

Sam knew that our general location had an average wind speed of about 10 mph, and as such he didn't actually monitor the wind, but instead measured nearby trees to determine the minimum tower height required to effectively harness the wind's energy. Trees and buildings reduce wind speed, and cause turbulence that increases wear and tear on wind turbines. For optimal energy production and turbine longevity, wind turbine towers should be sized to get the wind generator itself at least 30 feet above any objects within 300 feet. We also discussed our existing solar-electric system and our daily electricity usage. Sam provided us with a comprehensive report that suggested a turbine rated between 600 and 1,000 watts at 25 mph, producing about 85 KWH per month at our site, would round out our energy needs.

Focus on Energy offers cash-back rewards for RE projects for both individuals and businesses in Wisconsin. The wind-electric rewards program offers \$1.85 per KWH for the estimated annual output of the system, with a cap of 25 percent of the total project costs. A 1,000-watt wind turbine at our site is projected to produce 1,020 KWH per year, so we received a \$1,887 rebate for our roughly \$12,000 investment in wind energy. If we had more wind or had selected a larger wind turbine, we would have received a larger cash-back award.

Carl Schwingel raises the 120-foot tower with an electric winch.



The tower, with the Bergey XL.1 on top, goes up slowly. Special attention is paid to keeping guy wires free from tangles or snags during the initial lifting.

Tech Specs

Overview

System type: Off-grid, battery-based wind-electric

Location: Marengo, Wisconsin

Wind resource: 10 mph average wind speed

Production: 85 DC KWH per month, average

Wind Turbine & Tower

Turbine: Bergey XL.1, 24 VDC output

Rotor diameter: 8.2 ft.

Rated energy output: 150 KWH per month at 12 mph (5.4 m/s)

Rated peak power output: 1,000 W at 25 mph

Tower: 120 ft., Lake Michigan Wind & Sun, guyed, 4-in. tube

Energy Storage

Batteries: Eight Deka GC15G, 6 VDC nominal, 215 AH at 20-hr. rate, flooded lead-acid

Battery bank: 24 VDC nominal, 430 AH total


Balance of System

Wind turbine controller: Bergey XL.1 PowerCenter

Inverter: Xantrex DR2424, 2,400 W, 24 VDC nominal input, 120 VAC modified-square wave output


System performance metering: TriMetric battery monitor

Smith Off-Grid Wind System



Note: Wind-system specific and BOS components shown only.
Photovoltaic-specific components not shown.

All numbers are rated, manufacturers' specifications, or nominal unless otherwise specified.



Buying a Tower & Turbine

After some initial research, I decided to purchase my tower and turbine from Lake Michigan Wind & Sun. John Hippensteel and his team engineer and manufacture towers in Sturgeon Bay, Wisconsin. I chose the LMW&S tilt-up tower based on recommendations from wind system owners who have installed these towers at their sites. The only real difficulty was figuring out a way to get the very heavy 20-foot-long tower sections to my site without spending an arm and a leg on freight delivery. Luckily, I had a friend with a truck and trailer who was happy to pick up the tower components at LMW&S, and deliver them free of charge.

The tower arrived with nearly all the parts we needed. But one essential project component was missing—the turbine! Unfortunately, it wasn't scheduled to arrive for two months. The turbine I bought is the Bergey XL.1, a 1 KW rated machine. I chose the machine for several reasons. It is one of very few available wind turbines rated at 1 KW, the right size machine to meet my energy needs. In addition, the manufacturer is headquartered in the United States and has a good reputation for standing behind their product—the XL.1 turbine carries a 5-year warranty.

Groundwork

We located our 120-foot tilt-up tower 149 feet from the house, where it has a clear path for raising and lowering.

The most time-intensive part of the project was measuring out the locations for all the anchors, and getting them placed at the correct height relative to one another. I borrowed a laser level from my lab at school to help position and square

up the anchors. Each anchor had to be 46 feet from the center anchor, and all had to be equidistant from each other. For the tower to be raised and lowered smoothly, the center and two side anchors had to be exactly the same height (level). This was complicated by the fact that my seemingly flat field actually dropped 15 inches from the front anchor (where the gin pole attaches) to the back anchor. I probably saved a lot of money doing this work myself, but it was challenging and time consuming.

I hired an excavator to dig the holes, and hired him again to fill them after the anchor footings were poured. I didn't have to make forms for the footings because the experienced backhoe operator left almost perfectly straight sides on the 5-foot-deep holes. The concrete footing that holds each anchor sits beneath about 4 feet of red clay.

I ordered an extra yard of concrete to prevent the embarrassment of running short, since I didn't "measure" with the kind of scientific rigor I teach to my ecology students at Northland College. I recommend the same to others new to working with concrete. At \$90 per cubic yard, it was cheap insurance.

The concrete pour went very smoothly. Joy's brother Ian saved the day by taking the morning off work to help. "Away from the office doing sustainability project" was the note he left on his office door.

Raising the Tower

I let the concrete cure for 60 days before diving into the tower assembly. My friend and expert advisor Carl Schwingel helped me install the tower in two days of work. We

Wind System Costs

Item	Cost
LMW&S tilt-up tower, 120 ft.	\$5,145
Bergey XL.1 turbine	2,460
Wire, breaker box, breaker, ground rods, etc.	1,150
Setting anchors (excavation & concrete)	889
Labor	800
Sales tax, 5.5%	443
NRG anemometer	393
Wind site assessment	355
Bergey dump load (air heater)	280
Total	\$11,915
Focus on Energy site assessment rebate	-\$266
Focus on Energy system rebate	-1,887
Grand Total	\$9,762

assembled and lifted the first 80 feet of the tower, got that section straight and plumb, and then lowered it to add 40 feet more. This segmented installation approach is recommended for installing tall, tilt-up towers. When tilt-up towers are first lifted into position, the guy wires have yet to be precisely tensioned. Breaking the installation into two steps eliminates the possibility of the tower sections bending or even buckling under their own weight before the final cable tensioning.

Actually, raising the tower was relatively quick and easy. The time-consuming part was tightening all 144 of the cable clamps (6 per guy wire, 4 guys per section, 6 sections) and properly tensioning the cables so that the tower was both straight and vertical. Carl had raised and lowered many towers, so things went smoothly, and John Hippensteel at LMW&S provided straightforward directions for tower assembly.

Raising 120 feet of steel pole is an impressive sight. We used an 8,000-pound-capacity winch attached to the receiver hitch of Carl's 3/4-ton truck. Carl operated the winch, while I examined the tower for bowing or overly tight guy wires. It took about an hour to raise—winches pull slowly, and we checked all guy wires often. Thankfully, the accuracy of my anchor layout really made the tower raising easy; we never had to loosen any of the guy wires for the first ride up.

Wind System Success

"Professor" is not a skill set that lends itself to tower raising. But I read the tower and turbine manuals a dozen times, and was fortunate to have excellent help from experienced friends. Installing the system ourselves allowed me to better understand the equipment and how to maintain it.

I had some frustrating moments—like waiting for the turbine to arrive, and a mismatched yaw spindle and tower-top adapter—that rattled even a devoted RE user like myself. The bottom line is that home-scale wind-electric systems are still relatively "alternative," so you have to expect some

challenges. I guess the perspective we have to remember is that the "grid" is maintained by thousands of employees, and when we choose alternatives, we become the utility.

The turbine arrived on the second weekend in December, and we finally got it installed and in the air. After raising the tower, everything else seemed easy in comparison—except trenching through the red clay for the wire runs! We ran #2 aluminum wire along with a shielded multiconductor cable for the anemometer I'd purchased to gather wind speed data, so neighbors will have more accurate and local information if they choose to follow our lead.

Bergey's instructions for installing the wind turbine's charge controller and dump load were very easy to follow, and we got the balance of system components wired up in no time flat. Then it was a matter of making a couple of phone calls. The first one was to OutBack to figure out how to program the existing MX60 charge controller that was regulating my PV array so it wouldn't divert energy from the PVs into the dump load at regulation voltage. And the second one was to Bergey to figure out how to keep the backup generator from routing power into the dump load.

Once we ironed out these last details, we were ready to go online. Ironically, just as we released the turbine's brake, the wind died! Two nights later (it seemed like *weeks*), I heard the wind picking up outside; I got up and checked the TriMetric battery monitor. Sure enough, the meter showed the batteries charging—instead of *discharging*—at night, which is a beautiful sight for anyone used to living with solar electricity alone. Since that first night the wind system went into operation, our battery monitor has read "FUL"—one of the most beautiful abbreviations an off-grid homeowner knows.

Access

Gus Smith, Associate Professor of Biology and Natural Resources, Northland College, 1411 Ellis Ave., Ashland, WI 54806 • 715-682-1326 • dsmith@northland.edu • www.northland.edu

Sam Simonetta, Lean, Clean Energy Services • 906-892-8504 • L-CES@hotmail.com • Wind site assessment

Focus on Energy • 800-762-7077 • www.focusonenergy.com

System Components:

Bergey Windpower Co. • 405-364-4212 • www.bergey.com • Wind turbine & controller

Bogart Engineering • 831-338-0616 • www.bogartengineering.com • Battery monitor

Lake Michigan Wind & Sun • 920-743-0456 • www.windandsun.com • Tower

MK Battery • 800-372-9253 • www.mkbattery.com • Batteries

Xantrex • 408-987-6030 • www.xantrex.com • Inverter



You asked for it.



\$29.95+S&H

**AND IT'S
FREE**

**...When You Subscribe
or Renew for Two Years**

Whether you're looking for the perfect introduction to home-scale renewable energy or just want all of your favorite *Home Power* articles in one, easy-to-access place, our new "Best of..." CD-ROM is the right tool for the job.

67 Original Articles in Eight Popular Categories

- Home Solar-Electric Systems
- Solar-Electric System Profiles
- Home Wind-Electric Systems
- Microhydro-Electric Systems
- Solar Home Design & Efficiency
- Green Building
- Domestic Solar Hot Water Systems
- Biofuels, and more...

Subscribe or renew to *Home Power* (print or digital edition) for two or more years and we'll send you our new "Best of..." CD-ROM for FREE. A \$31 value! (Adobe Reader software required. Available free.)

To order, visit www.homepower.com/bestof, or call 800-707-6585 or 541-512-0201

SunWize GTS Packages

Solar To Go!

SunWize Grid-Tie Systems (GTS) make your life easier and your business more efficient. Select from a wide variety of GTS packages, order just one part number and we'll deliver a complete, engineered system including all documentation. Why wait for separate components to arrive when you can receive an entire SunWize GTS much faster? Call us at 800.817.6527 and find out how SunWize can help your business. Be successful, choose SunWize!



www.sunwize.com

Reliable People . . . Reliable Products . . . Reliable Power!



SunWize[®]

**BACKWOODS
SOLAR ELECTRIC SYSTEMS**
1589 Rapid Lightning Creek Rd. • Sandpoint, ID 83864
208-263-4290

OFF-GRID-HOME
SOLAR ELECTRICITY
FOR SITES WITH NO
UTILITY SERVICE

BACKWOODS Solar Electric Systems

For an earth restored and a world at peace.

Solar • Wind • Hydro

Specializing in Independent Electric Power for the Remote Home where utility power is not available. For 30 years, your questions have been personally answered by the good folks at Backwoods Solar that use these products everyday. Each Backwoods Solar employee owns and operates an off-grid home powered by the solar, wind, and/or micro-hydro systems offered in our catalog. We know what works and how it works! Our catalog/planning guide teaches the basics of installing solar, wind and hydro electric residential power and we offer free system design service either by telephone, email, or your visit to Backwoods. We can also refer you to solar helpers around the country.

185 PAGE
CATALOG / PLANNING GUIDE
Free to *Home Power* readers
in the U.S.A.

Visit us or write:
Backwoods Solar Electric Systems,
1589-HP Rapid Lightning Creek Rd,
Sandpoint, Idaho 83864 USA

Phone: (208) 263-4290 • Fax only (208) 265-4788
Website: www.backwoodssolar.com
Email: info@backwoodssolar.com



SEI HANDS-ON WORKSHOPS



"Not only do you widen your knowledge base about technology and help save our planet, but the people you meet are so amazing, it may change your life."

Ryan, 2006 SEI Workshop Participant



SEI Renewable Energy Curriculum:

- PV Design and Installation
- Straw Bale Construction
- Sustainable Home Design
- Home-Built Wind Generators
- Renewable Energy for the Developing World
- Advanced Photovoltaics
- Plaster for Natural Homes
- Solar Water Pumping
- Solar Hot Water
- Biodiesel
- Wind Power
- Solar and Radiant Heating



Upcoming Online Courses

PV Design Online

March 12 - April 20

May 29 - July 6

Advanced PV Online

April 2 - May 11

July 9 - August 17

Sustainable Home Design

August 6 - September 14



SEI



SOLAR ENERGY INTERNATIONAL

PO BOX 715

Carbondale CO, 81623

www.solarenergy.org

970.963.8855

Renewable Energy Education for a Sustainable Future

2007 Schedule Available Now

www.solarenergy.org



Courtesy solarassist.net

First Steps in Renewable Energy *for Your Home*

by Phil Livingston

The bulk of our energy comes from coal, oil, and natural gas—exhaustible resources that create pollution when burned and contribute to global warming. Renewable energy (RE) is nonpolluting energy that comes from inexhaustible resources, such as wind, sunshine, and falling water. Using more RE and less nonrenewable energy means less pollution produced. Plus, RE can provide personal and national energy security—freeing you from a lifetime of utility bills and reducing the United States’ reliance on imported fuels.

Conservation & Efficiency

Many people get entranced by RE technologies—solar-electric (photovoltaic; PV) modules, and microhydro and wind turbines. But the first focus of anyone wanting to invest in RE should be conservation and efficiency.

Conservation involves changing your energy use behaviors from wasteful, inefficient habits (such as leaving on the lights when you leave a room) to energy-saving ones (turning off the lights every time you leave a room). This is a conscious choice—although you are using the same fixtures, you’re making an effort to minimize your energy consumption.

Efficiency, on the other hand, is reducing energy consumption—without changing your lifestyle—by using efficient appliances. As energy efficiency expert Amory

Lovins once said, energy efficiency is a “technical fix.” Using the previous examples, the efficiency solution would be to swap out incandescent lightbulbs with compact fluorescents (CFs), which only use about a quarter of the energy.

Both conservation and efficiency work hand in hand. Apply the basic principles of conservation and efficiency to *all* of your energy choices, *before* looking at harnessing renewable energy. It makes very little sense to put PVs on your roof before you have CFs in your light fixtures.

Conservation and energy efficiency are low-hanging fruit, to be picked before moving forward with solar electricity or hot water systems. By reducing your energy demand, you will greatly reduce the cost of your RE systems when you’re ready to have them installed. Every dollar you spend

on efficiency measures will save you roughly \$3 to \$5 on your renewable energy system costs.

Energy Efficient Appliances

Using efficient appliances can make a world of difference in the amount of energy we consume. Huge advances have been made in a variety of appliances. Here are a few examples:

- Incandescent bulbs produce 95 percent heat and 5 percent light—little has changed since the days of Edison. Welcome to the 21st century—let’s try something new. When you think of compact fluorescent lights, try not to picture the flickering harsh light of years gone by. Check out some of the new CFs on the market—you will be pleasantly surprised. Modern CFs provide superior light quality, with operational lifetimes eight to ten times longer than that of an incandescent and one-quarter the energy use, to achieve the same amount of lighting.
- In the 1970s, the average refrigerator consumed about 1,500 KWH per year. Today, this number has dropped to about 500 KWH for efficient models. If your refrigerator is more than five years old, replacing it with a more energy efficient unit is a good place to start. Energy Star-qualified refrigerators use 40 percent less energy than conventional models sold in 2001.
- In the past decade, improvements have been made in clothes washer and dryer technologies. New, energy efficient washers agitate on a horizontal axis rather than a vertical one, decreasing the amount of water needed in the washer. Less water used means reduced water-heating bills. The new breed of washers also spins out more water than previous machines, so clothes require less time in the dryer, reducing electricity or gas use. Improvements have been made in dryer technology as well. Dryers now have temperature and moisture sensors, which automatically shut them off when your clothes are dry.



Sealing draft-prone areas, the points at which dissimilar building materials converge or the building envelope is penetrated, reduces uncontrolled air infiltration. Combine this with increased insulation and you can reduce the amount of heating, ventilation, and air conditioning needed to sustain a comfortable household temperature throughout the year. This translates directly into greatly reduced heating and cooling costs, and less environmental pollution.

Passive Plans


If you’re building a new home, seriously consider a passive solar building design—it’s an inherently superior way to both heat and cool your home. Passive solar houses balance a carefully calculated amount of glazing (windows) with heat absorbing thermal mass (concrete slabs or other masonry material) located on walls and floors in the direct vicinity of the southern exposed windows. Properly sized window overhangs block the high summer sun and prevent the building from overheating, while allowing the low winter sun to enter and warm the space. Another key to passive solar design is to have minimal window area on the north, east, and west sides of the house, to minimize heat loss during cold months and heat gain during the hot months.

Heating & Cooling

As shown on the pie chart, heating and cooling account for almost 50 percent of the typical American home’s annual energy consumption. Because heating and cooling take such a big bite out of the energy pie, if you’re serious about conservation and efficiency, you’ll start by improving your home’s insulation and reducing air infiltration.

Wall, roof, and floor structures separate the inside of your house from outside, and are referred to as a building’s envelope. How this envelope is designed and constructed is the deciding factor in how good the thermal boundary is between you and the outdoors. Many of us use a thermos to transport liquids because its thermal boundary affords us the luxury of cold lemonade on hot days and hot chocolate on cold days. We want our home to be a thermos of sorts. By designing a building with a tight, well-insulated envelope, you will minimize the energy consumed to keep your home at a comfortable temperature.

Typical Household Energy Use



*Other represents an array of household products, including stoves, ovens, microwaves, and small appliances like coffee makers and dehumidifiers. Courtesy of www.energystar.gov

Courtesy www.windenergy.com



Renewable Energy Options

There is no cookie-cutter solution for what type of renewable energy system will be most effective and economical in any given application. Many factors must be balanced to develop a good design, including proper siting, environmental resources, financial incentives, social considerations, and environmental effects. Here is some real-world advice concerning each of the major technologies. Additional reading to get you on the right track is provided at the end of this article (see Access).

Solar Hot Water. Solar thermal systems include a rather large category of energy collection and distribution devices for pool heating, domestic water heating, and space heating via radiant floor heating or water-to-air heat exchangers. You should consider all these options during the design phase of your project.

Installing a solar domestic hot water (SDHW) system is one of the best investments homeowners can make to reduce their electric or natural gas water heating bills, with typical financial paybacks at less than eight years. Depending on the size of the system you install, your local climate, and your hot water use, SDHW systems can cut your water heating bills by 40 to 80 percent. Systems have been designed for all types of applications. Whether you live in the farthest reaches of Alaska, in cloudy Seattle, or by the beach in Jamaica—an SDHW system can work for you.

Solar Electricity. The use of residential solar-electric systems began decades ago in rural locations where utility electricity was not available. While the number of off-grid PV systems continues to grow, grid-tied PV systems are an increasingly popular urban and suburban option for generating clean, sustainable electricity. Not to be confused

with solar heating (which uses the sun's heat to warm air or water), PV modules use photons in sunlight to excite electrons and generate electricity. PVs have no moving parts, are virtually indestructible, and typically carry a 25-year warranty.

You'll face a major choice when planning a grid-tied PV system (and increasingly with wind and microhydro systems)—will you have batteries or not? If your primary motivation is environmental, a batteryless grid-tied system is probably the best choice. Batteryless systems are simple, economical, maintenance free, and highly efficient. If your home experiences frequent or extended utility outages that are an inconvenience to you and your family, then you may want to consider a system with battery backup.

Wind Electricity. Wind energy can be quite economical if your site has an adequate wind resource. Optimal, consistent wind resources are not located near buildings or down among the trees.

Rather, they are found at least 30 feet above all nearby obstructions. Tapping wind energy involves tall towers, which need to be engineered specifically for the turbine you are installing. Wind turbines come in a variety of shapes and sizes, with many different specifications.

Microhydro Electricity. If you have a stream running through your property that drops along its course, tapping its energy potential may be economical. With microhydro, as with all renewable energy technologies, you must weigh the economics at each site based on the resources at hand. Opportunities for installing a microhydro system are often few and far between, but if your stream has significant water flow or a large vertical drop (head), you're in luck. Even streams that only flow seasonally can be good candidates for generating electricity. Unlike PV or wind systems, hydro systems generate electricity continuously, as long as the water is flowing, and will typically be the most cost-effective renewable energy approach.

The Big Picture

Energy efficiency is always the most affordable and environmentally sound place to start when approaching renewable energy. By doing something as simple as swapping out incandescent lightbulbs with compact fluorescents, you can decrease the number of PV modules needed to power your lighting by up to 75 percent. This principle applies to all choices you make as you use energy. Focusing on the demand side first will always be your best bet.

Think through your renewable energy choices carefully, evaluating where best to spend your money. Look at your energy appetite and needs, your site, and the resources available to you. As you move towards less and less reliance on nonrenewable energy, you'll be gaining some

independence from the utility companies, reducing your monthly bills, and minimizing the impact our energy use has on the environment.

Access

Phil Livingston, 14 Oswald St., Coolbellup, WA, 6163, Australia • 61-4-0660-4022 • phil@solarenergy.org

The Home Energy Diet, by Paul Scheckel, 2005, Paperback, 304 pages, ISBN 0865715300, \$18.95 from New Society Publishers • 800-567-6772 or 250-247-9737 • www.newsociety.com

Selected Articles from Home Power Back Issues:

Energy Conservation, Efficiency & Analysis:

“Starting Smart: Calculating Your Energy Appetite,” Scott Russell, *HP102*

Passive Solar Design:

“Designing Your Place in the Sun,” by Debra Rucker Coleman, *HP116*

“Home Sweet Solar Home: A Passive Solar Design Primer,” Ken Olson & Joe Schwartz, *HP90*

“Be Cool: Natural Systems to Beat the Heat,” Preethi Burkholder & Claire Anderson, *HP108*

Solar Hot Water:

“A Solar Hot Water Primer,” Ken Olson, *HP84*

“Solar Hot Water Simplified,” John Patterson, *HP107*

Microhydro Electricity:

“Microhydro-Electric Systems Simplified,” Paul Cunningham & Ian Woofenden, *HP117*

“Intro to Hydropower: Parts 1–3,” Dan New, *HP103, 104 & 105*

Wind Electricity:

“Apples & Oranges 2002: Choosing a Home-Sized Wind Generator,” Mick Sagrillo, *HP90*

“Wind-Electric Systems Simplified,” Ian Woofenden, *HP110*

Solar Electricity (PV):

“Solar-Electric Systems Simplified,” Scott Russell, *HP104*

Other Resources:

American Council for an Energy Efficient Economy • www.aceee.org

Database of State Incentives for Renewables & Efficiency • www.dsireusa.org

Energy Star • www.energystar.gov

PVWatts • http://rredc.nrel.gov/solar/codes_algs/PVWATTS

PV Sizing & Payback Calculator • www.ongrid.net/payback




Add Years to Your Life!

Since 1925, Trojan has been a leader in deep cycle battery technology. Our trademarked maroon batteries are designed to enhance the performance of your renewable energy system and to deliver more years of reliable, clean energy, even in the harshest environments.

Our practically indestructible L16 battery is now backed by a 7-year warranty. So, relax, and know that your power will be on when you're off the grid.

 **Trojan**
BATTERY COMPANY

Available through our worldwide distribution network
800-423-6569 or www.trojanbattery.com



energy for everyone
renewable energy & sustainable living fair
 june 15-17, 2007 + www.the-mrea.org + custer, wi



+ inspirational speakers
 + family activities



+ wind
 + solar



+ entertainment
 + organic food

+ green building
 + alternative fuels



+ classes
 + exhibits



+ sustainable living
 + gardening & food



midwest renewable energy association
 715.592.6595 + info@the-mrea.org

sponsors include: Alliant Energy, Focus on Energy, Home Power, Kyocera Solar, Inc, Mariah Power, OutBack Power, We Energies, Wisconsin Public Service

now that we've gone solar, do we
get to be called . . .

hippies?

300 exhibits:

- green careers/education
- green finances
- social justice
- eco-fashion
- natural health and body
- green media
- community action
- green technology**
- natural home & garden
- fair trade
- renewable energy**
- conservation/recycling**
- indigenous goods
- organic food/agriculture
- natural foods
- green kids' zone

150 speakers:

- amy goodman**
democracy now!
- greg palast**
armed madhouse
- jim hightower**
thieves in high places
- frances moore lappé**
*hope's edge:
the next diet for a small planet*
- richard m. daley**
chicago mayor (invited)
- van jones**
the ella baker center
for human rights
- david korten**
the great turning

greenfestival™

SUSTAINABLE ECONOMY ECOLOGICAL BALANCE SOCIAL JUSTICE

You want to be green, but you have questions.

Is solar finally cost competitive? Why would I want to mow my roof?
What's greener, a hybrid or biodiesel?

At Green Festival you'll find real answers, great food and live entertainment that'll leave you feeling rather groovy.

Live well, do good.

APRIL 21 22
chicago

MCCORMICK PLACE/LAKESIDE CENTER

877 727 2179

www.greenfestivals.org

exhibit space available

Choosing a **Tankless** WATER HEATER

by Doug Puffer, with Erin Moore Bean

If you're like many of us, the words "tankless water heater" might sound like a contradiction in terms. But in much of the world, tankless (also called "instantaneous," "demand," or "on-demand") water heaters are the norm—they are compact, never run out of hot water, and can be more energy efficient than familiar tank-style heaters. Certain tankless models can be a good choice as a backup heater for solar hot water systems as well. If your old water heater is failing, or if you're building a new home, this increasingly popular and efficient technology might be the right choice for you.

According to the U.S. Department of Energy (DOE), water heating is an average household's third largest energy user, accounting for about 13 percent of its energy consumption. So no matter how you heat your water, efficiency is critical if you're planning on saving energy and whittling down your utility bills. A tankless water heater can help you achieve some energy savings, depending on your circumstances.

INSTANTANEOUS BENEFITS

If you've ever been last in line for your morning ablutions—and the recipient of a chilly shower—the appeal of a tankless heater's endless hot water supply is seductive. (Of course, where efficiency's concerned, endless hot water isn't always a good thing. Running out of hot water is an effective deterrent to those among us who enjoy indulging in long showers.)

Besides providing lots of hot water, tankless heater systems can also be long-lived. Properly maintained heaters may last for as long as 20 years, and failed heater components can be replaced.



Courtesy www.takagi.com

Tankless water heaters heat water directly and at the time of use, instead of maintaining a large amount of water at a prescribed temperature, as a tank-style water heater does. Turning on a faucet cues a tankless heater to activate—cool water enters the heater, circulates through a heat exchanger, and is sent through the hot water plumbing to your fixtures. After the initial startup, the system continues to heat water as long as the tap stays open. When you turn off the faucet, the water heater shuts down.

Because it has no tank, an instantaneous water heater eliminates "standby losses"—heat loss through the walls of a tank-style heater and, in gas-fired tanks, through both

them good partners for a solar hot water system, since with a solar storage tank, finding space to locate an additional gas or electric-fired backup tank can be a challenge in some installations.

GAS OR ELECTRIC?

Tankless water heaters are available as gas (either natural gas or propane) or electric models. Larger gas tankless models can provide more hot water than electric tankless heaters because electric models are limited by the size of a home's electrical service (usually 200 amps).

Gas models with constantly burning pilot lights may undermine efficiencies expected from tankless heaters. You can avoid this energy loss by choosing a model with an intermittent ignition device. Some models use Piezo igniters, similar to those used in gas ranges, which spark the flame only when needed. Bosch offers a unit that uses a tiny hydro-electric turbine-powered igniter in place of a standing pilot light, and other models come with electronic ignitions. Finally, gas tankless heaters are technically somewhat less efficient than their electric counterparts because some of the heat generated is lost through the exhaust venting, but fuel costs (gas vs. electric) will determine which approach will shave the most off your utility bills.

Electric tankless heaters use heating elements to boost water temperature, require no venting, and can be located almost anywhere indoors. Gas tankless heaters are available as atmospheric-vented (natural draft) and power-vented.



This Stiebel Eltron whole-house electric tankless water heater easily fits into a small area in the bathroom.

the tank walls and the flue. The DOE estimates that standby losses for tank-style water heaters represent between 10 and 20 percent of a household's total water heating costs.

Perhaps the biggest boon for installing a tankless water heater is its small size. Most models are about the size of a suitcase, and they work well in tight spaces. This makes

On-Demand with Solar Hot Water

If you plan to use a tankless water heater in conjunction with a solar hot water system, be sure to buy one that can sense the incoming water temperature from the solar storage tank. You won't want to heat your water with the sun, only to have your tankless heater fire up and *overheat* the same water! Thermostatically controlled units register incoming water temperature and apply heat as needed to reach the desired output water temperature. If the solar thermal system is producing hot water at the specified temperature, no additional boost from the tankless heater is required. Eemax and Bosch are among several manufacturers that offer thermostatically controlled tankless water heaters.

This Bosch AquaStar tankless heater is suitable for solar backup.



Courtesy www.boschhotwater.com

Atmospheric-vented models that use a pilot light for ignition do not require an external electric power supply and will be able to produce hot water during a utility electrical outage. However, these models must be provided with sufficient combustion air, and are not recommended for closet installations or in places where the combustion air is contaminated (grease from cooking, lint from laundry, etc.). In these situations, choose a sealed combustion unit (also referred to as direct vent or two-pipe system).

Power-vented tankless heaters require a “special gas vent”—a single-wall, sealed vent pipe made of a highly corrosion-resistant stainless steel. This vent cannot be shared with any other appliance. Power-vented units require an external electrical source to power the blower and electronics. The sealed vent pipe can be run horizontally or vertically, venting to the nearest suitable location, and allows the heater to be located closer to the water heating loads in some installations. In either case, clearance to combustibles must be maintained on all types of exhaust venting.

SIZING YOUR SYSTEM

Different models of tankless heaters provide different flow rates at different temperatures. Make sure the heater you choose can provide the capacity (flow and temperature) that you need. Minimum activation flow ($1/2$ to $3/4$ gpm) must be met at any faucet that’s connected to the unit. For proper operation, water pressure should be 30 psi or better.




Courtesy www.stiebel-eltron-usa.com

The Stiebel Eltron electric tankless heater, with cutaway showing a three-stage heating system.

Doing laundry, washing dishes, and running a bath all at once can overtax improperly sized tankless water heaters (as well as tank-type heaters), resulting in reduced water flow or water temperature. This is the most common complaint related to on-demand heaters.

To estimate your household’s hot water use, list the number of hot water fixtures you typically use simultaneously, and add up their flow rates. For example, let’s say you’ve chosen a tankless heater that is capable of 4 gpm (based on your

Courtesy www.rheemtankless.com




Flow Rates for Typical Household Water Uses

Item	Flow Range (gpm)	
	Low	High
Low-flow faucet	0.5	1.5
Standard faucets	0.8	2.5
Low-flow showerheads (2.5 gpm or less)	1.2	2.5
Standard showerheads	2.5	3.5
Dishwashers	1.0	2.0
Washing machine	2.0	4.0
Standard bathtub	4.0	5.0

How Does a Tankless Water Heater Work?

- A hot water tap is turned on.
- Cold water enters the heater.
- A sensor detects the water flow.
- Heater controls automatically activate the burner or heating element.
- Water circulates through the heat exchanger.
- Water is heated to the designated temperature.
- When the tap is turned off, the unit shuts down.



incoming water temperature and desired outlet temperature). If you're washing dishes (0.75 gpm), while another family member is taking a shower (2.5 gpm), the flow rate through the tankless heater would need to be at least 3.25 gpm (0.75 + 2.5), but would not support somebody also turning on an additional hot water faucet at a rate greater than 0.75 gpm.

Besides knowing maximum flow rates at peak times in your household, you'll need an idea of how much your incoming water must be heated to reach the target hot water temperature. To ensure an adequate supply of hot water, tank-style heaters are typically set at 120°F, which is higher than required for the majority of hot water needs. In contrast, tankless water heaters can provide an infinite amount of hot water at the specified end-use temperature.

The colder your incoming water, the lower the heater's output volume will be. To account for this, manufacturers provide performance estimates at a variety of incoming temperatures, called the "temperature rise." Your water temperature's rise is calculated by subtracting the incoming temperature from your desired hot water temperature. For example, if you want a 2 gpm shower at 105°F, and the incoming groundwater is 45°F, a 60°F rise at 2 gpm is required.

Small gas-fired tankless heaters (117,000 Btu/hr.) can typically achieve a 70°F temperature rise at a flow rate of about 2.6 gpm; a larger gas tankless heater (236,000 Btu/hr.) can achieve 5.2 gpm. In contrast, an electric tankless heater (installed north of the Sunbelt) would require 120 amps and be limited to 2.6 gpm for the same 70°F temperature rise.

Faster flow rates or cooler incoming water temperatures can reduce the output temperature of some tankless heaters.

To remedy this, certain models will automatically limit flow to maintain the desired output temperature. With these units, if you are filling your bathtub and the flow rate is beyond what the heater can keep up with, the heater will reduce flow rate so you get the water temperature you require (although it takes a little longer to fill the tub).

POINT OF USE OR WHOLE HOUSE?

The entire world of tankless water heating is divided into two sectors—"point of use" and "whole house." Point-of-use units are typically electric and commonly installed in powder rooms (sink only) that are so far removed from the home's primary water heater that it would take forever to get hot water to that



An inside view of a gas-fired tankless heater.



The Toyotomi heater, available for kerosene and oil, may be modified for use with biodiesel.

Courtesy www.toyotomusa.com

location. If you really plan ahead, it is unnecessary to even run a hot water line to that “remote” location. You can use a small point-of-use tankless heater instead.

Some smaller tankless heaters won't be able to keep up with a household's simultaneous water heating demands. To remedy this problem, you can install a “whole house” tankless system, have separate tankless heaters for appliances that use a lot of hot water (automatic dishwashers and clothes washers, for instance), or install two, ganged whole-house heaters to handle periods of high demand.

TANK VS. TANKLESS

People often ask what's more efficient—tank-style or tankless water heaters. The answer: It depends. If there are several occupants who frequently draw from your water heater throughout the day—showering, dishwashing, and clothes washing—a tank-style heater still can be worth considering. Although tank-style heaters lose energy through standby losses, frequent draws upon the system mean that a larger percentage of the energy consumed for water heating is being utilized.

If your household consumes less hot water, a tankless water heater can suit your needs with less waste. The DOE estimates that for homes that use 41 gallons or less of hot water daily, tankless water heaters can be 24 to 34 percent more energy efficient than tank-style water heaters. The efficiency gap narrows in homes with greater consumption. For a household that uses 86 gallons of hot water a day, a tankless heater will be about 8 to 14 percent more energy efficient.

TANKLESS CONSIDERATIONS

If you want to save money by installing the smallest tankless heater possible, plan to limit your flow demands by staggering the timing of your major water draws. Washing machines, and bath and shower fixtures typically have the highest flow rates, and these are the uses you should closely monitor—for example, don't run the dishwasher when somebody is showering.

Another important variable in the tankless equation is how often you need hot water. For example, if you hand-wash dishes, every time you turn on the hot water to rinse, you'll activate the heater. Repeatedly turning the tap on and off means firing the water heater's ignition over and over, which will reduce overall efficiency. The start cycle in a tankless heater ranges from a fraction of a second to a full 5 seconds, depending on the model. All of the gas power-vented units are on the high end of this delay to purge the exhaust of any gas before providing a spark.

If your water is mineral-rich (“hard”), installing a water softener to decrease scale buildup will prolong the life of the tankless heater (and help preserve the terms of the warranty, which may include a disclaimer regarding scale deposit buildup in the unit), and also protect your washing machine, dishwasher, and all hot water valves and piping. Also consider installing bib drains inboard of the dual shutoff valves, so you can isolate the tankless heater and periodically flush it with descaling fluid.

INFRASTRUCTURE UPGRADES?

Tankless water heaters can cost two to three times as much as their tank-style cousins—whole-house units start at about \$500. When calculating costs for a tankless system, you'll also need to include any necessary upgrades to your electrical, gas, plumbing, and venting system.

Tankless water heaters draw a lot of instantaneous power, either in the form of gas or electricity. Small gas units (117,000 Btu/hr.) may possibly be installed without gas pipe modifications, but none of the larger units (165,000 Btu/hr. and greater) can be effectively accommodated with a 1/2-inch natural gas line.

A whole-house electric tankless water heater can draw four to five times as much power as an electric tank-style heater. Replacing a tank-style heater with an electric tankless heater generally requires additional circuit wiring, heavier cable, and possibly upgrades to the service entrance.

For gas heaters, consider all loads before sizing gas pipe runs to ensure an adequate supply of gas for all appliances operating simultaneously. Tankless water heaters supplying high-use applications will require upgrading gas lines to 3/4-inch pipe. Many gas-powered heaters must also be situated near an electrical outlet to provide energy for the unit's ignition, combustion blower/power vent, and regulating controls. While these aren't insurmountable issues, they do make an installation more complex, and will generally require a professional's help.

Because of some hurdles to installing tankless water heaters in existing homes, the technology may be best suited for new homes, where gas lines, electric wiring, and water heater placement can be optimized. Heaters can be located

centrally in new homes to minimize hot water runs and maximize efficiency.

TAKING ADVANTAGE OF TANKLESS TECHNOLOGY

Through December 31, 2008, if you install a natural-gas or propane tankless heater with an energy factor (EF) of 0.80 or greater, you can take advantage of a one-time tax credit of up to \$300 toward the full purchase price. For a list of approved gas-fired tankless heaters, visit the Gas Appliance Manufacturers Association (see Access). Electric tankless water heaters don't qualify for the tax credit. Rebates and other incentives may be available in your state. (Don't forget that solar hot water systems qualify for a federal tax credit equal to 30 percent of the system's cost—up to \$2,000 for residential installations; no cap for business applications.)

If you are thinking of buying an on-demand heater, do your homework first. Plan well, run through some calculations to determine your actual hot water needs, and then match your needs with the system that makes the most sense—in terms of efficiency and your budget—for your household.

ACCESS

Doug Puffer • doug.puffer@homepower.com

Erin Moore Bean • erinmoorebean@gmail.com

Thanks to Bill Loesch at www.solar1online.com for his expert review of the text.

List of approved gas-fired tankless heaters that qualify for the federal tax credit • [www.gamanet.org/gama/inforesources.nsf/vAttachmentLaunch/B9F3B9CF3BC4C7F585257107005DE622/\\$FILE/taxcredit_rwh_ef.pdf](http://www.gamanet.org/gama/inforesources.nsf/vAttachmentLaunch/B9F3B9CF3BC4C7F585257107005DE622/$FILE/taxcredit_rwh_ef.pdf)

Select Tankless Water Heaters:

Bosch (AquaStar) • www.boschhotwater.com

Bradford White • 800-523-2931 • www.bradfordwhite.com

Eemax • 800-543-6163 • www.eemaxinc.com

Noritz • 866-766-7489 • www.noritzamerica.com

Paloma • www.palomatankless.com

Rinnai • www.foreverhotwater.com

Rheem • <http://waterheating.ruud.com>

SETS Systems Inc. • 877-649-8589 • www.sets-systems.com

Stiebel Eltron • 800-582-8423 • www.stiebel-eltron-usa.com

Takagi • 888-882-5244 • www.takagi.com

Toyotomi • 203-775-1909 • www.toyotomiusa.com



SunPumpsTM Inc.

SOLAR PUMPING PROFESSIONALS

Quality First!

Not Just Water Pumping!

NOW Home Power Systems

Xantrex
Power Systems

SW Windpower

SunPumps
Solar Water Pumping Specialists

OutBack
Power Systems

E-Panels

Magnetek

Xantrex Service Center

SHARP

For more products and services check our new web site on-line at:
www.sunpumps.com

1-800-370-8115
(928) 348-9652

Online Renewable Energy Education

2007 Catalog Available Now



PV Design Online

March 12 - April 20

May 29 - July 6

Advanced PV Online


April 2 - May 11

July 9 - August 17

Sustainable Home Design

August 6 - September 14

The online PV course provides 60 cumulative hours of training that may be used towards NABCEP certification purposes




SOLAR ENERGY INTERNATIONAL

PO BOX 715 Carbondale, CO 81623

www.solarenergy.org

970.963.8855

Leading the Way



Lecture and Hands-on workshops offered on:

- | | | |
|---|--------------|---------------|
| <input type="checkbox"/> Basic Photovoltaics | Apr 13 | Custer, WI |
| <input type="checkbox"/> Intermediate Photovoltaics | Apr 14-15 | Custer, WI |
| <input type="checkbox"/> Solar Domestic Hot Water | Apr 13 | Milwaukee, WI |
| <input type="checkbox"/> Solar Space Heating | Apr 14 | Milwaukee, WI |
| <input type="checkbox"/> Introduction to Wind | Apr 28 | Newburg, WI |
| <input type="checkbox"/> Commercial Wind Install | Apr 29-May 5 | Mequon, WI |
| <input type="checkbox"/> PV Site Assessor Training | May 10 | Custer, WI |
| <input type="checkbox"/> Solar Water Site Assessor | May 11-12 | Custer, WI |
| <input type="checkbox"/> PV Systems Design | May 17 | Custer, WI |
| <input type="checkbox"/> Designing a PV/Wind Hybrid | May 18 | Custer, WI |
| <input type="checkbox"/> Advancements in PV | May 19 | Custer, WI |



Midwest Renewable Energy Association General and hands-on workshops available.
715.592.6595 www.the-mrea.org info@the-mrea.org. Call or click for more info.

Solar PV Installer Certification

Benefits for PV System Installers...

- National recognition as PV industry expert.
- Many consumers look for qualified installers with credentials.
- Helps installers keep current in latest technology and installation issues.

Benefits and Information for Consumers...

- Provides confidence that PV system will operate safely and to system specifications.
- NABCEP Code of Ethics stresses consumer protection and professional level of service.
- Navigate to: www.nabcep.org to locate NABCEP Certified installers near you.
- Program details are located within Candidate Information Handbook at: www.nabcep.org



Solar Thermal Installer Certification

The Solar Thermal Industry's Distinguishing Credential

- Certification is for experienced solar hot water and pool heating installers.
- Wide range of experienced solar thermal industry professionals created requirements.
- Anticipated growth in solar thermal installations requires competent installers who demonstrate proficiency in the trade.
- Same NABCEP Code of Ethics applies to Solar Thermal Certificants.



Email psheehan@nabcep.org or call (518) 899-8186 for more information or questions.



It's as clear as black and white

EnerSys, the largest manufacturer of industrial batteries in the world has been building the Solar-One battery for over 10 years.

EnerSys and Northwest Energy Storage offer the best 10 year battery warranty in the industry. 7 year free cell replacement 3 year prorated.

It's as clear as black and white, Solar-One batteries set the standard for Renewable Energy.



Solar-One Batteries incorporate the patented and proven HuP technology with the thickest positive plate (0.310") in the Renewable Energy Industry.

Solar-One Batteries are available in 9 sizes from 845 A/H - 1690 A/H. Many sizes in stock. FREE shipping in the lower 48 states.

Solar-One Battery users described the Solar-One as: "A Great Value", "Bullet Proof", "Reliable".

Northwest Energy Storage 800-718-8816 or rob@nwes.com or www.solaronebatteries.com Dealer inquires welcomed

SunPipe Light Tube

by Ian Woofenden

Application:

SunPipe light tubes are an easy and low-cost way to get natural light into interior rooms that do not receive daylighting from windows or skylights. They are simpler to install than skylights, and minimize unwanted heat loss and heat gain.

System:

I installed a SunPipe 13-inch light tube over my office desk to provide additional daylighting.



My family's home and shop have eleven skylights, and lots of windows. While skylights have a thermal cost, I live in a mild climate and appreciate the other benefits they offer. We use very little electric lighting in our home during the day, and our living and working spaces are bright and cheerful. It's hard to quantify the latter benefit, but when you live in a locale that is often cloudy in the winter, having lots of natural light in your home definitely offers a psychological boost.

I spend many of my waking hours in my office, punching the keyboard to do my work for the magazine and my correspondence with industry colleagues, *Home Power* authors and readers, and friends. The room is not a dark hole—I have a window in front of my desk, so I can view our pond when my eyes need a break from the computer screen. A nearby skylight provides some additional light, filtered through the interior overhead glass that separates my office from the workshop. But I often found that I'd turn on the compact fluorescent light over my desk during the day for additional task lighting.

The idea of getting more natural light grew on me as I learned that natural light feels better to people. Besides helping regulate human circadian rhythms, researchers have found that natural light improves productivity in the workplace. It also just bugged me to use electricity for lighting during the day—the “electron police” in me coming out, I guess. I'd read and heard about light tubes, so when I got a chance to install one of SunPipe's models, I jumped at it.

What an improvement in the way the room looked and felt! For the first several weeks after the installation, I found myself trying to turn off the light I'd never turned on as I left the office. On sunny days, the room is very bright, and the light tube's diffuser eliminates any glare issues associated with having direct sun over my desk. Even on cloudy days, the SunPipe floods my desktop with light, giving significantly more illumination than the recessed 13-watt compact fluorescent fixture that is right next to it.

Installation

I built our home with the help of friends and family, so I'm familiar with construction work. But I ended up calling on my neighbor, a professional builder, to help re-flash my skylights, after my original flashing job left us with a few leaks. With that experience in mind, I wasn't too excited about

Available Models

SunPipe-9: 9 in. diameter (for rooms up to 100 sq. ft.)

SunPipe-13: 13 in. diameter (up to 250 sq. ft.)

SunPipe-21: 21 in. diameter (between 300–900 sq. ft.)

Options:

Decorative trim ring

Variety of diffuser disks

Steep-roof flashing kit

Electric “Night Light” kit

Adjustable pipe elbows



A SunPipe installed on a pitched, asphalt shingle roof.

the prospect of punching a big new hole in my metal roof. I found, though, that light tubes are much simpler to install than skylights, and much less prone to leakage.

This is an easy installation many homeowners could do, and a snap for roofing or stovepipe professionals. The SunPipe I bought required a 13-inch-diameter hole. I used a plumb bob to determine the desired location of the light tube so it would be centered over my desk. Next, I cut a hole in the roof using a drill and saber saw, and cut another hole through the loft floor inside. Procrastination made that job easier, since neither ceiling had been finished.

For this installation, we used a straight, 4-foot-long pipe. SunPipe also makes 2- and 4-foot-long tubes, with adjustable elbows that make bends possible. Longer light tubes are made by joining multiple sections.

A light tube’s exterior flashing is very much like the flashing (roof jack) you’d use around a stovepipe, and installed similarly. I cut a slit in the metal roofing above the hole, so I could slide the flashing up under it. The flashing holds the SunPipe tube in place, and is held down by roofing screws, with a bit of silicone caulk in crucial places.

Top to Bottom

A clear, UV-stable plastic dome, which gathers the sunlight and protects the tube (and my office) from the weather, sits on top of the pipe. SunPipe offers three UV options for the dome, which filter out or admit various wavelengths of light. A weather-stripped gasket keeps moisture and drafts out, and its slightly vented design allows for condensation control.

No light



Electric light



SunPipe light





The heart of the light tube is its highly reflective surface—aptly demonstrated here by the shining faces of the author's children.

The SunPipe's metal tubing is very much like a standard stovepipe, with edges that interlock to form the pipe. The heart of the light tube is its highly reflective inner surface. A layer of pure silver, protected with two oxide coatings, lines the inside of the aluminum pipe. Before we put the pipe in, the kids and I entertained ourselves looking and taking photos through it. That alone was worth its price!

A light diffuser attaches to the ceiling, hiding the tube end and making the installation resemble a typical electric light fixture. A gasket seals the diffuser to the ceiling, and helps eliminate air infiltration. The diffuser also reduces unwanted glare from the tube when the sun shines directly on the dome. SunPipe offers a selection of domes and flat disk diffusers in a variety of materials, and an optional trim piece to enhance the installation.

Light It Up!

Before installing the light tube, I would typically use the 13-watt, 24 VDC light over my computer for at least eight daylight hours. Figuring five days a week and forty weeks a year, the light tube saves me almost 21 KWH per year, which is not insignificant in an off-grid home.

Installing a skylight to provide the same amount of light would have been more expensive and harder to accomplish, especially for an amateur. It also would have resulted in glare and overheating problems at some times of the day and various times throughout the year.

Features

List Price for SunPipe-13: \$374 (\$279 for kit; 4-foot-long pipe, \$95)

Warranty: 10 year, limited

High Points:

- Easy installation
- Minimal thermal gains and losses
- Requires small amount of clear roof space
- Aesthetically pleasing inside
- Unobtrusive outside
- No electrical energy required
- Diffuse light source (minimizes glare)

Low Points:

- Requires roof penetration
- Offers no views, like a skylight or window would

The results of adding a light tube will be even more dramatic if you have a room with few or no windows. Light tubes bring in a substantial amount of light for their size, while having a minimal thermal impact on your home's envelope. They are easy to install, and make a great addition to many homes and offices.

But, for me, the main advantages of the SunPipe don't have to do with kilowatt-hours or dollars. My office *feels* better! It's a more comfortable space to work in, which makes the project and the product a big plus to me.

Access

Reviewer: Ian Woofenden, PO Box 1001, Anacortes, WA 98221 • ian.woofenden@homepower.com

Manufacturer: The Sun Pipe Co. Inc. • 800-844-4786 • www.sunpipe.com





California

SOLAR SUPPLY

Solar RV Kits

Solar Marine Kits

Grid & Off Grid Systems

Solar DHW & Pool Systems

1-800-605-2058

Solar Kits, Solar Equipment

Solar Supplies, Solar Things

Solar Gear, Solar Stuff

Solar Bits & Pieces

We've got it!

<http://californiasolarsupply.com>

SOLARHOME

Are You Still Paying An Electric Bill ?

Why not reduce or even eliminate your electric bill and have the government help you to do it with up to a \$2,500.00 per kilowatt cash rebate and a \$2,000.00 tax credit !

SPIN YOUR ELECTRIC METER BACKWARDS WITH SOLAR ENERGY !

We'll beat any advertised in stock price on our same top of the line solar electric systems or your system is free !

Our top of the line solar systems are priced thousands of dollars less than the competition !

Visit www.solarhome.com or call 1-888-647-6527 and tell your electric company to take a ~~rate~~-hike !



ELECTRO AUTOMOTIVE


Electric Car Conversions Since 1979

Books ⚡ Videos ⚡ Kits ⚡ Components

- ⚡ **Catalog** Send \$6.00 for our catalog, or visit our web site.
- ⚡ **"Convert It"** We wrote the book on electric car conversions - literally! Send \$30.00 postage paid for this hands-on how-to conversion manual, written in plain English for the home hobbyist mechanic.
- ⚡ **Conversion Kits** Complete custom bolt-in kits for the VW Rabbit and Porsche 914, or a universal kit for other small cars and light trucks.
- ⚡ **Web Site** Visit our web site for our complete catalog, price list, gallery of conversions, and extensive conversion information section.

P.O Box 1113-HP, Felton, CA 95018-1113 ⚡ 831-429-1989
WWW.ELECTROAUTO.COM ⚡ ELECTRO@CRUZIO.COM

GET GROUNDED



Renewable Energy System Grounding Basics

by Christopher Freitas

ASK TEN RENEWABLE ENERGY INSTALLERS ABOUT SYSTEM GROUNDING and you'll likely get ten different opinions as to what the *National Electrical Code (NEC)* requires, and what the correct methods are to meet those requirements.

After installing dozens of systems and teaching hundreds of classes about solar-electric (photovoltaic; PV) products and systems, I finally figured out the problem—grounding involves three different purposes and three major parts. If that weren't bad enough, the same terms are often used when describing these multiple purposes and parts. No wonder people find grounding so confusing! But it doesn't have to be that way. Here's a simple guide to help you understand the basics of grounding.


Three Purposes

The primary purpose of a grounding system is to reduce the risk of shock (and possible electrocution)—and there's nothing confusing about why we want to do that. Electrocution or shock occurs when electricity flows through your body instead of through the normal electrical wiring system. Proper wiring and grounding will prevent this from occurring.

To protect against this risk, the standard, code-compliant practice is to connect all of the exposed metal parts of an electrical system together and then tie this system to the "ground" or earth. If two metal enclosures are electrically connected together with a wire, there will be no voltage difference (potential) between them. If the ground you are standing on is at the same voltage level as the metal enclosures, there won't be a shock hazard if the enclosures become energized due to faulty wiring and you happen to touch them, since there will be no voltage difference to push the electricity through your body.

The second purpose of a grounding system is to provide a way to trip a circuit breaker if a ground fault in the system occurs. A "ground fault" occurs when the electricity flows through objects not intended to carry current, such as an enclosure or a person. When the system is properly grounded, the ground wires will provide an easy, low-resistance path for the fault currents, allowing high enough currents to trip a breaker.


Tripping the breaker reduces the risk of electrocution, protects the circuit's electrical wiring from overheating (and possible fire) due to overcurrent conditions, and also makes



it easier to identify the location of the hazard. The grounding system becomes a temporary path for the electric fault long enough to cause the circuit's breaker to trip or fuse to blow. Having individual circuit breakers on each circuit in your home helps you or your electrician isolate the fault, find the problem, and fix it.

The third purpose of a grounding system is to reduce the potential for damage from lightning. Lightning can damage your renewable energy (RE) equipment or household appliances by forcing high currents and voltages through electrical equipment or causing arcs between a product's electronic components that were not designed to handle these high-level voltages.

By providing a separate path for the flow of the lightning's energy, and a way for it to dissipate back to the earth, sensitive electronics can be "shielded" from damage. Without a proper grounding system, your expensive inverter or charge controller can become the route for this energy, with unfortunate results.






Nonmetallic (NM) sheath cable, commonly used in 120 VAC wiring in North America.

Shock Hazard

Ground Fault




Lightning

Improper Grounding



Improper Grounding

Proper Grounding



Proper Grounding



A ground rod (grounding electrode) keeps all grounding system components at the same voltage level relative to the earth.

Equipment grounds prevent a potentially shocking electrical imbalance between any and all metal parts in both AC and DC systems. Shown: A ground lug on a PV module frame.



Three Parts

All grounding systems can be divided into three different parts:

- Grounding electrode
- Equipment grounds
- Grounded conductor

Too often these three parts get confused, the different terms are used interchangeably, or each part is just called “ground.” It’s much easier to discuss the topic of grounding if we use the proper terms for each part or function involved.


Grounding Electrode. A typical grounding electrode is the common ground rod—a length of metal rod, $5/8$ -inch or greater in diameter, and sometimes copper-plated, that is driven about 6 feet (2 meters) into the earth. Since moist earth creates a better ground than dry earth does, multiple ground rods are often needed in typically dry climates like the Southwest. Grounding can also be done with a copper wire or the appropriate length of properly connected coated steel reinforcing bars (rebar) installed inside a concrete foundation; this is known as a Ufer ground (named after H.G. Ufer, an Army consultant in the 1940s) and is said to offer better performance, especially in dry soil locations.

A ground rod is the simplest grounding component. Its job is to connect the electrical system to earth. This reduces the chance of electrical shock by keeping all grounding system components at the same voltage level relative to the earth, and helps prevent the system from developing a high-voltage static charge. Without grounding to dissipate static buildup, the shock that may result can damage sensitive electrical equipment or, at a minimum, scare people into thinking there is a problem with the system.

The critical idea to remember is that if there is more than one ground rod in a system, they all need to be connected together to keep component-to-component voltage at an equal level. This also applies to parts of the system that are themselves effective ground rods—such as solar-electric array mounting poles or wind turbine tower anchors. These all need to be interconnected with the entire grounding system.

Equipment Grounds. The equipment ground is the second part of a grounding system. Confusingly, the *NEC* refers to the equipment ground simply as “bonding.” The idea is to ensure a reliable interconnection of all metal enclosures and metallic components to each other and to the ground rod. Then, any errant current or ground-fault current can be conducted

Grounding in a Grid-Tied PV System





Inverters usually have both AC and DC equipment ground terminals—both should be utilized.



A common AC circuit breaker.

Ground Fault Protection

Photovoltaic (PV) array installations mounted on home rooftops require DC ground fault protection (GFP). A GFP device is a specialized breaker or circuit designed to “monitor” the current between the grounding system and the grounded conductor at the point where they are connected together (or “bonded”). If a voltage imbalance occurs due to a ground fault, the GFP will open the circuit, and prevent the PV array from providing electricity to the rest of the system. In this instance, the GFP will also provide a visible indication that a ground fault has occurred. An installed GFP device typically provides the connection between the negative conductor and the grounding system. Therefore, the DC negative conductor must be kept isolated from the grounding system at other points in the DC circuit wiring. With most GFP systems, multiple PV arrays and inverters will each have their own ground fault protection devices, each with its own connection for the DC negative conductor to the grounding system.




reliably, causing the circuit breaker to trip and protecting the wire or device on that circuit.

The equipment ground also prevents shock if you happen to touch two different parts of an electrical system by ensuring that they are at the same voltage potential. The equipment ground is often accomplished with an additional wire, but in some situations specific grounding screws and even metallic conduit connecting system components are used.

There can (and should) be multiple equipment ground connections of metal enclosures, raceways, and components in a system. The more equipment grounding connections, the better—they will provide redundant paths for a ground-fault current, guaranteeing that a breaker will trip. For example, most inverters used in battery-based systems will have an AC and DC ground terminal—both should be used. Often the inverter will be mounted on a metal rack or panel, which should also be connected to the grounding system. Redundant equipment grounds can also help to reduce radio and TV interference problems by providing more paths to dissipate the radiated and conducted emissions produced by some system components.

The equipment grounding conductors are connected (or bonded) to the grounded AC neutral conductors at only one place in an electrical system—usually in the AC distribution panel (seen here before the installation of the branch circuit breakers).



Grounding Variations

Positive Ground

Some systems require the DC positive conductor to be connected to the grounding system. This is referred to as a “positive ground system.” It’s a common grounding approach in telecommunication installations, and is required by one manufacturer of solar-electric modules (SunPower). In a positive ground system, the breakers or fuses are installed in the negative wires (not the positives), since the negative is now the “ungrounded” conductor.

Regardless of whether the system is positive or negative ground, all the metallic enclosures and components still must be connected together to the same grounding system. This also applies to PV module frames, mounting racks, and wind turbine towers and anchors. All of the electrical systems (AC and DC) must share the same grounding system to be code compliant.

Ungrounded Systems

After finally getting a handle on what grounding means, you find out the *NEC* allows ungrounded systems as well! In the past, ungrounded systems were generally limited to small solar-electric systems operating at less than 50 VDC, but ungrounded systems are becoming more common with specific high-voltage, batteryless grid-tie systems. What’s the deal?

An *NEC*-compliant “ungrounded” system only eliminates the DC negative or DC positive (in positive ground systems) conductor’s connection to the grounding system. Instead, both conductors are considered “hot” and must include overcurrent protection and a means for disconnection, so breakers are commonly used, and installed in each conductor. This doubles the number of overcurrent protection devices, which means higher costs and somewhat lower performance for low-voltage battery systems. Reduced system performance is not an issue for a high-voltage, batteryless grid-tie systems since the currents are generally low. In all ungrounded systems, the PV module frames, the mounting structure, and all electrical enclosures and components must still be connected together and to a grounding electrode—just like with any normally grounded system.

RE equipment used in an ungrounded system should be specifically designed and listed for being installed in this application. The installation of products that require grounding in an ungrounded system can result in hazards to the installer or to the system user, and can damage devices connected to the system.

Grounded Conductor. In the United States, the *NEC* requires nearly all systems to have one of the current-carrying conductors connected to the grounding system. This conductor is then typically called the “neutral” in an AC system and the “negative” in a DC system. Because this conductor is connected to the grounding system, it will be at the same electrical potential in reference to ground if the system is properly wired.

The immense voltage and current in a lightning strike turn silicon inside a lightning arrester from insulator to conductor, creating a direct path to ground.



These AC neutral and DC negative wires are called the *grounded* conductor, and they are not the same as the *grounding* conductor. The *grounded* conductor normally carries current, while the *grounding* conductor only carries current when a problem occurs, which results in a ground fault situation.

In an AC electrical system, the entire grounding system must only be connected to one of the current-carrying conductors at a single point. If an installation has both AC and DC systems, the AC neutral and the DC negative conductors will each be connected to the grounding system at separate points. Under *NEC* regulations, the AC and DC systems are considered to be separate electrical systems even though they are interconnected. Incorrectly connecting the grounded conductor at two separate points will result in the grounding system carrying current under normal operation. This is referred to as a “ground fault” and can cause equipment failure or damage, and hazards such as energized metallic surfaces and possible electric shock.

There isn’t any special location in, or name for where the grounding system and the current-carrying conductor should be connected. In most AC systems, the connection between the current-carrying conductor and the grounding system is made between the neutral and ground bus bars in the AC breaker panel. In a DC system, it’s usually located in the DC disconnect enclosure or factory-made inside the inverter itself. This connection should not be made at a backup generator or a battery. These are serviceable parts of a system that may be removed or reinstalled improperly, creating a potential fire or electric shock hazard if the system becomes ungrounded as a result.

Getting Grounded

The next time you discuss the ins and outs of grounding, be sure you don’t confuse the purposes and terms—it’s easy to do! If you first clarify which of the three parts of the grounding system is involved, and if you use the proper terms, I think you’ll find discussing grounding much easier—even productive—for a change. Who knows, you might even find that you can agree with other RE nerds when the topic of grounding comes up, yet again, around the campfire.

Access

Christopher Freitas, OutBack Power Systems Inc., 19009 62nd Ave. NE, Arlington, WA 98223 • 360-435-6030 • Fax: 360-435-6019 • cfreitas@outbackpower.com • www.outbackpower.com



The TriMetric

Model 2020

BATTERY SYSTEM MONITOR



Displays vital battery system data to help users provide better battery care, increase conservation awareness and aid system maintenance.

- Volts • Amps • Amp-hours • Min/Max volts
- Days since charged • Battery % full
- Remote locatable • About \$169

Bogart Engineering • (831) 338-0616

www.bogartengineering.com

19020 Two Bar Rd. Boulder Creek, CA 95006 USA

The PentaMetric

BATTERY MONITOR: with a lot more stuff!

Data logging, five customizable buttons and displays, audible/visual alarms, three "amps", input channels, relay control, computer interface



The "System Sentry" feature of the PentaMetric records vital battery system data every hour. When your system is working OK you can just forget about it. If after some time your system seems to be losing power or otherwise acting strangely, in 2 minutes you can download the data into your Windows computer—then email the result to your installer or other expert for analysis.

Use your "Windows" computer to read all the regular data and program all functions. The website has information for you techies on how to set up, graph and analyze the emailed data so you can diagnose most common system problems without travelling to the site.

PentaMetric system with computer interface only is about \$320. LCD Display unit (above) additional \$199. See website for more info.

Harness The **POWER**

U.S. Battery offers the perfect solution for all of your alternative energy storage requirements

- ▶ **Maximum capacity**
- ▶ **Maximum life**
- ▶ **Minimum service**



ph. (800) 695-0945

The Smart Choice!

www.usbattery.com


RE-SOURCES

Green Building

Building or remodeling a home is no cakewalk, and when you're trying to minimize your environmental impact and make the best energy efficiency upgrades, the process can be even more daunting. Luckily, creating an earth-friendly abode is getting easier all the time, whether you're a do-it-yourselfer or professional builder. Here, you'll find sound advice on everything from straw-bale insulation to climate-specific design. Because in the end, green home building's rewards—in money saved, resources conserved, and a more comfortable home—are well worth the extra effort.


► From an energy and resource-use standpoint, it's almost always better to work with an existing building, rather than starting from scratch. For inspiration on making your home more eco-friendly, pick up Carol Venolia and Kelly Lerner's *Natural Remodeling for the Not-So-Green House* (280 pages, \$24.95, www.larkbooks.com), which has case studies, useful techniques, and photographs of naturally beautiful homes.

Now that you're all set to get your hands dirty, check out *Building Green: A Complete How-To Guide to Alternative Building Methods*, by Clarke Snell and Tim Callahan (616 pages, \$29.95, www.larkbooks.com), a basic how-to manual for natural building systems.



When you're ready to buy materials, consult *Green Building Products* (352 pages, \$34.95), or the professional version, *GreenSpec Directory* (492 pages, \$89, www.buildinggreen.com), for architects and others in the building trades. These unbiased, comprehensive directories help you find green building products for every phase of construction.

► To see green techniques in action, check out Ted Owens' DVD, *Building With Awareness* (2 hrs. 42 mins., \$35, www.buildingwithawareness.com). Owens documents the design and construction of his solar, straw bale home. Novice and professional builders alike will find



this DVD worth watching. For an extra \$7, buy the DVD with the guidebook (\$42)—152 pages brimming with full-color photographs and step-by-step instructions.

► **Best Web Bets for Green Building:** Building Science Corporation (BSC) • www.buildingscience.com • The experts at BSC offer climate-specific "Designs That Work," based on years of field experience. Whether you're in Alaska or Arizona—or somewhere in between—they have a model for you to follow. These people make building science fun!



Energy and Environmental Building Association • www.eeba.org • EEBA compiles articles from other organizations to keep builders and consumers informed about the latest and greatest green building practices.

EERE Building Technology Program • www.eere.energy.gov/buildings • Find government guidelines, green building tools, federal tax incentives information, and technical fact sheets to help you with your building or renovation projects.

► **Best Web Bets for Natural Building:** The Last Straw • www.thelaststraw.org • The No. 1 resource for anyone interested in straw bale building. Surf their extensive international directory for everything related to this technique.

Ecological Building Network • www.ecobuildnetwork.org • EBNet has extensively tested straw bale structures for strength, and fire and moisture resistance. These documents are available for download, and can be shared with local building code officials to help dispel straw-bale building myths.

Sources compiled by Rachel Connor • rachel@solarenergy.org; written by Erin Moore Bean • erinmoorebean@gmail.com



SUNDA Evacuated Tubes

Aerospace Technology for Solar Water Heating



Affordable vacuum tube collectors for superior performance in all seasons and climates

Domestic Hot Water & Home Heating
Pools & Spas
Commercial / Institutional
Agricultural / Industrial




Available nationally through an expanding dealer network
Join our team!
Training and technical support provided

Sun Spot Solar
PO Box 55
Del Water Gap, PA 18327
570.422.1292
info@sssolar.com / www.sssolar.com

"This book is the solar thermal contractor's bible!"

SOLAR HOT WATER SYSTEMS



**Lessons Learned:
1977 to Today**

by Tom Lane

Solar Hot Water & Pool Heating Design High Performance-Low Maintenance Systems Reality Checks Using Current Technology

In this definitive 200-page manual, solar energy pioneer Tom Lane outlines how the latest technology and valuable lessons learned from the past can help a new generation of solar contractors expand their businesses and satisfy their customers.

DOWNLOAD NOW

Preview before you buy
Download Table of Contents
and Chapter 2 ("Drainback Systems") at:
www.ecs-solar.com

Order online (www.ecs-solar.com) via credit card or send check or money order to:

ENERGY CONSERVATION SERVICES

6120 SW 13th St - Gainesville, FL 32608
(352) 377-8866


Color Edition: _____ copies @ \$65 each = \$_____

Black and White Edition: _____ copies @ \$35 each = \$_____

Domestic Shipping and Handling: \$ 4.00

TOTAL: \$_____

The BEST Tool for Solar Site Analysis JUST GOT BETTER!



**USER FRIENDLY,
FAST & ACCURATE!**

The original **Solar Pathfinder** with its reflective properties gives an excellent "instant solar blueprint" of the prospective site.

Now, the NEW **Solar Pathfinder Assistant** software, and your digital camera, carry that shading information into a concise, thorough, professional-looking solar site analysis report in just seconds.

Solar Pathfinder Assistant: automatically adjusts for magnetic declination, latitude, azimuth, tilt angle, & tracking mode (fixed, 1-axis, 2 axis);

automatically does yearly energy computations using included NREL data (no internet connection necessary); displays "before/after" results of removing obstructions; and creates professional-looking reports!



Solar Pathfinder ASSISTANT

RAISING THE STANDARD IN SOLAR SITE ANALYSIS

3953 Marsh Creek Road, Linden, TN 37096 • 317-501-2529 • Fax 931-589-5400
info@solarpathfinder.com • www.solarpathfinder.com



Convenient Solar Cooking

BUILT RIGHT IN

by Laurie Stone

Ever since I built my first solar oven out of cardboard boxes and aluminum foil, I've been an avid solar chef. I love the idea of cooking food without using any fossil fuels, and I love the fact that a simple technology can perform such an important function. Over the years, I've built numerous solar ovens using materials as varied as plywood, sheet metal, and corn husks. I've baked cookies, made pizzas, roasted veggies, and cooked entire meals in my solar ovens. My latest and greatest is built right into the south wall of my house.


Sun-baked cookies—straight from the solar oven.

Research & Design

One drawback of cooking with portable solar ovens is that you have to locate your oven outside of the house. Though this keeps the heat out of the house in the summer, and compels you to get outside and into the fresh air, I'm all for convenience. I figured I'd use my solar oven even more if it were directly accessible from the kitchen.

Many years ago, I had the opportunity to visit solar cooking pioneer Barbara Kerr at the Kerr-Cole Sustainable Living Center in Taylor, Arizona. Barbara had a solar oven built into the south wall of her house. What a brilliant idea! Clearly, it's not as efficient as an oven that you can rotate to follow the sun, but how many more people would solar cook if they had a preheated oven accessible from their kitchen? I also had a chance to see the same design in a Sonora, Mexico, straw bale house that natural building gurus Bill and Athena Steen helped create. I vowed then that if I ever had the opportunity to build my own house, I would have a built-in solar oven.

Solar Wall Oven



That opportunity came along in 2005, when my husband Anibal and I bought some land and embarked on building our own straw bale dream home (see *HP115*). I ordered Barbara Kerr's booklet, *Build a Solar Wall Oven*, which can now also be found online (see *Access*). The booklet provides step-by-step instructions for designing and building a solar wall oven. Although most of the information in the booklet was not new to me—I've built several ovens throughout the years—it was nice to see how she dealt with some of the details.

Oven Construction

Fellow Solar Energy International instructor and solar chef Matthew Harris built the outer oven box out of $\frac{3}{4}$ -inch plywood. Matthew is a much better carpenter than I, and since this oven was to be permanently attached to my house, I definitely wanted it to look good.

I used leftover materials from our home construction for the rest of the oven, and the total cost was less than \$100. I lined the bottom and sides of the oven with UltraTouch recycled denim insulation. To line the bottom of the oven, I used extra metal roof flashing, already painted dark brown. For the interior sides of the oven, I cut apart some unused sheet metal duct, and covered the cotton insulation. I taped the sheet metal sides together with high-temperature aluminum tape, and painted the interior black with high-temperature stove paint.

To attach the oven to the house, I relied on one of our house builders, Soren Chapman from Terralink Structures, who is an extraordinary carpenter. When we were building the house, I was already thinking about integrating a built-in solar oven. We left a straw bale out of the wall on the south side of the kitchen, just under a window. Soren built a wood frame for the oven doorway where the bale was left out, and then secured the oven to the house, attaching the walls of the oven to the house framing with screws.

Once the oven box was in place, one of the trickier challenges was making the oven access door airtight. Our friend and woodworker Peter Ware, who made our beautiful kitchen cabinets, used a piece of leftover maple to make the oven door.



The roomy built-in solar oven can accommodate several dishes at once.

To prevent heat loss through the door, I built a cardboard "box" to fit the door opening exactly, insulated it with some cotton insulation, and attached it with screws and large washers to the inside of the door. Then I covered the cardboard with aluminum foil and painted it black.

The oven reaches temperatures of 300°F, and usually stays between 250°F and 275°F from 11 AM to 2 PM. This is sufficient for many things I cook on a daily basis, although the oven doesn't usually achieve high enough temperatures to bake bread. I originally thought that I would open up the oven door on cold days to bring heat into the house. However, my home's passive solar design keeps the interior temperature comfortable during our cold and sunny Colorado winters. On cold and cloudy days when we could use some additional heat, my solar oven wouldn't be of much help anyway.

Direct access to the oven from the kitchen makes solar cooking easy and convenient.



A well-insulated, airtight door helps improve the oven's efficiency.



Worthy Compromises

A built-in solar oven has a few drawbacks. As mentioned, I can't rotate it to follow the sun, which would improve performance over the course of a day. But I'm lucky enough to have a wall in the kitchen that faces true south, making the oven fairly effective from about 9 AM to 3 PM, from mid-February to the beginning of November.

Second, I don't have reflectors on it, which would help direct more of the sun's rays into the oven, especially when the sun is not directly perpendicular to the angle of the glass. I could put reflectors on the oven, which would definitely increase the efficiency in the winter months, but it would block the view out of the window, and the reflectors would need to be repositioned during the day, depending on where the sun is. Jim Scott of the Kerr-Cole Sustainable Living Center notes that, "Barbara Kerr has used a wall-mounted, slant-faced box cooker to do the bulk of her solar cooking in Arizona (35 degrees north latitude) over the last 15 years and hers does not turn, nor does it have a reflector." Barbara says that "it cooks all day without further attention. [The] steps: Put the food in, leave it alone, remove—and eat." After using my built-in cooker, I couldn't agree more.

People ask, "How efficient is it if you can't track the sun?" or "How does it work in the afternoons in the winter with no reflectors?" The truth is, it works very well from April through September, okay in October and March, and not too well from November through February. I'm lucky to live in Colorado, where it is sunny pretty much year-round. We have an average of 300 days of sunshine a year, with an

average insolation of 5.5 KWH per meter squared, per day. In my movable solar ovens with reflectors, I have cooked all through the winter months, as long as I stick around to rotate the oven and adjust the reflectors. My built-in is more of a six-month-a-year solar oven. But that's still a lot of solar cooking, considering the convenience it provides.

The New "Normal"

To date, I've made numerous pots of rice, potatoes, roasted veggies, cookies, and more. I put my food in the oven before I go to work, and when I come home, dinner is cooked and still warm. The best part is that my six-year-old son thinks it's totally normal to have a solar oven built into our house, and is amazed when we go to people's homes that do not have one. I hope that by the time he builds or buys his own first home, a built-in solar oven will be as common as a dishwasher.

Access

Laurie Stone, Solar Energy International, PO Box 715, Carbondale, CO 81623 • 970-963-8855 • Fax: 970-963-8866 • laurie@solarenergy.org • www.solarenergy.org

The Barbara Kerr Solar Wall Oven Do-It-Yourself Guidelines • www.solarcooking.org/bkerr/DoItYourself.htm

Build a Solar Wall Oven, by Barbara Kerr, 1999. Order through www.dirtcheapbuilder.com/builsolwalov1.html

Bonded Logic Inc. • 480-812-9114 • www.bondedlogic.com • UltraTouch denim cotton insulation





SOLAR CONVERTERS INC.

We design and manufacture Power Control Solutions for your Renewable Energy Systems!

				
Linear Current Boosters	DC Autotransformers	Battery Desulphators	Linear Voltage Boosters	Generator Starters
<p>Increases Solar Pump Performance</p> <ul style="list-style-type: none"> • 12 / 24 V @ 7 amps • MPPT • Voltage Limited • Fused Output 	<p>Bi-Directional DC-DC Converter</p> <ul style="list-style-type: none"> • Battery Balancer / Equalizer • Converts Battery Power to Different Voltages • Up / Down Converter 	<p>Extends Battery Life</p> <ul style="list-style-type: none"> • Recovers Sulphated Batteries • Single unit 12 to 48 V • Adjustable Pulse Strength 	<p>Keeps a Constant Battery Voltage to your Equipment</p> <ul style="list-style-type: none"> • Charge a Battery from a Lower Voltage Battery or PV • Water Pump Booster and Controller 	<p>Starts / Stops Gensets based on Battery Charge</p> <ul style="list-style-type: none"> • Single unit 12 to 48 V • Controls any Generator • Temp. Compensated

ALSO...

- MPPT Power Tracker™ Charge Controllers
- Voltage Controlled Switches
- Cathodic Protection Controllers
- Solar Lighting Controllers

Please visit www.solarconverters.com for MORE products and details

C1-199 Victoria Road S., Guelph, ON, N1E 6T9, Canada Phone: 519-824-5272 Fax: 519-823-0325 E-mail: info@solarconverters.com



- A diverse line of quality trackers for: Grid-Intertie, Commercial Applications, Remote Homes and Water Pumping.
- Trackers from 150 W to 15 kW.
- Complete pre-engineered TrackKits™ available.
- Patented technology.
- 15 years of solar tracking experience.

Array Technologies, Inc

505-881-7567

www.wattsun.com



GLOBAL SOLAR, INC.

Best Prices & Service Here!

1-800-621-4011

Solar Electric Systems for Residential, Commercial, & Public Sector

- High-Efficiency Solar Modules (UL listing, 20 year warranty)
- Inverters
- Charge Controllers
- Batteries



info@globalsolarinc.com

www.globalsolarinc.com

828 W. Taft Ave. Orange, CA 92865

NPP.CA

- ~ Manufacturing & Retail
- ~ Products & Services
- ~ Consulting & Design
- ~ Import & Export
- ~ Dealer Incentives

Natural Power Products

Ph: (519) 504-1600

www.npp.ca

Dealers welcome



Gryphon™



SOLECTRIA RENEWABLES

Best value
Fully featured
Easiest to install

GRID-TIED INVERTERS
1.8kW, 2.5kW, 13.2kW, 60kW, 82kW, 95kW

hp@solren.com www.solren.com tel: 978.683.9700
fax: 978.683.9702

MAKING SENSE

(& DOLLARS)

by Andy Kerr



of Solar Hot Air Collectors

Designing a new home to optimize heating with the sun is fairly straightforward—orient the home correctly, insulate well beyond code requirements, and provide appropriate amounts of glazing and thermal mass. Although my 1940s-era house has clear access to the sun, its solar window is narrow. And without tearing off the existing porch, which blocks out sun that could be used for heat in the spring and fall, I had one viable option for solar heating—installing solar hot air collectors on the roof.

My home's main heat source is a natural gas furnace. Although I'd already boosted insulation levels to R-50 in the ceiling, and sealed gaps and cracks to reduce heat loss, my 1,700-square-foot house was still using 475 therms of natural gas annually—the equivalent of 13,917 KWH or burning 380 gallons of gasoline. Each year, this use of natural gas also was contributing to the atmosphere more than 5,000 pounds of carbon dioxide (CO₂), a greenhouse gas associated with climate change.

Photo: Jim Myers of AAA Solar with two solar hot air panels.

Each day, the energy equivalent of more than nine gallons of gasoline falls as sunshine on the south-facing portions of my home and garage roofs—just one third of the total roof surface area. The sun already heats most of my water and provides more than all the electricity for my home and office, so using that last portion of sunny roof space to heat my home seemed like a very smart—and efficient—way to round out my use of the sun’s energy.

Solar Sense

According to the U.S. Department of Energy, solar hot air systems are most cost effective in cold climates with good solar resources, and are most economical when they are displacing more expensive heating fuels like oil, electricity, or natural gas. Solar hot air collectors will reduce home heating bills, while avoiding the pollution and greenhouse gases associated with burning fossil fuels for heating.

Solar space heating works best on days that are relatively sunny and cold—and when interior spaces demand heat. During my home heating season (October through April), a programmable thermostat sets the house temperature at 68°F for three hours in the morning and six hours later in the day. The rest of the time it’s set at 60°F—for a weighted average of 64°F. About half the time, I’m in my home office, so I manually bump it up to 68°F during the day.

I’d already analyzed my home’s heat losses using HVAC-Calc Residential 4.0, an easy-to-use and inexpensive software program (see Access). Unfortunately, estimating my home heating needs wasn’t a simple matter of adding up my monthly gas bills, since I also use gas to fire a tankless water heater that supplements my solar water heating system. I was able to tease out an approximate number by using long-term energy use data from when I used to heat water with electricity. But to get a more precise estimate of expected usable heat, I commissioned Professional Engineer Doug Boleyn to evaluate my proposed solar hot air system.

My model presumed the installation of two, 3- by 12.5-foot Sun Aire

F-CHART MODEL RESULTS

Month	Million Btu				
	Potential Solar Heat ¹	Household Heat Load ²	Solar Heat Produced ³	Natural Gas Heat Required ⁴	Load Factor ⁵ (Percent)
January	1.764	7.497	0.644	6.853	9%
February	2.237	5.604	0.960	4.644	17%
March	3.208	5.075	1.514	3.561	30%
April	3.729	3.642	1.910	1.732	52%
May	4.183	1.923	1.923	0.000 ⁶	–
June	4.275	0.453	0.453	0.000 ⁶	–
July	4.828	0.091	0.091	0.000 ⁶	–
August	4.711	0.122	0.122	0.000 ⁶	–
September	4.303	0.690	0.690	0.000 ⁶	–
October	3.479	3.044	1.866	1.178	61%
November	1.811	5.704	0.751	4.953	13%
December	1.459	7.497	0.500	6.997	7%
Total, F-Chart	39.987	41.342	11.424	29.918	28%
Total (Adjusted, Oct.–Apr.)		38.063	8.145		21%

¹ Total solar radiation incident on the collector surface.

² Total space heating demand.

³ Energy from solar hot air system.

⁴ Energy required to supplement solar heat.

⁵ Amount of space heating demands met by solar heating system.

⁶ Model presumes space heating needed; figures adjusted to reflect actual heating need

Though they resemble solar hot water collectors from the front, air ducts—instead of plumbing—exit from the back of solar hot air collectors.



collectors, manufactured by AAA Solar. By plugging in latitude, the collector tilt angle, house heat loss, duct lengths, furnace efficiency, and other variables, the F-Chart Solar Systems Analysis software estimates how much sun would fall on the collectors, how much energy is available during the heating season, and how much supplemental heat would be needed to achieve the desired temperature of the heated space. F-Chart also prescribes the optimal collector-mounting angle to achieve maximum efficiency.

Tweaking the Model

Surprisingly, the model assumed the same desired house temperatures during each and every day of the year, and showed my house needing heat not only in the typical heating season, but also often from May through September. This is because temperatures in the house can drop below 60°F at night, even in summer. Since heating at that time of year would be greatly regretted later in the day, I wouldn't have either the solar or natural gas heat systems "on" during those months. For a more accurate reflection of household heating

loads and the solar heat produced, the projected numbers (see F-Chart Model Results table) have been adjusted. Rather than the sun meeting 28 percent of my household heating needs, it is more likely to meet 21 percent. Notice that this adjustment doesn't change the amount of natural gas heat required.

F-Chart factors in the efficiency of the solar heating system by considering losses at the collector and ducting before the heat gets to the conditioned space. However, it does not factor in similar losses from the natural gas heating system. I built a financial analysis spreadsheet (see Financial table below) that includes these losses.

The Solar Payoff

I knew what it would cost me to put in a solar heating system, but how much per year would it *save* on fuel bills? The annual savings divided by the initial cost is the return on investment (ROI). My spreadsheet analysis uses a more sophisticated financial measure called internal rate of return (IRR), which is more accurate because it considers the time value of money and cash flow.

SOLAR HOT AIR SYSTEM FINANCIAL ANALYSIS

Initial Costs

System Items	Cost
Equipment	\$2,886
Labor	600
Consultant	260
Misc. costs	200
Total	\$3,946

Variables

Other Factors	Amount
Solar space heat available (million Btu)	11.424
Efficiency of furnace	65%
Efficiency of ducts	85%
Natural gas heat displaced (therms)	207
Cost of natural gas (per therm)	\$1.347
Inflation assumption for natural gas	6.63%
Discount rate	10%

Payback Schedule

	Year															
	0	1 ^a	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Initial cost	\$3,946															
Natural gas savings		\$279	\$297	\$317	\$338	\$360	\$384	\$409	\$437	\$466	\$496	\$529	\$564	\$602	\$642	\$684
Annual Cost or Savings	-3,946	1,779	297	317	338	360	384	409	437	466	496	529	564	602	642	684
Cash flow	-3,946	-2,167	-1,870	-1,554	-1,216	-856	-472	-62	374 ^c	840	1,336	1,866	2,430	3,032	3,674	4,358

	Year														
	16 ^b	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Natural gas savings	\$730	\$778	\$830	\$885	\$943	\$1,006	\$1,073	\$1,144	\$1,219	\$1,300	\$1,387	\$1,478	\$1,576	\$1,681	\$1,792
Annual Cost or Savings	363	778	830	885	943	1,006	1,073	1,144	1,219	1,300	1,387	1,478	1,576	1,681	1,792
Cash flow	4,721	5,499	6,329	7,213	8,156	9,162	10,235	11,379	12,598	13,898	15,285	16,763	18,340	20,021	21,813

^a Year 1 Annual Savings figure includes a state tax credit of \$1,500. The solar air system also increases the home value by \$5,572. However, since the gain would not be available until the house is sold, it is not included in this annual cash flow analysis.

^b Year 16 projects a \$367 system maintenance cost for a replacement blower.

^c Simple payback is achieved in Year 8.

EFFECT OF VARIABLES ON IRR ESTIMATES

Situation	IRR* (%)
Reference (conservative case, used in Financial table)	16.2%
Fan lasts 30 years	16.3%
0% annual increase in natural gas prices	9.8%
3% annual increase in natural gas prices	12.7%
5% annual increase in natural gas prices	14.7%
8% annual increase in natural gas prices	17.5%
10% annual increase in natural gas prices	19.4%
15% annual increase in natural gas prices	24.1%

*Internal rate of return

The primary reason I retained a solar consultant is to qualify for a personal state income tax credit for the system. The Oregon Department of Energy offers several energy tax credits. For space heating systems that offset at least 15 percent of the household heating load, they offer \$0.60 per KWH for energy saved in the first year, to a maximum of \$1,500. However, their application anticipates passive solar design for space heating—not retrofitting a solar hot air collector on the roof. To receive the tax credit, I'd have to provide documentation. (To determine if your state offers any assistance for offsetting the cost of a solar space heating system, see the Database of State Incentives for Renewables & Efficiency at www.dsireusa.org.) Unfortunately, no federal tax credit for solar space heating is available.

My financial analysis is for 30 years, as that's the maximum life span of most heating systems. Although the continuous-duty blower—which will not see anything near continuous duty—will most likely last 30 years, it's the part of the system most vulnerable to failure. To compensate for this, I projected replacing the fan in Year 16. (The only other moving part is the snap-disc controller, which costs \$10 to replace.) I didn't factor in any increases in electricity costs for running the fan, as this additional expense is easily offset from the reduced run-time of the bigger fan in the natural gas furnace. My system modeling is conservative in at least two ways. F-Chart uses climate data from a nearby, but cloudier, city, and my gas furnace and duct system are probably a bit less efficient than estimated.



A squirrel cage blower is the only moving part in a solar hot air system.

HOT AIR OPTIONS

Air collectors typically have an aluminum enclosure, high-temperature insulation (fiberglass or rigid-foam isocyanurate), a low-iron tempered-glass front, and an absorber plate, also usually aluminum. Sunlight enters through the glazed face, and is absorbed by the metal plate inside. Typically, an electric blower moves air from the home to the collector, where it passes over the absorber, collecting heat. Recirculating air collectors draw air from the heated space through the collector, where it is warmed again, and then returned to the same conditioned space. A differential thermostat activates the blower fan when the air temperature in the collector is warmer than the home. Additional controls in large systems can direct the solar-heated air to the furnace return, providing it with prewarmed air that is ducted throughout the home.

Collectors can either be roof- or wall-mounted. If you have a 4- by 8-foot space on a south-facing exterior wall, it's worth considering. Roof-mounting can require significant lengths of both hot air ducting and cold air return ducting, so make sure the blower you specify is up to the task—especially if the ducting is long.

The most sensitive variable in the model was the assumed price of natural gas. The financial table shows natural gas prices projected to increase for the next 30 years at an average of 6.63 percent annually, as it has for the last 25 years. (Price increases have been more dramatic in the past decade, averaging 12.46 percent, and in 2005, 35.64 percent.) Using the longer-term average is a more conservative assumption, as prices are very unlikely to rise at recent rates year after year. If they did, consumers would eagerly switch fuels—to the sun!

The Bottom Line

Given these conservative assumptions, installing the solar hot air system on my house would yield about a 16 percent return on investment. If energy prices rise at an average of 15 percent annually, then it's a great investment—resulting in a 24 percent IRR.

Research published by the real estate industry's Appraisal Institute indicates that for each dollar of operating costs saved annually, the value of the house goes up twenty times that. My first-year savings in natural gas costs is estimated to be \$279—in theory, my house would increase in value by \$5,572.

Simple payback would occur in Year 8. It would be a very good financial investment for me compared to other investments (most of which are not tax-free). The long-term U.S. stock market (uninsured) average is about 8 percent annually. Certificates of deposit (insured) are running at about 4.6 percent.

Besides the positive financial gains, I also project intangible benefits—the pleasures of minimizing the use of the gas furnace, and feeling the solar-heated air coming through the vent. Last, but not least, I would lighten my environmental footprint, a satisfaction not measurable in dollars and cents.

HEATING CONVERSIONS

Knowing your household heating loads before you invest in a solar heating system can help you get a grip on what the sun can realistically offset. Utility bills are a good place to start, although they won't give you the complete picture if you're also using the energy for other purposes (for instance, water heating or cooking). You also need to know the energy content of the fuel you are using. Here in the United States, a resource's heating energy content is measured in British thermal units (Btu).

Energy Content of Common Fuels

Energy Source	Btu / Unit	KWH Equivalent
Full sun (1 sq. ft.)*	317	0.09
Natural gas (1 cu. ft.)	1,021	0.30
Propane (1 gal.)	91,000	26.67
Gasoline (1 gal.)	125,000	36.64
Heating oil (1 gal.)	139,000	40.74
Crude oil (1 bbl.)	5,800,000	1,699.88
Coal (1 ton)	20,000,000	5,861.66
Electricity (1 KWH)	3,412	1.00

*One hour of full sun at optimal conditions
Source: U.S. DOE Energy Information Agency

One Btu is the amount of heat necessary to raise one pound of water at maximum density 1°F—roughly the energy produced by completely burning a wooden match. In the United States, natural gas is sold to consumers either in therms (1 therm equals 100,000 Btu of energy content) or CCF (hundred cubic feet). All gas is metered in CCF, but the energy content of natural gas differs depending on where it comes from. Gas from the western United States is typically 106,000 Btu per CCF and is called "1060" gas. Some gas bills state a conversion factor, from which you can deduce either the therms or CCF of gas you use. If your house uses electric resistance space heat, each KWH provides about 3,412 Btu per hour.

If you heat with something else, like wood or propane, you'll have to do some math and modify the downloadable spreadsheet (upon which the Financial table is based) available at www.homepower.com/promisedfiles.

Now I just have to install the solar hot-air system. To many people, investing in a new heating system to *save* money is not as satisfying or tangible as investing in a traditional financial instrument that *makes* money. But money—saved or made—is still money. The only difference, in this case, is that these savings are tax free, as money saved is money I don't have to first earn and pay taxes on before I can spend it.

If your home has sunny, south-facing wall or roof space, and you're looking to offset a portion of your heating bills without doing extensive remodeling, a solar hot air system may make sense (and save dollars) for you too.

Access

Andy Kerr, Czar • The Larch Company •
andykerr@andykerr.net • www.andykerr.net

Doug Boleyn, Cascade Solar Consulting LLC •
doug@cascadesolar.com • www.cascadesolar.com •
Modeling solar air heating systems

Home Heating Software Estimators:

HVAC-CAC Residential 4.0 • www.hvaccalc.com

F-Chart Solar Systems Analysis Software • www.fchart.com

Solar Hot Air Collectors for Residential Use:

AAA Solar Supply Inc. • www.aaasolar.com •
Sun Aire roof- or wall-mounted collectors; recirculating

American Solar • www.americansolar.com • Heater Boards
ground-, wall-, or roof-mounted; recirculating

Cansolair • www.cansolair.com • Wall- or roof-mounted;
recirculating

ClearDome Solar • www.cleardomesolar.com • ClearDome
forced air panel; wall- or roof-mounted; recirculating

Conserval Engineering • www.solarwall.com • SolarWall
wall- or roof-mounted; fresh air

Environmental Solar Systems •
www.environmentalsolarsystems.com • SunMate wall- or
roof-mounted; recirculating

Northern Comfort Collectors • www.sunsiaray.com •
Sunsiaray wall- or roof-mounted; recirculating

Your Solar Home • www.yoursolarhome.com •
SolarSheat wall- or roof-mounted; recirculating

Other Resources:

Database of State Incentives for Renewables & Efficiency •
www.dsireusa.org

Related Reading:

"Solar Hot Air System Design," Chuck Marken, *HP98*

"Solar Hot Air Systems, Part II," Chuck Marken, *HP99*

"Doing Well While Doing Good," Andy Kerr, *HP86*

"Grid-Tied Solar in Small Town USA," Andy Kerr, *HP101*

"Mixing Business & Pleasure," Andy Kerr, *HP101*

"Making PV Pay," Andy Kerr, *HP117*

Solar Air Heating Systems: How to Design and Build Efficient, Economical Systems for Heating Your Home, by Steve Kornher, with Andy Zaugg, 1984, Rodale Press. Long out of print, it can be found at online used bookstores.



MALLARD WIND GENERATORS

Economical, Strong, & Very Reliable

**MALLARD
800E**



SALE

800 Watt

\$425

Regular price
\$475

Package
Deal 3-800E
& Regulator
\$1225

We also have charge regulators, tower kits & plans, PMAs, blades, and lots of friendly advice & customer support.

Mike's Windmill Shop

www.mikeswindmillshop.com • 928-532-1607

Email: gossmj@wmonline.com

Major Credit Cards Accepted • Call for Volume Pricing

Do You Need Batteries?...

RAE Storage Battery Company

Since 1943... Quality & Service

Surrette Solar 1, 400 Series, Type CH 375 - L16

Engineered under careful guidelines
by Dave Surrette - Family owned
business Est. 1935

Gambissara Solar for export

212-206-6344 • 1201 Broadway,
Room 809, New York, NY 10001

Newly established factory
warehouse. U.S. Battery Co.
Corona, CA



Phone 860-828-6007

Fax 860-828-4540

51 Deming Rd., POB 8005,
Berlin, CT 06037

Solar Panels • Wind Turbines • DC Lighting



ABS Alaskan, Inc.

Alternative Energy & Remote Power

2130 Van Horn, Fairbanks, AK 99701

toll free: 800-235-0689 fax: 907-451-1949

visit us online: www.absAK.com

Alaska Battery Anchorage, AK ph: 907-562-4949 fax: 907-563-4900
Distribution Center Renton, WA ph: 425-251-5745 fax: 425-251-5748

Micro Hydro • Complete Systems • & More

JWP- Jan Watercraft Products

Battery Watering Made Easy!



RV, Off Grid

**Marine
Golf Carts**



PRO-FILL is not only for your "HOME POWER" applications. You can also use on your RV, camper, boat, golf cart... Get the picture? Visit our web site to see ALL of these applications. PRO-FILL, the most convenient and accurate means of filling and maintaining battery water levels. Period! 5 year warranty, free shipping in USA.



Distributed by: JWP

E-mail: sales@janwp.com

Call Bob- 1-616 822-7587



www.janwp.com

Lorentz ETATRACK

Simple, Reliable Trackers
30% More Production

Now In Stock

Colorado Solar, Inc.
www.solarpanelstore.com
www.cosolar.com
800-766-7644
dealer inquires welcome

HYDROSCREEN CO. LLC

- Self Cleaning
- Easy Installation
- High Capacity
- No moving parts
- Pipe, ramp and box mountings

**Precision Wedge Wire
Coanda Screens**
for Hydro, Agricultural, and
Domestic Diversions from
10 gpm to 500 cfs

- We specialize in creatively engineering solutions for your unique hydro diversion screening needs.
- Our solutions are cost effective with numerous screen mounting options; we also have durable 304 SS mounting boxes.

Visit us at www.hydroscreen.com
or call (303) 333-6071
e-mail: RKWEIR@AOL.COM
We don't just sell screens,
we engineer solutions!



Revising Standards & Codes

by John Wiles

Sponsored by the U.S. Department of Energy

Applicable codes and standards strongly influence the design, manufacture, and installation of new PV equipment. And when these new products begin to be installed in the field, they, in turn, may have additional impacts on codes and standards. This intricate balance between product innovators who are pushing the envelope for PV component performance and design, and those charged with ensuring system safety, helps guarantee the installation of safer, higher performance, and more reliable and cost-effective PV systems. Here's a peek behind the scenes of the organizations that set standards and write requirements.

Safety First & the UL Standards

Underwriters Laboratories (UL) standard 1703 governs safety issues that relate to PV modules, and standard 1741 addresses PV inverters and charge controllers. These UL standards are not all-inclusive, but reference numerous other standards that establish requirements for the various components and materials used in a product's design and manufacture. Equipment designers diligently reference these standards, which establish construction and test protocols, to ensure that new products meet the requirements for safe installation and operation.

Although a prototype may work well in the laboratory, the manufacturer must refer to numerous codes and standards as the electronic layout and mechanical packaging are developed for the final product. The manufacturer submits the new product to UL for evaluation, and UL conducts safety tests as outlined by the standards. If the product passes the tests, UL "lists" it. (The Canadian Standards Association and ETL SEMKO also perform safety tests of PV electrical equipment using UL standards, and "certify" or list products that meet the standards.)

Establishing the Standards. UL maintains volunteer-based Standards Technical Panels (STP), consisting of manufacturers, installers/end users, inspectors, and government laboratories, for the two PV standards. Panel members meet periodically to review the standards and technological advances that could impact products, and to evaluate feedback and comments on listed products.

After the STP recommends modifications to a standard based on these reviews, UL circulates these proposed changes for comment to a wider audience, including inverter manufacturers, end users, and regulatory agencies, and publishes revisions only after an extensive review. The changes usually have a phase-in date, giving manufacturers time to revise any existing products.

Designers, installers, and users of UL-listed PV equipment can formally register comments, suggestions, and complaints

at the UL Web site (see Access). As a member of the STP for UL 1703 and 1741, I monitor all information distributed by the standards panels, and maintain communication for future actions to the standards as equipment designers, PV installers, and inspectors report inconsistencies between the *National Electrical Code (NEC)* and UL standards, or identify where standards pose barriers to safe, reliable, durable, and cost-effective PV installations.

Special UL teams address critical issues even before the larger STP discusses them. I keep PV installers, inspectors, and others informed on the latest codes and standards activities through presentations and articles that I publish here in *Home Power* and the *IAEI News* (see Access).

Meeting the Code

Besides passing the UL standards, PV equipment must also meet *NEC* requirements for installation. Equipment that doesn't meet code requirements for installation, even if it is listed or certified, cannot be legally installed. For this reason, manufacturers should be familiar with both the UL standards and the *NEC*.

Occasionally, a listed product has some feature that will not meet *NEC* requirements for installation. A recent inverter, certified as meeting UL 1741, was made with attached AC and DC power cables that did not meet *NEC* requirements for connection. The inverter had to be redesigned to accept a code-compliant cable. Generally, after an installer or an inspector identifies a noncompliance and alerts the listing agency, the manufacturer modifies the product and the listing agency retests it.

Engineers at the Southwest Technology Development Institute (now called the Institute for Energy and the Environment) assist PV equipment manufacturers in interpreting the UL standards and the *NEC*, and work with PV system designers, integrators, and installers to help them understand how the code and UL standards affect equipment design and installation. Typical issues include terminal and conductor compatibility, wiring compartment sizing, and addressing unclear language or instructions in equipment manuals.

Changing the Codes. The *NEC* is reviewed and revised on a three-year cycle. Anyone or any group may submit proposals with technical substantiations for code changes to the National Fire Protection Association (NFPA). The closeout date for proposals for any given *Code* year is in November, two years before the *Code's* publication year. (For example,

all proposals for the 2008 NEC were due in November 2005.) The required submittal form and deadlines for comment can be found in the back of the NEC handbook or obtained from the NFPA.

The NFPA's sixteen-member Code Making Panel (CMP 13), composed of various industry, government, and other experts, evaluates proposals submitted for code changes relating to PV systems found in Article 690. After each proposal is carefully reviewed, the CMP issues a *Report on Proposals* that shows the panel's recommendations. This report is available to the general public for comment and can be found on the NFPA Web site.

After final comments have been coordinated, CMP 13 meets again to review and act on the comments. NFPA's Technical Correlating Committee oversees the entire process and coordinates between various CMPs to ensure a degree of continuity throughout the code.

Forum Feedback. A group of more than 100 industry individuals known as the PV Industry Forum develop, review, coordinate, and substantiate PV system-related proposals for the NEC. In addition to members of the PV industry, the forum includes IBEW (electrical union) members, electrical inspectors, and utility representatives.

As the forum's secretary, I collect suggestions from inspectors, electricians, and PV installers for code clarifications and changes, and translate these suggestions into draft proposals with technical substantiation. These draft proposals are distributed to the PV Industry Forum, and the feedback results in a finely tuned set of proposals—and even some new ideas. In November, I submit the reviewed and coordinated proposals for evaluation to the NFPA's CMPs, which generate two reports and the final code language. The forum provides feedback on these documents, an important part of the process that helps the PV industry get a clear, concise set of PV requirements in future editions of the NEC and Article 690. As a voting panel member, Ward Bower of Sandia National Laboratories can provide direct feedback on panel discussions and details that do not appear in the formal reports.

The three-year process results in the next edition of the *National Electrical Code*—a unique and one of the more well-respected safety documents in the world. Other countries, including Mexico and Ecuador, are adopting the NEC as their national electrical code.

Continuous Change

Both standards revisions and code modifications involve many hours of work by many dedicated people. As innovations continue to appear and the industry keeps expanding, code-makers and standards-setters will be busy reviewing equipment and making sure that installed systems are safe, reliable, and cost effective.

If you have questions about the NEC or the implementation of PV systems that follow the requirements of the NEC, feel free to call, fax, e-mail, or write me. See the SWTDI Web site (see Access) for more detailed articles on these subjects. The U.S. Department of Energy sponsors my activities in this area as a support function to the PV industry under Contract DE-FC 36-05-G015149.

If you want to participate in the ongoing development of the NEC, send an e-mail to Ward Bower (see Access) to join the PV Industry Forum e-mail list.

Access

John C. Wiles, Southwest Technology Development Institute/Institute for Energy and the Environment, New Mexico State Univ., Box 30,001/ MSC 3 SOLAR, Las Cruces, NM 88003 • 505-646-6105 • Fax: 505-646-3841 • jwiles@nmsu.edu • www.nmsu.edu/~tdi

Sandia National Laboratories, Ward Bower, Sandia National Laboratories, Dept. 6218, MS 0753, Albuquerque, NM 87185 • 505-844-5206 • Fax: 505-844-6541 • wibower@sandia.gov • www.sandia.gov/pv • Sponsor

The 2005 *National Electrical Code* and the *NEC Handbook* are available from the National Fire Protection Association (NFPA) • 800-344-3555 or 508-895-8300 • www.nfpa.org

IAEI News • www.iaei.org

Standards Organizations:

Canadian Standards Association • www.csa-international.org

ETL SEMKO • www.intertek-etlsemko.com

Underwriters Laboratories • www.ul.com

Various UL standards development processes • <http://ulstandardsinfontet.ul.com/development.pdf>



FORCEFIELD

www.wondermagnet.com

NdFeB Magnets
Magnet Wire
Books
Weird Science

www.otherpower.com
877-944-6247 (toll free)
970-484-7257
2606 W. Vine Dr.
Fort Collins, CO 80521
ff@wondermagnet.com



Needful Things
for the homebrew
renewable energy
enthusiast!

**MAKE YOUR
ELECTRICITY
FROM SCRATCH!**

User Friendly Hydro Power





Now Featuring Permanent Magnet Alternators

Alternative Power & Machine
4040 Highland Ave. Unit #H • Grants Pass, OR 97526 • 541-476-8916
altpower@grantspass.com

www.apmhydro.com

Renewable Energy

The First Hundred Hours

by Michael Welch

With their powerful and influential lobby and campaign contribution programs, conventional energy industries (petroleum, coal, and nuclear) have held a stranglehold on energy policy that everyday citizens couldn't break. The results of that power have put issues of renewable energy, conservation, and energy efficiency on the back burner—until now.

With enough time and the right circumstances, things can turn around. In last November's election, voters made sweeping changes in Congress. Pundits from across political spectrums pointed to the public's general dissatisfaction with governmental leadership and policies as the main reason for the dramatic swing in congressional control. A lot of that had to do with the public's desire to change the national energy policy. Many factors contributed to this shift: the devastating effects of Hurricane Katrina, an ever-growing awareness of climate change, and unpopular wars for access to foreign oil.

A recent CNN/Opinion Research Poll showed 73 percent of Americans believe that Congress dealing with national energy policies is "extremely important" or "very important." Finally, it seems, we're getting our wish.

Happy Hours

In January, Congress' new Democratic majority outlined six objectives they planned to achieve within the first 100 hours, most notably a call for America's energy independence and rolling back subsidies for Big Oil.

During these "first hours," the House passed HR 6, the CLEAN Energy Act of 2007 (Creating Long-Term Energy Alternatives for the Nation). Introduced by House Majority Leader Nancy Pelosi (D-CA), HR 6 was passed in an incredibly short time—six days. This bill would roll back the huge tax breaks that the oil industry received via Congress in 2005, and use this revenue—an estimated \$14 billion over the next ten years—to accelerate the development and use of renewable energy and alternative fuels, and promote energy efficient products and conservation practices. The bill would also require oil companies to renegotiate their offshore leases in the Gulf of Mexico, fixing a loophole that allowed many oil companies to avoid paying royalties.

The bill, Pelosi says, "represents the first step toward a future of energy independence. By rolling back \$14 billion in subsidies for Big Oil at [a] time when they have recorded record profits, and investing that money in clean renewable energy, energy efficiency, and alternative fuels, we will reduce our dependence on foreign oil.



"By investing in American ingenuity [we] will accelerate the implementation of existing clean, energy-efficient technologies. We will promote homegrown alternatives, creating good paying jobs while bolstering our national security, [and] sending our energy dollars to the Midwest, not [to] the Middle East."

This bill is a good first step, especially since it redirects funds from the oil industry to support a sustainable energy future. The Senate would need to pass its version and, of course, the President would need to sign it into law, unfortunately a very unlikely prospect. But I feel the bill is a harbinger of good things to come. Senate Majority Leader Harry Reid (D-NV) needs to hear from you soon, so that the Senate will quickly take up their version of the House's CLEAN Energy Act, and send it to the President for signature or veto.

In the Senate, Reid introduced his own "first hundred hours" energy bill—the National Energy and Environmental Security Act of 2007 (S. 6). This bill would "enhance the security of the United States by reducing the dependence of the United States on foreign and unsustainable energy sources and the risks of global warming" by:

- Requiring reductions of greenhouse gas emissions;
- Diversifying and expanding the use of secure, efficient, and environmentally friendly energy supplies and technologies;
- Reducing the burdens on consumers of rising energy prices;
- Eliminating tax giveaways to large energy companies;

- Preventing energy price gouging, profiteering, and market manipulation.

At this time of writing, the bill is in the Senate's Committee on Finance, and has not yet come to a vote. Again, this bill is the Senate's harbinger of good things to come.

After Hours

If the highly publicized first hundred hours of the 110th Congressional session are any indication, renewable energy may get a lot more legislative attention in the next few years. Upon the passing of HR 6, Jerome Ringo of the Apollo Alliance, a nonprofit organization promoting clean energy strategies, said, "The days of our federal government giving free rides to Big Oil are over." This may be optimistic, but he also urged folks to remember that it's just a good *first* step in the "long march toward a renewable energy future."

None of this would have—or will—happen without citizen input. But we only get to vote on national issues every few years. The next big election—choosing a new U.S. president—is more than a year away, and will be an important race for the fate of renewable energy. Until then, we need to figure out how to keep politicians' eyes on the prize—focused on the renewable energy agenda they originally committed to during their first 100 hours.

Already the oil industry is lining up against the CLEAN Act, and their fear-mongering strategy is apparent. "This bill takes capital from U.S. oil and natural gas companies that otherwise would be spent on domestic energy exploration," said Barry Russell, president of the Independent Petroleum Association of America, claiming that HR 6 will increase our reliance on foreign oil. But while many think securing domestic oil supplies is important for national security, it is not the issue we should be concentrating on, but rather a distraction. The "prize"—and true solution to achieving energy independence—is to find sustainable, more efficient ways to use our energy resources, as well as renewable substitutes for fossil fuels.

To be sustainable, our energy independence will need to hinge on using less energy and using it more efficiently, conserving the limited resources that are available, and making our energy by renewable means. To move this future forward, we *must* take the time to remind our leaders about what we want, praise them when they deliver on their promises, and take them to task when they don't.

Make a wish list of what you want to see for our renewable energy future. Urge your representatives to support higher fuel economy standards for vehicles and increased incentives for renewable energy, and encourage the development and use of superefficient appliances and vehicles. Write letters to the editor about what your representatives have accomplished, and what still needs to be done, and organize letter-writing campaigns among your friends and in your communities to the media, politicians, and regulators.

At the same time, do what you can in your own life to wean yourself from oil dependence—like driving less, making sure your appliances are energy efficient, paying more attention to the quality of products you purchase, installing home RE systems, and minimizing your environmental footprint at every step. And then start psyching yourself up for the next presidential election. Find out where the candidates stand on energy issues, and let them know where they should be standing—the next president could make or break our RE future. They *must* be prepared to go to extraordinary means to protect Earth from human-caused climate change. It will be up to us to make sure that global warming and renewable energy are at the top wrung of candidates' platforms.

Access

Michael Welch, c/o Redwood Alliance, PO Box 293, Arcata, CA 95518 • 707-822-7884 • michael.welch@homepower.com • www.redwoodalliance.org

Legislative information from the Library of Congress • <http://thomas.loc.gov/>



LED LIGHT BULBS

Save Over 90% On Your Lighting Bill
60,000 Hour Bulb Life (est.) • 2-year Warranty • UL Listed

 <p>CC Vivid PAR 38 LED Spotlight</p> <ul style="list-style-type: none"> • Outdoor Sensor or Exterior Lighting • 72 Bright White LEDs • 8 Watts / 12 or 120 Volt 	 <p>CC Vivid + LED Light Bulb</p> <ul style="list-style-type: none"> • Porch, Reading or Ambient Light • 36 Bright White LEDs • 3 Watts / 12 or 120 Volt
 <p>CC Vivid PAR 20 LED Flood & Spot</p> <ul style="list-style-type: none"> • Ceiling or Garden Accent Lighting • 36 Bright White LEDs • 3 Watts / 120 Volt 	 <p>CC Vivid PAR 30 LED Floodlight</p> <ul style="list-style-type: none"> • Ceiling or Garden Accent Lighting • 60 Bright White LEDs • 6 Watts / 120 Volt

These bulbs fit most standard fixtures. Additional sizes and voltages available.

C. CRANE

800-522-8863 • c crane.com





Wind Data Logger

www.winddatalogger.com

Announcing a new Wind Data Logger for wind site assessment and wind turbine performance monitoring

High performance and low cost. Supports multiple anemometers, wind vane, temperature, relative humidity, light level, turbine power output, and other sensors.

Provides live data to your e-mail or internet site via computer connection or cell phone link. Ready to go packages available — just visit our website or give us a call!



APRS World, LLC

Phone: +1-507-454-2727 Web: www.winddatalogger.com
902 East Second Street, Suite 320, Winona, MN 55987

Zomeworks Corporation

Phone: 800-279-6342

Fax: 505-243-5187

www.zomeworks.com

Battery Boxes & Cool Cells™
Universal Roof/Ground Mounts
Top of Pole Fixed Racks

Simplicity & Elegance Universal Track Rack™ Passive Solar Tracker

UTRF-168 Handles 168 Sq. Ft. of Solar Module Space
Easy Seasonal Adjustment



Photograph Courtesy of Mark Snyder Electric
 90 KW Installation at Alpine Elementary School



Things that Work!
 Model 4-1850
 Home Power #67

Digital Power Meters

20-CTR: Measures AC Power up to 10 kW, 100-250 vac single or two phase. Remote display. Easy to install.

ONEMeter: NEW FEATURES! Standard Features include Multiple AC or DC power channels (any voltage/current), PC interface (with PC software), internal logging, and one display. Options now include Flash Memory Logging (up to 1 Gig!), USB connection, simple Web interface, extra displays (many types/sizes), Battery Monitor, Weather Monitoring (wind speed, direction, temperature, humidity, solar output) and Control output. The OneMeter can be field upgraded with new hardware/firmware.

4-1850WX: Special meter for Refrigerator Replacement Programs. Detects Defrost Cycle, displays cost/kWh-hrs/yr. Other Models available. Check our website or call for details.

All products are California CEC eligible meters

CUSTOM APPLICATIONS and DISPLAY OPTIONS: We can build a digital power meter to meet your needs, including large displays as well as the popular Beta Brite scrolling LED sign. Please call with your needs/ideas.

Brand Electronics

421 Hilton Rd.
 Whitefield, ME 04353

For information only, call 207-549-3401
 info@brandelectronics.com

To order, call toll free
1-888-433-6600

www.brandelectronics.com

OG-300 Certified "SOLAR WAND" SOLAR ASSISTED HOT WATER
 Self-Pressurized, Closed Loop, Antifreeze System

"Let Our Solar Wand Tame Your Utility Bills"

"SUN BLOCKS" * 30% Federal Tax Credit
 HOT WATER * Five Year Warranty
 COLLECTOR ARRAYS * Kits From \$3,200 USD

10 Sq.Ft. 20 lbs.
 72" x 20" x 3"

*Ships FedEx
 * Web Site Has D-I-Y Manuals

www.butlersunsolutions.com
858-259-8895

Butler Sun Solutions Patents Issued & Pending

As seen in HP 90, pg 50 and HP 103, pg 72
 Dealer Inquiries Welcome

PROVEN
 PROVEN WIND TURBINES

Direct Grid-Tie Now Available

RELIABLE • QUIET • RUGGED

Solar Wind Works
 ~ Proven USA Distributor ~

Chris Worcester, NABCEP Certified PV Installer
 CA Contractor's License: #796322
 NV Contractor's license: #59288

Renewable Energy Power Systems
 • Sales—PV, Wind, & Microhydro
 • Design—Off-Grid or On-Grid
 • Installation & Service

Toll Free! 877-682-4503
 PO Box 2511, Truckee, CA 96160
 info@solarwindworks.com • www.solarwindworks.com



Our 21st Year Offgrid!

We provide excellent service & technical support.
 Residential Power • Water Systems • Communications
 Wind • PV • Hydro • Custom Design • Installation
 All Major Brands



Don Loweberg
 NABCEP Certified Installer

**California
 Rebates!**

OFF LINE

Located in the central Sierra, near Yosemite

e-mail: ofln@aol.com

www.psnw.com/~ofln

P.O. Box 231, North Fork, CA 93643

(559) 877-7080

CA Lic. #661052



SunDancer™

Energy-Efficient

- Automatic operation
- Thick polyurethane insulation
- Lockable lid
- Interior light
- Corrosion resistant coated steel exterior
- Patented low-frost system
- Easy to clean interior
- Low maintenance

Cool with Solar



**12/24 VDC Energy
 Efficient Refrigeration**

(915) 821-0042

info@sundancer.com
www.sundancer.com

**Come in and visit us
 at our NEW Store Location**
 4091 E. Huntington Drive
 Flagstaff, Arizona

Specializing in
 Solar Electric Utility Tie
 Remote Homes, Water Pumping, RVs
 and Telecommunication Systems.

Call one of our
 Solar Design Technicians to
 help design the right system for you.




**NORTHERN ARIZONA
 WIND & SUN**
 Electricity From the Sun

800-383-0195

www.solar-electric.com

Protecting our environment since 1979

On Grid or Off Grid SunPipes® Save Energy



Four SunPipe-13's in 25 x 35 living room.

**The Best Daylight Pipe
 The Brightest Daylight Pipe
 No Heat Gain, Roof Leaks or Electricity**

The Original



WWW.SUNPIPE.COM - 800-844-4786

Payback



Solar Return

Derivation: "Pay" is from Latin pacare, to pacify; from pax, peace. "Back" is from Old English bæc, a human back. "Payback" is a return on an investment equal to the original capital outlay; or requital, something given in return.

With rising utility rates and increasing incentives for solar energy, financial analysts can now often talk realistically about solar energy systems having a viable financial payback. Combine a decent solar (or wind or hydro) resource with high utility rates and state or utility incentives, and renewable energy systems can yield better returns than some traditional investments.

Solar payback consultant Andy Black of OnGrid Solar educates dealers, installers, and their sales forces about the financial viability of solar energy systems. He has developed tools that make it easy for solar energy professionals to run the calculations and present them to potential customers. A growing number of solar dealers and consultants are examining the financial aspects of solar energy, and selling systems on the basis of financial payback.

Payback or "return on investment" factors include the value of the energy produced (utility net metering agreements and green tags), tax benefits, federal, state and utility incentives, and the increased value of your property after a system is installed. This last item is often overlooked, even though a family's largest investment is usually in their home. In a recent article in *Solar Today*, Black compared the value of a solar-electric (photovoltaic; PV) system to the value of a kitchen remodel. According to *Remodeling Online*, a kitchen remodel typically returns about 75 percent of its cost when the home is sold. Black shows that a solar energy system on a home in California can return 85 to 140 percent at resale, depending on a number of factors.

Black and others estimate an annual rate of return between 10 and 15 percent (and sometimes higher) for solar-electric systems in California and other states with high incentives and high electricity rates. This investment trumps the stock market's historical return, a fact that is driving more and more people to install systems where the incentives are available. If you live in a place where the financial payback is compelling, you no longer have any economic excuses—invest in a solar energy system!

by Ian Woofenden

Even if you live in a location where the financial numbers are somewhat less compelling, buying a system (after you've upgraded your home for energy efficiency) can still pay off in many other ways. Focusing on financial payback alone reduces solar energy systems to the level of purely financial investments—pretty low in my book. Very few of a typical homeowner's decisions are based solely on the finances. Most people don't go into the grocery store and look for the cheapest food, into the auto dealership and ask for the cheapest car, or into the furniture store looking for the cheapest dining room set.

Whether it's a kitchen remodel or groceries, most of us are looking for *value* that goes well beyond dollars. We may choose food that is healthy for our bodies and for farm workers, tastes good, and is fresh. When shopping for a car, we look for function, style, fuel economy, and other values. And in our furnishings, clothing, and other consumer purchases as well, the cost is only one part of our decision.

Nor do we perform complicated financial analyses to decide whether broccoli has a better payback than Oreos. This isn't because food has less financial impact on us than buying a renewable energy system. The average four-person American family easily spends enough on food every two years to buy a 1 KW solar-electric system. And the quality of food we eat has a great deal to do with our health and longevity, which have financial impacts as well.

Am I suggesting that we not look at the financial reality of solar energy systems? No. I'm suggesting that the money is just

Product Purchase Considerations

- Price
- Function
- Quality
- Aesthetics
- Brand loyalty
- Manufacturer's social consciousness
- Convenience
- Status
- Durability
- Reliability
- Environmental friendliness

one piece of a broader analysis. We choose almost everything we purchase based on various values we hold. Solar energy systems should be no different.

Sometimes we put one criterion above all others. For instance, I recently bought a new digital projector, to use for presentations when I travel. I shopped around for the smallest projector available, and found one that is a mere 78 cubic inches. It fits in my laptop computer's bag, allowing me to travel much lighter. Did I drop all other criteria when I chose this machine? No, I wanted a full-featured projector with reasonable resolution, a standard warranty, and available support. Was cost not an object? Well...let's just say it wasn't my top priority—I was willing to pay more for higher value.

For many people, investing in a solar energy system is no different. They look beyond the financial payback, and bring other values into their buying decisions. They may be interested in embodied energy payback—which they'll get in two to four years. They may want status payback, which they'll get instantly. They may want environmental payback, which they'll get rather quickly if their present electricity comes from coal, oil, gas, or a nuclear reaction.

When someone asks you what the payback on your treasury bills or mutual funds is, you can give them a financial answer, since they are asking about a primarily financial investment. But an investment in a solar energy system goes well beyond the financial realm. Unless you're talking to the kind of person who *does* want to know what the payback on broccoli is, maybe it's worth taking a broader view. Solar energy may or may not have a fabulous financial payback in nonsubsidized situations, but the enormous paybacks in reliability, environmental friendliness, and solar status can mean many happy returns.


Access

Ian Woofenden, PO Box 1001, Anacortes, WA 98221 • ian.woofenden@homepower.com

Andy Black, OnGrid Solar, 4175 Renaissance Dr. #4, San Jose, CA 95134 • 408-428-0808 • andy@ongrid.net • www.ongrid.net • Payback consultant



Why not use free energy?



ENERGY WISE SOLUTIONS

Your one-stop renewable energy online store

704-678-4122

ENERGY WISE SOLUTIONS

www.energywisesolutions.net

COME LEARN WITH US!

IN A BEAUTIFUL SETTING WITH AN AFFORDABLE TUITION PLAN - \$480 OUT-OF-STATE & \$360 IN-STATE* *PER SEMESTER

YOU WILL COMBINE SCIENCE



WITH HANDS-ON LEARNING




YOU CAN EARN A RENEWABLE ENERGY DEGREE

TWO YEAR A.A.S. DEGREE OR ONE YEAR CERTIFICATE PROGRAMS FOCUS ON PHOTOVOLTAIC DESIGN AND INSTALLATION BOTH EMPHASIZE FULL N.E.C. COMPLIANCE


PLEASE VISIT US ONLINE AT www.sanjuancollege.edu/reng

FOR ADDITIONAL INFORMATION ABOUT THE RENEWABLE ENERGY PROGRAM AT SAN JUAN COLLEGE, FARMINGTON, NM PLEASE CONTACT: TOM MUNSON (505) 566-3003 OR (800) 241-6327 munson@sanjuancollege.edu



GORILLA e-ATV

mail from Home Power customers



See us at the Midwest Renewable Energy Fair Custer WI, June 15-17 www.the-MREA.org

see our SOLAR CHARGING webpage

- Electric Power and Torque
- Almost Zero Maintenance
- NO Oil, Gas, or Fumes
- 110v Charging or DC Direct
- Silent Utility and Mobility

CHIMP™ Our new stand-up utility vehicle. See website

Gorilla Vehicles
Doran Motor Company, Inc.
16072 Fame Circle
Huntington Beach, CA 92649
(714) 377-7776

info@GorillaVehicles.com
PLEASE SEE OUR WEBSITE or call for a brochure package

www.GorillaVehicles.com

High Solar I.Q. Take Control with RESOL® !



25 years of industry
leading experience in
solar thermal controls

Energy (Btu)
measurement

Remote access
via modem or PC

Data Acquisition
and Software

Digital Differential Temperature Controllers



Contact...Sun Spot Solar
Authorized RESOL® Distributor
Web: www.sssolar.com
Email: info@sssolar.com
570.422.1292

Inverter Service Company

a division of Direct Power and Water

- Authorized Service Center for Xantrex Inverters
- Authorized Service Repair and Sales of Mitsubishi UPS (7.5kva to 350kva)
- Certified Xantrex Dealer
- Largest inventory of SW, DR parts in North America
- Fastest turn around time in the WEST



Albuquerque, NM

Erich Lindner

Master Electronics Technician
erichl@directpower.com

Daniel Duffield

Electrical Engineer
dand@directpower.com

1-800-260-3792

www.directpower.com

We've Got it All!
And You Can Have One Too...

Water Power For All Your Needs



LH1000



Stream Engine



Water Baby

"Leading the World Since 1980"

Manufacturing Cost-Effective Water
Powered Generators

ENERGY SYSTEMS & DESIGN

www.microhydropower.com 506-433-3151

Back Home MAGAZINE

Your Guide to Self-Reliant Living

Take control of your own life. Thousands of people have gone BACKHOME to enjoy less complicated, more rewarding lives . . . and you can join them. In each bimonthly issue, find articles on topics such as: Alternative Home-Building Techniques, Organic Gardening, Selecting a Home Business, Living Mortgage Free, and much, much more!



Subscribe to BACKHOME
for just \$21.97 per year.
Call us at 800-992-2546,
write to us at P.O. Box 70HP,
Hendersonville, NC 28793
or visit our Web site

www.BackHomeMagazine.com

Your energy...



Your money...



Your food...



Your community...



SOL WEST RENEWABLE ENERGY FAIR

JULY 27, 28, & 29, 2007

Grant County Fairgrounds, John Day, Oregon

50 WORKSHOPS

50 EXHIBITORS

KEYNOTE ADDRESS

Benjamin Gisin

of Touch the Soil Magazine

HOURS:

Friday 1 pm – 7 pm

Saturday 9 am – 7 pm

Sunday 9 am – 3:30 pm

ADMISSION 1 DAY 3 DAYS

Adults \$5 \$10

Juniors, 13 – 17 \$2 \$4

Family \$10 \$20

FOR MORE INFORMATION CONTACT

SolWest/EORenew • P.O. Box 485 • Canyon City, OR 97820

541-575-3633 • info@solwest.org

www.solwest.org

Sponsored by:



AUTOMAGIC BATTERY WATERING



WE MAKE WATER FROM YOUR GAS

Hydrogen and oxygen battery gas catalytically recombined into pure water and returned to each battery cell. Keeps battery topped off for extended periods of time and reduces maintenance costs. Explosive hydrogen gas is virtually eliminated from the battery area. Corrosive spray and fumes are contained and washed back into each battery cell. Electrolyte kept strong longer, extending the useful power and life of the battery. HYDROCAP Vents simply replace the battery's caps. Battery maintenance is greatly reduced. Write or call for more information.



Hydrocap
CATALYST BATTERY CAPS

305-696-2504
975 NW 95 St.
Miami, FL 33150

ELECTRIC BIKES

"No better quality at no better price"

800-806-7109

www.iloveebikes.com

LIBERTY
Electric Bikes



BATTERY BOX VENTILATOR

& BACK DRAFT DAMPER

- Positive hydrogen venting
- Stops back drafts
- Minimal power consumption

* Available from dealers and distributors across the U.S. and Canada



POWER VENT
12v & 24v – \$79
48v – \$104
+ \$10 S&H (cont. U.S.)

Zephyr Industries, Inc.
POB 52, Salida, CO 81201
719.530.0718
www.zephyrvent.com

THE
POWER
VENT

Ranch House Retro

by Kathleen Jarschke-Schultze

My husband Bob-O and I have been slowly repairing, rebuilding, and changing a few things on our off-grid homestead with an eye to our retirement. Having paid off our mortgage a decade ago, we wanted to tackle some high-dollar projects that needed to be addressed before we are on a fixed retirement income.

Through the years, we have been constantly making energy efficiency improvements to our 1960s-era house, formerly the roundup cabin for a very large cattle ranch. We replaced all the windows with double-pane, low-E models. We insulated the attic. We crawled under the house on our backs, and secured pink roll insulation with staples and chicken wire to the underbelly of the floors. Installing an insulative, honeycomb window shade on the 8- by 5-foot picture window in the living room gained us overnight temperature savings of 5°F. A small, well-insulated, mudroom addition on the north side of the house provided another barrier against heat loss.

Just as a watt saved is a watt earned, the same can be said of a Btu. The less energy—of any kind—you need to expend to heat or cool your home directly translates to resources and money saved. In the summer, the swamp cooler needs to run less, and in the winter we burn less firewood. And, of course, we are more comfortable—no matter what season.

Bathroom Blitz

My first room remodel was our bathroom. The walls were covered in redwood bender board. Our city friends called it “rustic” and “quaint.” I called it spider heaven. The cabinets were very low and painted “landlord pink.” The countertop was cheesy contact paper. There was a wild creature of indeterminate origin living in the walls of the built-in bathtub.

We could hear it moving around at night. The mystery creature really seemed to enjoy when we took hot showers in the wintertime. Neither Bob-O nor I wanted to crawl under the house and confront a skunk, or any wild animal for that matter. Although we got kind of used to the occasional thump, thump, thump noises it made, it did freak out several houseguests.

Our friend George, who had built his own house, came to visit us for a week. It was an opportunity I would not



pass up. I went to a local home improvement store and purchased unassembled cabinets, white paint, a sink, faucets, a countertop, a vanity mirror, a large shower stall, linoleum, and all the incidentals needed to install the same. Since we were stripping the room down to the plasterboard, I bought new everything. The one exception—our SeaLand one-pint flush toilet.

George and Bob-O removed the bathtub. We discovered that a wood rat had been living there. The walls of the tub were filled with acorns, sticks, leaves, and an assortment of other things. Both George and Bob-O are asthmatic, so I donned a face mask and cleaned up the detritus—three garbage-bags full. We relocated the old bathtub outside, under our big apple tree where it remains today as my worm farm.

The rest of the remodel went smoothly. George was a wizard—in just one week, we had a totally transformed bathroom. I had bright white walls and a large shower stall (in our ten years here we had never taken a bath, only showers). It was the best-looking room in the house. In fact, these were the only white walls in the house. When Bob-O and I applied

for passports we used the bathroom walls as a backdrop for our photos. Of course you can't tell in the face shots that we were standing there, straddling the toilet.

Kathleen in the Kitchen

Recently Bob-O worked out a budget to remodel the kitchen. This is something I have wanted to do since we first walked through the house with the previous owners. I remember telling the wife, "This wall needs to be cut in half." "Why don't you wait till you pay for the house before you do that?" she replied. We paid off the mortgage ten years ago, so it was time.

New Formica countertops, a new double-basin, stainless steel sink (same faucets), trash compactor (for unrecyclables), a range hood, and bamboo flooring were the big-ticket items. We hired our friend Koko to come in to do the heavy work. He raised all the counters 2 inches (I'm 5 feet, 10 inches tall). He removed the top half of the walls between the living room, dining room, and kitchen. That really opened up the kitchen and let in more natural light. Finally, he built a counter between the kitchen and dining room.

Then it was my turn. I was determined to tile the backsplash above the sink and the countertop in the dining room. Bob-O bought a tile cutter and tile nippers. I ordered the tile from two different stores, as neither had exactly what I wanted. As I waited for the tile, I read everything I could about tiling in books and on the Internet.

The tile arrived. I wanted to tackle the backsplash first because it was on a flat wall. I used nails as spacers, set the tile, and let it dry overnight. The next day I started grouting.

I put some powdered grout in a bucket and added some water, according to the minimal instructions on the bag. I stirred for ten minutes. Then I called Friend. Friend helps me with my construction crises, but declines being associated by name with my projects. "It will be fine," he said. "Let's see, how can I put this?" He thought a moment. "It should be *glippy*."

I was wishing Friend knew how to cook so he could use a food analogy, something I was more familiar with. Gloppy like soft peaks or stiff peaks or even pancake batter? I added a bit more powder and stirred harder. After letting the grout sit for ten minutes, and giving it another stir, I decided to start.

The dark-green grout didn't look like it was supposed to. The tile was a mess. But I kept wiping and filling, and wiping till I was ready to shape the grout. I used a chopstick. It actually turned out okay, but took me five hours. The next weekend I tiled the counter. It went smoother and quicker. The grouting went better since I now had some experience. Of course, you can tell it is not a professional job, but I don't mind. It's like I told Bob-O, "There is a reason there are professional tile setters—and a reason why they get the big bucks."

After the tile ordeal was over, we painted. The faded, light-blue walls are gone, although when I picked out the new color I don't think I fully realized how *yellow* (the color was touted as "Saffron Thread") it would be. But I'm liking it now. I love my kitchen, my workplace.

Refinish, Not Finished


We continue to repair, refinish, and rework our home, so that when we do retire no high-dollar surprises will be waiting to jump out at us. Every project we complete generally adds to the efficiency and, ultimately, the value of our home.

It is empowering to work on our own home. We know we are investing in our homestead's future, whether we are here or not. And if it doesn't look professionally done, that is part of the charm. After all, if it was perfect, it wouldn't be our home.

Access

Kathleen Jarschke-Schultze is casting a critical eye at her home office on her northernmost California homestead. c/o *Home Power* magazine, PO Box 520, Ashland, OR 97520 • 800-707-6585 • kathleen.jarschke-schultze@homepower.com





TO POWER OUR FUTURE

Authorized Distributor of Suntech Power in U.S.

We have these panels in stock:

4W	5W	8W	8W
9W	10W	12W	30W
36W	40W	58W	65W
80W	85W	110W	120W

& more.

866-77 solar
WWW.SOLARTECHPOWER.COM

SOLARTECH POWER, INC.
13811 Bentley Place, Cerritos, CA 90703, USA
Tel: 562.926.1089 Fax: 562.926.1021
E-mail: sales@solartechpower.com

BZ Products Model MPPT250

250 watt 25 amp Maximum Power Point Solar Control

- Boost charge current up to 30%
- Up to 25 amp output current
- Microprocessor control
- 95 % efficacy
- 250 watt PV input
- 12 to 24 volt input
- Digital metering
- PWM float control
- Battery temperature sensor standard
- 15 amp low voltage disconnect standard
- Aux battery trickle charger standard
- Five year warranty
- Made in U.S.A.



BZ Products, Inc.

314-644-2490 • www.bzproducts.net • bzp@bzproducts.net
7914 Gravois, St. Louis, MO 63123, USA

AAA Solar Supply Inc.


FEATURING:

SUN EARTH


Liquid Collectors
for Solar Hot Water
& Radiant Floor Systems

Other Solar H₂O Products & Parts

- Pumps
- Heat Exchangers
- Storage Tanks
- Complete Systems
- Controls
- Batch Water Heaters



Also Featuring:
SUN AIRE
Air Collectors
for Home Heating



Other Solar Hot Air Products & Parts

- Blowers
- Backdraft Dampers
- Controls
- DIY Systems

(800) 245-0311 • www.aaasolar.com • solarstuff@aaasolar.com

2021 Zearing NW, Albuquerque, NM 87014

SAVE MONEY
with **PRODEX Radiant Barrier Hi R REFLECTIVE INSULATION**
for Residential and Commercial Buildings

- Reduce winter heat loss and summer heat gain
 - Reflects **97%** of radiant heat
- Save up to **55%** on heating and a/c bills
- Vapor barrier, unaffected by moisture
- 14.5 R value, **out-performs** R30 fiberglass batt insulation

Call or order online for discount pricing
www.barnworld.com
We ship direct to save you money!

BARN WORLD
(303) 952-0830

The BEST Tool for Solar Site Analysis
JUST GOT BETTER!

**USER FRIENDLY,
FAST & ACCURATE!**

The original **Solar Pathfinder** with its reflective properties gives an excellent "instant solar blueprint" of the prospective site.

Now, the NEW **Solar Pathfinder Assistant** software, and your digital camera, carry that shading information into a concise, thorough, professional-looking solar site analysis report in just seconds.

Solar Pathfinder Assistant: automatically adjusts for magnetic declination, latitude, azimuth, tilt angle, & tracking mode (fixed, 1-axis, 2 axis); automatically does yearly energy computations using included NREL data (no internet connection necessary); displays "before/after" results of removing obstructions; and creates professional-looking reports!

Solar Pathfinder ASSISTANT
RAISING THE STANDARD IN SOLAR SITE ANALYSIS

3953 Marsh Creek Road, Linden, TN 37096 • 317-501-2529 • Fax 931-589-5400
info@solarpathfinder.com • www.solarpathfinder.com

SOLAR COOLING
WITH
SOLAR CHILL
ULTRA LOW ENERGY
with only 25 - 130 WATTS!

The most efficient coolers on the planet.
12, 24, & 48 Volt DC Evaporative Coolers.
Also available in 120 & 240 Volt AC.
Made from Stainless Steel = Long Life!
KAR KOOL FOR YOUR VEHICLE

Call **SOUTHWEST SOLAR**
We Make COOLING Your Lowest Electrical Load!
(520) 885-7925 Tucson, Arizona, USA
southwest-solar.com

SunWize – We've Got More Products & More Variety ...

INVERTERS, CONTROLLERS, METERS, BATTERIES, ENCLOSURES, RACKS, CHARGERS, SWITCHGEAR, INTERCONNECTS, MODULE MOUNTS, WIRE & CABLE, HARDWARE . . . We can supply everything you'll need to complete your solar project!

SunWize is **YOUR** balance of system product supplier. We offer a large variety of components so you can choose the product that's right for the job. Our fully stocked warehouses on the East Coast and West Coast are ready to ship your order. Call us today for unmatched customer service at 800-817-6527 or visit www.sunwize.com. Be successful, choose SunWize!

www.sunwize.com



SunWize

Reliable People . . . Reliable Products . . . Reliable Power!



Industry Exclusive!

TOTAL SOLAR CENTER & POLYCRYSTALLINE PANELS

Installs with ease. All KW's Available.

FULL EXCHANGE WARRANTY

Stand-alone Systems • Small & Medium Panels Available • Select Dealer Opportunities

EcoStar Solar Electric

Call Today 1-(800)-519-POWER

Visit www.ecostarsolar.com



BZ Products Model MPPT500

500 watt 45 amp Maximum Power Point Solar Control

- Boost charge current up to 30%
- Up to 45 amp output current
- Microprocessor control
- 95 % efficacy
- 500 watt PV input
- Universal PV input 12 to 48 volts
- 12, 24 or 48 volt output
- Digital metering
- PWM float control
- Battery temperature sensor standard
- Five year warranty
- Made in U.S.A.



BZ Products, Inc.

314-644-2490 • www.bzproducts.net • bzp@bzproducts.net
7914 Gravois, St. Louis, MO 63123, USA

Sun Frost

**Energy Efficient
Refrigerators & Freezers**

Customized To Fit Your Needs



- ▶ Available in DC or AC
- ▶ Select From Over 10 Models
- ▶ Choose from 1000's of Colors, Finishes & Woods

**We also Manufacture
Composting Toilets!**

Please Contact Us For More Info

P.O. Box 1101, Arcata, CA 95518
tel: (707)822-9095 • fax: (707)822-6213 info@
sunfrost.com • www.sunfrost.com


solarthermal.com

SOLAR WATER HEATING

**IT'S ALL IN THE
V A C U U M**

SOLAR RADIANT FLOOR

Save up to 80%
on heating bills
Commercial • Residential



**25 years
of industry leadership**

THE NEW SOLAMAX SYSTEM
Direct flow design • Lower cost
Highest performance

THERMOMAX™

250.721.4360

zev@solarthermal.com

Toll free fax and mess'g

1.888.923.9443

Ask About Dealerships

U.S.A.

ARIZONA

Apr. 28, '07. Tucson Solar Potluck. Bring solar oven &/or bring a dish. Music, food, PV demo, solar fountains & kids' activities. Info: 520-885-7925

CALIFORNIA

May 5, '07. Rancho Palos Verdes, CA. South Bay Energy Fair & Solar Homes Tour. EVs & alternative transportation, PV & solar thermal, energy-efficient building & appliances. Exhibits & workshops. Info: david@southbayenergyfair.com • www.southbayenergyfair.com

May 18-19, '07. Santa Monica, CA. Alternative Building Materials & Design Expo. Exhibitors, workshops, panels. Info: 310-390-2930 • julie@dubroworks.com • www.altbuildexpo.com

Jun. 18-20, '07. Long Beach, CA. PV Summit. Assessing markets & advancements in PV. Info: Intertech-Pira • 207-781-9603 • dsanborn@intertechusa.com • www.intertechusa.com/pv

Sep. 24-27, '07. Long Beach, CA. Solar Power 2007. Conference & expo. Exhibits Info: Michael Glunt • 202-396-1688 • mglunt@solarelectricpower.org • www.solarpowerconference.com

Arcata, CA. Workshops & presentations on RE & sustainable living. Campus Center for Appropriate Technology, Humboldt State Univ. • 707-826-3551 • ccat@humboldt.edu • www.humboldt.edu/~ccat

Hopland, CA. Workshops on PV, wind, hydro, alternative fuels, green building & more. Solar Living Institute • 707-744-2017 • sli@solarliving.org • www.solarliving.org

COLORADO

Carbondale, CO. Workshops & online courses on PV, water pumping, wind, RE businesses, microhydro, solar domestic hot water, space heating, alternative fuels, straw bale, green building, women's PV courses & more. Solar Energy Intl. (SEI) • 970-963-8855 • sei@solarenergy.org • www.solarenergy.org

FLORIDA

Jun. 3-6, '07. Cape Canaveral, FL. Renewables: The Road to Sustainability. Program on sustainable applications for tropical islands. Info: 321-638-1443 • young@fsec.ucf.edu • www.caribbeanSolar.org

Melbourne, FL. Green Campus Group meets monthly to discuss sustainable living, recycling & RE. Info: fleslie@fit.edu • http://my.fit.edu/~fleslie/GreenCampus/greencampus.htm

IOWA

Iowa City, IA. Iowa RE Assoc. meetings. Info: 319-341-4372 • irenew@irenew.org • www.irenew.org

MARYLAND

May 1-2, '07. Baltimore, MD. Organic Photovoltaics 2007 Conference. Info: Intertech-Pira • 207-781-9603 • dsanborn@intertechusa.com • www.intertechusa.com/opv

MICHIGAN

Jun. 22-24, '07. Onkama, MI. Michigan Energy Fair. Exhibits, vendors & workshops on green building, solar architecture, wind energy, energy efficiency, alternative fuel vehicles & more. Music & food. Info: Great Lakes RE Assoc. • 800-434-9788 • info@glrea.org • www.glrea.org

West Branch, MI. Intro to Solar, Wind & Hydro. 1st Fri. each month. System design & layout for homes or cabins. Info: 989-685-3527 • gotter@m33access.com • www.loghavenbbb.com

MISSOURI

New Bloomfield, MO. Workshops, energy fairs, and other events. Missouri Renewable Energy • 800-228-5284 • info@moreenergy.org • www.moreenergy.org

MONTANA

Whitehall, MT. Seminars, workshops & tours. Straw bale, cordwood, PV & more. Sage Mountain Center • 406-494-9875 • www.sagemountain.org

NEW MEXICO

Six NMSEA regional chapters meet monthly, with speakers. NM Solar Energy Assoc. • 505-246-0400 • info@nmsea.org • www.nmsea.org

NEW YORK

Apr. 7, '07. Photo contest deadline for the 2007 New York State Envirothon, which this year focuses on RE. Info: www.envirothon.org

Apr. 13-15, '07. Saratoga Environmental Expo. Info: 518-584-3272 • www.saratogaexpo.com

Apr. 9-14, '07. Olivebridge, NY. PV Design & Installation workshop. Info: See SEI under Colorado listing.

NORTH CAROLINA

Saxapahaw, NC. Solar-Powered Home workshop. Solar Village Institute • 336-376-9530 • info@solarvillage.com • www.solarvillage.com

NORTH DAKOTA

May 15-16, '07. Grand Forks, ND. Biomass '07. Conf. on biomass power, fuels & chemicals. Info: Energy & Environmental Research Center • 701-777-5246 • lfoerster@undeerc.org • www.undeerc.org

OREGON

Jul. 27-29, '07. John Day, OR. SolWest RE Fair. Exhibits, workshops, speakers, family day, music, alternative transportation & Electrathon rally. EORenew • 541-575-3633 • info@solwest.org • www.solwest.org

Cottage Grove, OR. Adv. Studies in Appropriate Tech., 10-week internships. Aprovecho Research Center • 541-942-8198 • apro@efn.org • www.aprovecho.net

PENNSYLVANIA

Philadelphia Solar Energy Assoc. meetings. Info: 610-667-0412 • rose-bryant@verizon.net

TEXAS

El Paso Solar Energy Assoc. Meets 1st Thurs. each month. EPSEA • 915-772-7657 • epsea@txses.org • www.epsea.org

Houston RE Group quarterly meetings. HREG • hreg@txses.org • www.txses.org/hreg

UTAH

Apr. 16-21, '07. Salt Lake City. PV Design & Installation workshop. Info: See SEI under Colorado listing.

WASHINGTON STATE

Apr. 25-27, '07. Guemes Island, WA. Solar Hot Water workshop. Classroom, tours & installation. Info: See listing below.

Apr. 30-May 5, '07. Guemes Island, WA. Wind-Electric Systems workshop. Design, system sizing, site analysis, safety issues, hardware specs & a hands-on installation. Info: See listing below.

May 7-12, '07. Guemes Island, WA. Homebuilt Wind Generators workshop. Learn to build wind generators from scratch, incl. carving blades, winding alternators, assembly & testing. Info: See SEI in Colorado listing. Local coordinator: Ian Woofenden • 360-293-5863 • ian.woofenden@homepower.com

WISCONSIN

Jun. 15-17, '07. Custer, WI. RE & Sustainable Living Fair (aka MREF). Exhibits & workshops on solar, wind, water, green building, alternative transportation, energy efficiency & more. Home tours, silent auction, Kids' Korral, entertainment, speakers. Info: See MREA listing below.

Custer, WI. MREA '07 workshops: Basic, Int. & Adv. RE; PV Site Auditor Certification Test; Veg. Oil & Biodiesel; Solar Water & Space Heating; Masonry Heaters; Wind Site Assessor Training & more. MREA • 715-592-6595 • info@the-mrea.org • www.the-mrea.org

INTERNATIONAL CANADA

May 25-27, '07. Woodstock, ON. Canadian Energy Expo. Consumer expo, incl. seminars on current energy issues. Info: www.thecanadianenergyexpo.com

CHINA

Apr. 10-12, '07. Shanghai. Intl. Wind Energy Exhibit & Conf. Info: Shirley Sun • 86-01-30-42-113-676 • chinapower2007@yahoo.com.cn • www.cwee.com.cn

FRANCE

St. Laurent de Cerdans. Solar Electricity Design Course: Jun. 11-15 & Sep. 10-14; Intro to RE: May 7-11, Jun. 4-8 & Sep. 3-7. Info: Les Amis de Numero Neuf • www.lesamis9.org • info@lesamis9.org

GERMANY

Jun. 21-23, '07. Freiburg. PV Industry Forum 2007 & Intersolar 2007. PV markets forum followed by solar developments exhibition & forum. Info: www.pvindustry.de & www.intersolar.de

ITALY

Apr. 19-21, '07. Verona. SolarExpo & GreenBuilding exposition. Info: 39-04-39-84-0922 • exhibition@solarexpo.com • www.solarexpo.com

Sep. 3-7, '07. Milano. European PV Energy Conference & Exhibition. Info: WIP Renewable Energies • 49-89-720-127-35 • pv.conference@wip-munich.de • www.photovoltic-conference.com

JAPAN

May 19-26, '07. Tokyo. Japan Eco-Tour. Tour homes & businesses, and become immersed in the culture. Info: info@japanecotour.com • www.japanecotour.com

MEXICO

Apr. 23-28, '07. Tziscoa, Chiapas. Appropriate Technologies for the Developing World. An overview of technologies promoting sustainable energy & resource management systems. Info: IRRi Mexico • 52-55-52-64-2187 • info@irrimexico.org • www.irrimexico.org (or see SEI in Colorado listing)

SPAIN

Jun. 26-28, '07. Madrid. RE Europe. Future RE technologies & concepts. Info: REE • 44-0-1992-656-632 • aijaz@pennwell.com • www.renewableenergy-europe.com

Solar motor with integrated charger controller

Professional motor with heavy-duty aluminium housing
panel up to 200W Suitable for the panel up to 200Wp
io available: Campervan/RV version also available! Camp also
ting protocol Smart MSCS™ operating protocol Smart
Made in Europe Made in Europe Made

NEW!

SunTracer™

FOR TURNING SOLAR PANELS & CONCENTRATORS

NEW +62% MORE ENERGY

SAT CONTROL d.o.o., EUROPE
Phone: +386 4 281 62 00
sales@solar-motors.com

SAT CONTROL
Want to get more?
www.solar-motors.com

Send your renewable energy event info to happs@homepower.com

marketplace

HYDROELECTRIC SYSTEMS: Pelton and Crossflow designs, either complete turbines or complete systems. Assistance in site evaluation and equipment selection. AC Systems for standalone or grid interconnect operation. Manufacturing home and commercial size turbines since 1976. Send for a free brochure. Canyon Industries Inc., P.O. Box 36 HP, Deming, WA 98244, 360-592-5552. e-mail: citurbine@aol.com web page: canyonhydro.com • HP11802

EARTH SHELTERED DOME CONSTRUCTION MANUAL makes it easy & Very affordable to build your own ferrocement home • www.2BbyD.com • HP11803

COSOLAR.COM discount prices from Colorado Solar Electric. Lorentz Trackers in stock 1-800-766-7644 • HP11804

SINGLE AND DUAL AXIS SOLAR TRACKER CONTROLS up to 48V and 5A output. www.theanaloggy.com • HP11805

ECOMALL: The largest environmental portal of earth-friendly companies and resources. Renewable energy companies, news and information. www.ecomall.com. To advertise, call 845-679-2490. • HP11806

BATTERY DESULFATORS FOR SALE www.wizbangplus.com • HP11824

LARGE GAS REFRIGERATORS 12, 15 & 18 cubic foot propane refrigerators. 15 cubic foot freezers 800-898-0552 Ervin's Cabinet Shop, 220 N County Rd. 425E., Arcola, IL 61910 • HP11807

XXXXXXXXUNI-SOLAR XXXXXXXX
XXXXXX 64 Watts \$359 XXXXXXXX M55
Siemens panels \$260/SQ 80 watts \$350. New 1500 AH Absolight 12V batteries \$1900. TraceX SW5548 \$2450. Ex 2KW inverter SB \$850. Buy, sell New/Used 760-949-0505 • HP11808

PORTABLE AND STANDBY GENERATORS from Honda, Yamaha, Subaru, Kipor, and More + Wireless Remote Start Available. www.hayesequipment.com 1-800-375-7767 • HP11809

DC SUBMERSIBLE WELL PUMPS. Complete, ready to install. \$219 includes IMMEDIATE FREE SHIPPING. Visit www.nemosolar.com or call 1-877-684-7979 • HP11810

I AM A SOLAR WHOLESALER looking for retailers to carry my solar electronic, educational & hobby goods. Phone # (916) 486-4373. Please leave message. • HP11811

ENGINEERING SOFTWARE PROVIDES ENGINEERING E-SOLUTIONS FOR ENERGY CONVERSION SYSTEMS. Free e-material is available at <http://members.aol.com/engware> • HP11821

TELLURIDE COLORADO, Quality solar homes and appropriate land for sale. Highest quality of life, environment and cultural opportunities. Enjoy working with the worlds only completely solar powered Real Estate office JOHN JANUS (970) 728-3205---800-571-6518 • WWW.JANUSREALESTATE.com-Email: John@JanusRealEstate.com • HP11812

EDTA RESTORES SULFATED BATTERIES. EDTA tetra sodium salt, \$16/lb. plus \$6 S&H for 1st lb. plus \$2 S&H for each additional lb. Trailhead Supply, 325 E. 1165 N., Orem, UT 84057, (801) 225 3931, email: trailheadsupply@webtv.net, info. at: www.webspawner.com/users/edta. • HP11813

VARI-CYCLONE: DC powered ceiling fan, 40% more airflow with no increase in power consumption. For more info contact RCH Fanworks, the #1 manufacturer of DC powered ceiling fans, 2173 Rocky Crk. Rd. Colville, WA 99114 PH: 509-685-0535, email: info@fanworks.com, Web: www.fanworks.com, Dealer inquiries welcome. • HP11814

WWW.EARTHTOYS.COM - Online library and emagazine all about alternative energy systems and equipment • HP11816

WWW.ZEROPOWERHOUSE.COM Passive and Active solar design and construction • HP11829

Break Free From the Pump

Enjoy the freedom of driving electric. Join the EAA today and declare your independence from high gas prices and imported oil.

ELECTRIC AUTO ASSOCIATION

For more information visit us at eaaev.org



SAVE MONEY with PRODEX Radiant Barrier Hi R REFLECTIVE INSULATION for Residential and Commercial Buildings

- Reduce winter heat loss and summer heat gain
 - Reflects 97% of radiant heat
- Save up to 55% on heating and a/c bills
 - Vapor barrier, unaffected by moisture
- 14.5 R value, out-performs R30 fiberglass batt insulation



Call or order online for discount pricing www.barnworld.com

(303) 952-0830

We ship direct to save you money!

From 30 watts to 30 kilowatts...

We can supply your power needs.



Alternative Hydro Solutions

www.AltHydroSolutions.com
tel: 416.368.5813

Complete Biodiesel Production System The Ester Machine

Process, Wash, Dry...80 Gallons of B100



- Make Fuel the Day It Arrives
- Safe, Durable, Effective
- Completely Assembled and Tested
- Handles New or Used Vegetable Oil
- Consultation Services Available
- Monthly Biodiesel Seminars!

Flying F Bio-Fuels 319-545-7022 www.ffbiofuels.com

HYDROS, P.M. BRUSHLESS DC units with Harris housing and wheel. Up to 70% efficiency. From \$1350. www.homehydro.com
707-923-3507 CA • HP11822

Help for DIY HYDRO! 66+ Custom TURBINES, 82-400mm diameter, cast aerospace alloy or molded plastic from \$120 www.h-hydro.com • HP11817

GAIN ENERGY INDEPENDENCE Wind Power - Solar PV - Solar Hot Water - Solar Water Pumping - Biodiesel - LED Lighting - Edmonton AB Canada 780 466-9034 www.trimlinedesigncentre.com • HP11818

SOLAR CELLS New 5" monocrystal 50 per pack - 125 watts \$150.00 make your own solar panels email for specs: none1120@juno.com • HP11819

WATER & ELECTRICITY DO MIX! Innovative Electric and Pedal Boats www.nauticraftelectricboats.com • HP11823

BISON STAINLESS STEEL DEEP & SHALLOW WELL HAND PUMPS Non-electric, year round access to water from your drilled well or water drawn from a lake or stream. Custom fabrication available. www.bisonpumps.com
207-532-2600 MADE IN MAINE • HP11832

BAY ISLANDS, ROATAN HONDURAS 1/2 -2 acre Caribbean Ocean View home sites. Main road access, fantastic views and breezes perfect for off grid home! \$25,000 and up. 760 815-0723 propertymover@msn.com • HP11828

OWNER & CONSULTANT wanted. 12 year Enterprise and Business Dev. Consulting Firm specializing in Energy seeks Solar and Renewable practical expertise. Live where you want, own & grow part of a small corporation. We can remove some of the burdens & barriers to adding value to your clients, yourself and the future. Pragmatic Zealots, Engineers welcome. www.enventure.com, chuck@enventure.com • HP11831

SURVIVAL UNLIMITED.COM - Emergency Preparedness & Survival Supplies. Wind Power from 439.00+. Many great products & prices! 1-800-455-2201 www.survivalunlimited.com • HP11815

BERGEY VOLTAGE CONTROL SYSTEM For 3 phase, 120 volt, wild a.c. wind turbine and 120 volt d.c. batteries. Please write for more details if interested \$500. OBO laugh@avalon.net • HP11827

ZERO ENERGY HOMES - Architecture & Energy Consulting. www.ZEROenergy.com
(866)412-5332 • HP11825

WANT TO LIVE RENT-FREE - anywhere in the world? There are empty homes in every state and country, and property owners are looking for trustworthy people to live in them as property caretakers and housesitters! The Caretaker Gazette contains these property caretaking/housesitting openings in all 50 states and foreign countries. Published since 1983, subscribers receive 1,000+ property caretaking opportunities each year, worldwide. Some of these caretaking and housesitting openings also offer compensation in addition to the free housing provided. Short, medium and long-term property caretaking assignments are in every issue. Subscriptions: \$29.95/yr. The Caretaker Gazette, PO Box 4005-E, Bergheim, TX 78004. (830) 336-3939. www.caretaker.org • HP11820

OFF-GRID HOMESTEAD 53 peaceful, private acres. Established quality renewable energy system. Fresh air, clean water. Tranquility in natural beauty. Country living with city access. http://web.mac.com/pharos_hill • HP11826



Marketplace Advertising

Rates: \$2.50 per word. \$50 minimum per insertion, paid in advance of publication. Submit your ad to marketplace@homepower.com or call 800-707-6585.

PC Software for Sine Inverters
WinVerter™



OutBack Power Systems **xantrex**

www.RightHandEng.com (425) 844-1291

Industry Exclusive!
TOTAL SOLAR CENTER & POLYCRYSTALLINE PANELS


Installs with ease. All KW's Available.
FULL EXCHANGE WARRANTY
Stand-alone Systems • Small & Medium Panels Available • Select Dealer Opportunities
EcoStar Solar Electric
Call Today 1-(800)-519-POWER
Visit www.ecostarsolar.com



• Simmons •
Natural Bodycare
simmonsnaturals.com
MAKING EVERYDAY SPECIAL
Off the grid since 1982

WORKING TOWARD A SUSTAINABLE FUTURE •

HANDCRAFTED SOAPS & BASIC BODYCARE



Tired of High Home Heating/Cooling Costs?
Cut Costs By 20% or More!

Use **INSULADD**
makes paint insulate

Safe, Non-Toxic Radiant Reflecting Coatings & Paint Additive. Proven to Increase Effective "R" Value of Walls & Roofs By As Much As 50%! **WWW.INSULADD.COM**
Toll Free: 888-748-5233



DSIRE

Database of State Incentives for Renewables & Efficiency
www.dsireusa.org



PLASTIC BATTERY BOXES

- HDPE WELDED-SEAM VENTED BOX WITH REMOVABLE LID
- SAFE & SECURE CONTAINMENT FOR LEAD-ACID BATTERIES
- UPS SHIPPABLE, CUSTOM SIZES

radiantsolartech.com
707-485-8359



installers directory

Experienced renewable energy professionals install high-performance, code-compliant systems, and will offer you service and support after the sale. As with any home improvement project, request references and certifications, and compare bids before you buy.

Home Power does not guarantee the quality provided by the businesses listed below— please shop carefully, request references and certifications, and compare.

Alaska



ABS Alaskan, Inc. Anchorage – Fairbanks – Renton, WA Battery systems, Remote power systems, RE systems. OEM design and fabrication. Consultation & design, sales, installation, & service for solar, wind, hydro, and hybrid components and systems since 1989. Web – www.absAK.com. Toll free (800) 235-0689 or (800) 478-7145, email jim@absAK.com.

**REMOTE
POWER,
INC.**

Remote Power Inc., Greg Egan, President. Licensed electrician. Factory trained Outback and SMA installer. MREA trained wind system installer. Design, installation, sales & service of wind, pv, & hydro systems. We have affiliated installers statewide. Bush jobs no problem. We stock inverters, PV panels, meters, controllers & more at our shop near Fairbanks. Call 1-888-257-3639 or 1-907-457-4299

Arizona



EV Solar Products, Inc. Licensed solar professionals since 1991. We design and install solar electric and hot water systems for grid-tie and remote homes. Visit our retail showroom just north of Prescott at 2655 N US Hwy 89. Chino Valley, AZ 86323 ROC Licenses: 129793/118299.928-636-2201.



Generator Solar & Wind Power Systems Design, Sales, installation & maintenance. Off-grid & grid-tied, prime power or back-up. Complete systems, hybrid systems, or sub systems & components. We can do it. Covering all of Arizona & dedicated to helping all present & potential customers. Ralph Odonnal, license # ROC203166, (928) 300-4067, altpwrsys@hotmail.com

**IDC
Solar**

IDC Solar Exclusive products like the Guy-wireless Wind Tower, Modular Wiring Unit and Automatic Battery Watering System for code compliant, worry-free hybrid renewable energy systems. We install locally or nationally. Complete licensing for all residential and commercial devices. Skystream wind turbines now available. (928) 636-9864 or idclic@northlink.com • www.idcsolar.com



Northern Arizona Wind & Sun, of Flagstaff, Arizona, has designed and installed thousands of solar electrical systems since 1979. Call or email us for a design quote for Residential Utility Tie, Remote Home, Water Pumping, or Telecommunication System at 800-383-0195, email windsun@wind-sun.com, or visit our website at <http://store.solar-electric.com/index.html>. Licensed #ROC 089239.

California



Acro Electric is a full service, turn-key, res. & comm. solar electric contractor. We design, install, & handle all necessary CEC, utility forms and contracts. Quality installations are backed by 32 years electrical experience. Approved by the League of California Homeowners (www.homeowners.org) & Better Business Bureau (www.midcalbbb.org). Free site analysis & brochure. (866)711-ACRO • www.acroelectric.com



Akeena Solar is one of the nation's largest residential solar power integrators with three NABCEP-Certified PV Installers on staff. Call for a free solar evaluation to determine if solar power is feasible for you. Your solar power system includes design/engineer/build services, complete financial analyses and warranties. Serving CA, CT, NJ & NY. Visit www.akeena.net or call 888-253-3628

California, cont.



Carlson Solar. has been serving Southern CA since 1988. We are a licensed, bonded, and insured solar-electric installation company, specializing in both grid-tie and off-grid systems. We are NABCEP certified and take great pride in our excellent customer service. Saving the environment one house at a time. Call toll-free 1-877-927-0782 or visit us at www.carlsonsolar.com



Cobalt Power Systems Inc. is a full-service, licensed installer of PV systems in the SF Bay Area. We offer free consultations, detailed proposals, professional system design by an electrical engineer, expert installations, and competitive pricing. We handle all the paperwork for the client, and we oversee all inspections. Please contact us at 650-938-9574 or www.cobaltpower.com.



Electron Connection Licensed in CA and Oregon. NABCEP Certified installer. Serving northernmost California and southern Oregon. PV, wind, microhydro installs. (800) 945-7587 email: bob-o@electronconnection.com, www.electronconnection.com CA Lic. #613554



Empower Energy, Southern California. We design, sell, install, & service high quality residential & commercial solar electric generation systems. Specializing in grid-tied and remote stand-alone systems. Make renewable energy a responsible and cost-effective part of your home or business. Free project estimate 800 494-2366 empowerenergy.net info@empowerenergy.net. Licensed since 1995, #711993



Feather River Solar Electric Bill Battagin of Taylorsville has been designing, installing and servicing renewable energy systems since 1982. PV, micro-hydro, hybrids; grid intertie or stand alone systems. CA Elect.l Lic. # 874049, Outback Cert. Tech. We live and work with RE. Serving Plumas, Lassen, Sierra, Butte Cos. 530.284.7849 frenergy@psln.com, www.freenergy.net



Independent Energy Systems, Serving the Santa Cruz/Monterey Bay Area. We specialize in design, installation and sales of residential/commercial PV systems. Our mission is to provide our friends in the community an opportunity to become part of the future in renewable energy. We are based in Santa Cruz, we love what we do and it shows in our work! Ph: 831-477-0943 or visit www.iesolar.com

**Symons
Electric**

Michael Symons Electric, C-10 licensed electrical contractor. NABCEP certified installer. We design, sell, install & service both commercial & residential Photovoltaic systems since 1982. We specialize in grid-tie and stand alone off grid systems including solar wells. We are located in East San Diego County serving Southern California and Baja California Norte. Ph: 619-468-3277 or E mail symonselectric@aol.com



Offline Independent Energy Systems, Since 1983. An electrical contracting co., we specialize in utility intertie (with state rebate & net metering) & off grid systems. Owned & operated by Don & Cynthia Loweberg in Central CA East of Fresno. Don Loweberg NABCEP Certified Installer. POB 231, North Fork, CA. 93643, (CA lic# 661052) ph 559 877 7080, fx 559 877 2980, ofln@aol.com www.psnw.com/~ofln

California, cont.



Owens Electric & Solar, Quality energy solutions since 1964. Full services including solar electric, solar thermal, & solar pool heating installations for residential & commercial projects. Wide range of electric water heating & home heating solutions. Licensed, bonded, certified & insured C-10 Electrical Contractor (#464389) serving northern CA 1-877-57-SOLAR, info@owenselectricinc.com, www.owenselectricinc.com



Solarecity Electric serves Placer, El Dorado, Nevada & surrounding Counties. We specialize in grid-tied PV systems. C-10 licensed-817001 and no subcontracting insures a quality installation. We provide everything you need to make an informed decision about your investment. We install turnkey systems and carry your rebates. Free site analysis. 916-624-0535. www.solarecity.com



Solar Electrical Systems, Southern California's largest solar electrical integrator of custom residential & commercial photovoltaic systems. We provide a superior support staff for the Architect, General Contractor, Remodeling Contractor or homeowner, including fast email response of a solar electrical system with a CAD layer including quote & current tax benefits. www.solarelectricalsystems.com (866) 74-SOLAR



Solar Wind Works specializes in consultation, sales, design, service, & installation of complete RE systems. US Distributor for Proven Wind Turbines. We supply all components. Grid-connected or grid-independent. Truckee, CA 530-582-4503, 877-682-4503, NABCEP Certified Installer. CA Contractor's Lic # 796322 chris@solarwindworks.com, www.solarwindworks.com

Canada



Energy Alternatives has been serving Canadians for over 20 years. A licensed electrical contractor (BC Lic # 86683) with professional installers throughout Canada. Expert consultation & design services, turn-key installed systems or DIY packaged system kits. Extensive inventory for fast delivery. Visit www.EnergyAlternatives.ca, Call 1-800-265-8898. Canadian dealer inquiries welcome.



Natural Power Products is Ontario's leading supplier, retailer and installer for solar, wind, domestic hot water, and other renewable energy technologies. Complete design and turn-key packages for home, cottage, rural, businesses etc. All applicable codes are adhered to and inspected by ESA. Visit: www.npp.ca e-mail: info@npp.ca call: (519) 504-1600

Colorado



Burnham-Beck & Sun. Solar and Wind Energy Systems. Grid-Tied and Stand-Alone. Located in Fort Collins, Colorado, we make site evaluations, system designs and installations in Colorado and Southern Wyoming. We drop-ship equipment anywhere in the U.S. CoSEIA Certified installer. 970-482-6924. Mail to BurnhamBeckSun@aol.com. www.burnhambeck.com



Namaste Solar Electric Inc., designs, sells, installs & services residential & commercial solar electric systems; over 10 years experience. Grid-tied & stand-alone systems in CO & neighboring states. We live with the technologies we sell & we stock our home-tested products. Our guiding principles: People, Planet, Prosperity. (303) 447-0300 Fax (303) 443-8855 www.namastesolar.com ray@namastesolar.com



Simple Solar Systems is your full-service provider of consultations, designs, sales, and installations of residential and commercial solar electric systems. Grid-tie or Stand Alone. 15 years in the industry. Together, let's live consciously for our planet. Licensed and Insured. CoSEIA and NABCEP Certified Installer, Joe Callahan (303) 541-9852 joe@simplesolarsystems.com www.simplesolarsystems.com



Solar Solutions Ltd. provides photovoltaic, wind & hybrid power systems & components for stand alone systems, grid tied, RV's & remote water pumping. Committed to providing the highest quality service & customer satisfaction. A proud member of Colorado SEIA and a lifetime member of the Colorado RE Society and ASES. Xantrex Certified Dealer. 888 44solar or 888 447-6527 www.solarsolutions.com

Colorado, cont.



Sunflower Solar Ready to go renewable? Sunflower Solar is a COSEIA certified installer serving Colorado's front range and offers grid-tied, off grid and battery backup PV packages. We cover Xcel rebate costs and paperwork making the switch a breeze. Visit us today at: www.cosunflower.com 303-434-0536 info@cosunflower.com

Connecticut



Akeena Solar is one of the nation's largest residential solar power integrators with three NABCEP-Certified PV Installers on staff. Call for a free solar evaluation to determine if solar power is feasible for you. Your solar power system includes design/engineer/build services, complete financial analyses and warranties. Serving CA, CT, NJ & NY. Visit www.akeena.net or call 888-253-3628"

Florida



ECS Solar Energy Systems (tel) 352-377-8866 www.ECS-solar.com / tom@ECS-solar.com We service FL, the Caribbean and the Southeastern U.S. FL's first solar contractor since 1977. Solar pool heating, hot water, and electric systems -commercial & residential. Solar lic. # CVC056643 Florida state certified for "grid-connected" systems. Contact us now to receive a free solar informational booklet.

Idaho



Creative Energies Eastern Idaho's premiere full-service RE company. Solar & wind power for remote cabins, homes & ranches, utility grid-tied solar & wind power, solar hot water & heating, solar water pumping & passive solar home design. We custom design a system that fits your needs & budget. Trace certified dealer. Phone/fax: 208-354-3001 toll free 866-332-3410 info@cesolar.com • www.cesolar.com

Maryland



STANDARD SOLAR INC., serving Montgomery and Frederick Counties, Maryland, Northern Virginia, and Washington, DC. since 2004. Specializing in residential solar-electric installations. Visit our Website: www.standardsolar.com P.O. Box 83309, Gaithersburg, Maryland, 20883. Tel. 301-349-2871; email: metrodc@standardsolar.com

Michigan



Backwards to the Future Ltd, installing, designing and supplying solar equipment since 1986. OEM supplier of evacuated tube heat pipe technology for DHW & hydronic heating. Systems building integration by joint venture with registered architect. State licensed residential builder & solar mechanical contractor. POB 409 Fennville MI 49408 tel: 269 2366179 email: info@BTfsolar.com www.BTfsolar.com



Sackett Brick is the mid-west distributor for Tulikivi masonry heaters. We have 10 dealers/installers in 8 states: Indiana, Illinois, Iowa, Michigan, Minnesota, Missouri, Ohio & Wisconsin. Tulikivi masonry heaters are a clean and efficient way to provide heating, cooking and baking with very little wood. Visit www.sackettbrick.com or call 800-848-9440.

Montana



Oasis Montana Inc. designs, sells & installs renewable energy power systems in North America and also offers efficient and propane appliances. Our installer Dan Healy is a licensed Professional Engineer. Toll-free 877-627-4768 or 4778. Web sites: www.oasismontana.com, www.grid-tie.com, www.PVsolarpumps.com E-mail: info@oasismontana.com



Sunelco, Inc. Montana's premier full service renewable energy dealer, has 20 years of satisfied customers on a global scale. Water pumping to remote homes, we provide free consultation, estimates, design assistance, and life-time tech support on our systems. Get your copy of the Sunelco 16th Edition Planning Guide and Catalog for only \$5. www.sunelco.com 888-786-3526

Nevada




Alternative Energy Solutions, Reno, Nevada. We design, sell, install and service PV, wind, off grid and grid tie RE systems, Nevada State Licensed and Bonded Contractor, NABCEP PV Certified Installer. Xantrex / Trace Authorized Service Center, Xantrex Certified Dealer, Outback Factory trained field service technicians and Certified Uni-Solar field laminate installer. 775-857-1157 toll free 1-866-491-SOLR

Nevada



Solar Wind Works specializes in consultation, sales, design, service, & installation of complete RE systems. US Distributor for Proven Wind Turbines. We supply all components. Grid-connected or grid-independent. Truckee, CA 530-582-4503, 877-682-4503, NABCEP Certified Installer. NV Contractor's Lic # 59288. chris@solarwindworks.com, www.solarwindworks.com

New Hampshire



Sunweaver Incorporating innovative technologies for power, water and heat. Encouraging knowledge and direction towards resource responsible solar living. Installing in New England and the Caribbean since 1985. www.sunweaver.org. mailto: info@sunweaver.org 603-942-5863 Showroom hours: Monday-Saturday 11am-6pm

New Jersey



Akeena Solar is one of the nation's largest residential solar power integrators with three NABCEP-Certified PV Installers on staff. Call for a free solar evaluation to determine if solar power is feasible for you. Your solar power system includes design/engineer/build services, complete financial analyses and warranties. Serving CA, CT, NJ & NY. Visit www.akeena.net or call 888-253-3628"



Solar Water Works, LLC Specializing in high quality solar thermal systems; sales, consulting, engineering & installation. Distributors of Apricus solar products. Residential & commercial applications for; radiant heat, baseboard, forced hot air, pools, spas, and domestic hot water. Complete pre-packaged systems are available. Visit www.solarwaterworks.com or contact us at: 908-477-8551 Dealer Inquires welcomed!

New Mexico



Direct Power and Water Corp designs, engineers & professionally installs turn-key solar electric systems for remote homes/log cabins, commercial, telecommunication, & water pumping applications. NABCEP Certified Design Engineer Daniel Duffield & Master Electrician EE98J Dave Hammack have over 30 years experience and live by PV. References provided. (800)260-3792 www.directpower.com



Positive Energy Inc. High quality renewable power systems. Licensed, bonded, and insured electrical contractor serving Santa Fe and northern NM. Owner Allan Sindelar is NABCEP certified and is a certified dealer/installer for Xantrex, Outback, and Sunnyboy. 505 424-1112. E-mail: info@positiveenergysolar.com. Website: www.positiveenergysolar.com



Remod Solar Service Solar Heating Specialists for over 27 years with thousands of happy customers. Installation, design & repair. Licensed NM Electrical, Plumbing and HVAC contractor. Solar space heating, solar water heating, radiant floor integration and solar pool heating. Old and slow but at least we're expensive. Remod Inc. Albuquerque Lic. # 26528 (505) 247-4522 chuckmarken@qwest.net

New York



Akeena Solar is one of the nation's largest residential solar power integrators with three NABCEP-Certified PV Installers on staff. Call for a free solar evaluation to determine if solar power is feasible for you. Your solar power system includes design/engineer/build services, complete financial analyses and warranties. Serving CA, CT, NJ & NY. Visit www.akeena.net or call 888-253-3628"



Solar Water Works, LLC Specializing in high quality solar thermal systems; sales, consulting, engineering & installation. Distributors of Apricus solar products. Residential & commercial applications for; radiant heat, baseboard, forced hot air, pools, spas, and domestic hot water. Complete pre-packaged systems are available. Visit www.solarwaterworks.com or contact us at: 908-477-8551 Dealer Inquires welcomed!



Solar & Wind FX Inc. NY's only Off-grid Design & Training Center, where a client can see the latest RE & Green building technologies. A family owned, full service company focusing on Western NY that provides site evaluation, design, installation & the all important, service after the sale. Member of NESEA & NYSEIA, SEI alumni & a NYSERDA installer. 585-229-2083, solarandwindfx.com

North Carolina



SC Solar designs/installs PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Custom UPS systems for off grid. Installation area: NC,SC,VA,GA. For more info & credentials: 866-856-9819 www.scsolar.com CCR# & Cage Code #1SLJ5.



Solar Village Institute, Inc. NC's premier solar, wind, micro-hydro dealer-installer-educators. Off-grid since 1992. Top quality, pro work, guaranteed. NC, SC, VA, GA. Specializing in Wind/Solar hybrid off-grid systems. New/remodels. Christopher W. Carter, NABCEP certified installer, David Del Vecchio, NABCEP certified installer. www.solarvillage.com, chris@solarvillage.com, 336-376-9530



Sundance Power Systems, Inc. is the largest provider of Renewable Energy in Western North Carolina. Since 1995, Sundance has been providing high quality Residential and Commercial Design and Installation of PV, Wind, Hydro, Solar Thermal and Hydronic Heating Systems throughout the southeast. Phone: 828-689-2080 Email: info@sundancepower.com Web: www.sundancepower.com

Ohio



REpower Solutions: Northeast Ohio's renewable energy provider for home and business. Design, installation, and education for PV and wind systems. NABCEP certified installer. P.O. Box 91992, Cleveland, Ohio 44101. Web: www.repowersolutions.com. Email: power@repowersolutions.com. Phone: 216-402-4458



Third Sun Solar & Wind Power, Ltd. is Ohio's leading renewable energy contractor. Complete design and installation of off-grid, utility tied, PV and wind systems in OH, KY, IN, IL, MI, PA, WV. Owner Geoff Greenfield is NABCEP Certified Solar PV Installer. We are committed to excellent customer service & the highest quality systems. www.third-sun.com. (740) 597-3111.

Oregon



Electron Connection Licensed in CA and Oregon. NABCEP Certified installer. Serving northernmost California and southern Oregon. PV, wind, microhydro installs. (800) 945-7587 email: bob-o@electronconnection.com, www.electronconnection.com OR CCB# 149724

Pennsylvania



Advanced Solar Industries, LLC. Specializing in solar electricity, wind energy, hot water systems, grid tie systems and complete pre-packaged systems. With over 10 years of experience serving PA, MD, DE & NJ. For experienced system design or consultation, call 717-355-2715 or visit www.advancedsolarindustries.com



Appalachian Wind Systems, LLC has been serving PA, WV & MD for 6 years. Distributor for Cyclone wind turbines, Synergy wind turbines, Sun solar panels, LED lighting, stand alone & grid tie inverters and other products. Site evaluations and financial analyses. We also sell, service & install 10-60 meter NRG meteorological towers & first stage wind analysis. For more information, call 724-452-0326

South Carolina



SC Solar designs/installs PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Custom UPS systems for off grid. Installation area: NC,SC,VA,GA. For more info & credentials: 866-856-9819 www.scsolar.com CCR# & Cage Code #1SLJ5.



Sunstor is a full service solar systems integrator, serving the Carolinas & Georgia for 30 years. Sunstor is proud to serve the community by providing the highest quality product along with a staff committed to excellent customer service. We provide all services needed from consultation/design to installation on all types of Solar Systems. Sunstor 3090 South Hwy 14, Greer, SC 29650 • 864-297-6776, www.sunstor.net

Texas



Meridian Energy Systems is an industry leading integrator of solar and wind energy systems. With the most installed solar electric capacity and more NABCEP certified installers than any Texas company, Meridian provides experienced design and quality installation services. Call: 512-448-0055. Email: info@meridiansolar.com Visit our website: www.meridiansolar.com



North Texas Renewable Energy Inc. North Texas' premier solar and small wind energy service. Complete system design and installation. Available service contract Independence-Reliability-Conservation. Jim Duncan ntrei@earthlink.net 817.917.0527



Texas Solar Power Company Since 1995, we have participated in design/build renewable energy projects for both commercial and residential clients. Located in the city of Austin we will travel where our services are needed. If you would like more information, please log onto www.txspc.com or phone (512) 459-9494 or call Toll free 1-(866) 459-9494.

Utah



Alternative Power Systems, Inc is southern Utah's premier designer and installer of renewable energy solutions and a consultant for energy efficiency and conservation. We are the region's only NABCEP certified installer. We provide sales, installation, and support for PV solar, wind, generators and thermal solar. Authorized dealers. Visit www.apscedar.com 435-586-9181



Solar Unlimited Energy & Homes, Inc. Serving Southern Utah, Eastern Nevada and Northern Arizona. We provide sales, service and installation for all your alternative energy needs, including PV, wind, Net metering, solar hot water and off-grid systems. We are authorized dealers of Gillette, Xantrex, OutBack and more. Licensed & Insured. Call toll free 866-solar99 or visit www.solarunlimited.net

Vermont



Vermont Solar Engineering has provided the finest in renewable energy throughout New York and New England, since 1991. We design, install, and support solar electric, wind electric, and solar hot water systems. K. Herander, NABCEP™ certified installer. Xantrex Certified Dealer. NYSERDA eligible installer. Vermont Solar and Wind Partner. www.vermontsolar.com 1-800-286-1252

Virginia



Dunimis Technology Inc. Providing alternative energy systems since 1992. NABCEP certified solar technicians on staff. We specialize in the more demanding upscale off-grid residential & commercial installations. Installations completed in ID, TX, PA, NJ, NC, VA, and WV. P.O. Box 10, Gum Spring, VA 23065, Phone 804-457-9566, jryago@netscape.com, www.pvforyou.com

Washington



Seraphim Energy, Inc. Full service electrical contractor serving the Columbia River Watershed. We specialize in on and off grid wind, sun and water powered systems, meeting all your design, installation and procurement needs. From 100W to 100GW, plug into Seraphim Energy. WA# SERAPEC971MG, 800.265.6288, www.seraphimenergy.com, re@seraphimenergy.com



SolarWind Energy Systems, LLC P.O. Box 1234, Okanogan, WA 98840 (509) 422-5309 www.solar-wind.us WA Cont. # SOLARES983RQ. Serving Eastern WA & Northern ID grid-tied & off-grid RE systems. Solar PV, wind, solar hot water, remote stock watering. Design, installation, service, maint. Solar Energy International (SEI) trained. Lic. & bonded. bclark@solar-wind.us or jmartin@solar-wind.us

Wisconsin



Photovoltaic Systems LLC, since 1980 we have been designing, installing and servicing solar electric systems statewide in WI. NABCEP Certified Installer, Xantrex certified dealer & authorized service cntr.; MREA instructor teaching basic thru advanced PV systems workshops. James Kerbel 7910 hwy 54 Amherst Wi. 54406 715-824-2069 PVSOLAR@wi-net.com

Wyoming



Creative Energies Wyoming's premiere full-service RE company. Solar & wind power for remote cabins, homes & ranches, utility grid-tied solar & wind power, solar hot water & heating, solar water pumping & passive solar home design. We custom design a system that fits your needs & budget. Trace certified dealer. Phone/fax: 307-332-3410 toll free 866-332-3410 info@cesolar.com • www.cesolar.com

RE Installer? Get Listed.

Our readers continue to look to *Home Power* for referrals to RE installation professionals in their area.

For more information or to get your business listed in *Home Power's* installers directory, e-mail advertising@homepower.com or call 541-512-0201.

adopt a library!



When Karen and I were living with kerosene lamps, we went to our local public library looking for a better way to light up our nights. We found nothing about small-scale renewable energy. As a result, one of the first things we did when we started publishing *Home Power* twenty years ago was to give a subscription to our local public library.

If you'd like to do the same for your public library, we'll split the cost of the subscription with you. Inside the U.S., you pay \$12.50 and we'll pay the rest. Outside the U.S., the same offer stands, so call us for rates.



—Richard Perez, Publisher

Check with your local library before signing them up. Eligible libraries must be open to the general public.
PO Box 520, Ashland OR 97520 • 800-707-6585 • 541-512-0201 • subscription@homepower.com



Don't just replace a light.
Shine.

Pledge to make your next light an ENERGY STAR® at energystar.gov/changealight and join a growing number of people doing their part to preserve energy resources and help reduce the risks of global climate change. It's a small step that will make a big difference for this generation and those to come. **Change a Light. Change the World.**

ENERGY STAR is administered by the U.S. Environmental Protection Agency and U.S. Department of Energy.



AAA Solar Supply, www.aasolar.com	116	MK Battery, www.mkbattery.com	52
ABS Alaskan Inc., www.absak.com	103	Magnum Energy, www.magnumenergy.com	19
AEE Solar, www.aeesolar.com	2	Midnite Solar Inc., www.midnitesolar.com	39
APRS World LLC, www.winddatalogger.com	107	Renewable Energy & Sustainable Living Fair, www.the-mrea.org	72
ART TEC, www.arttec.net	40	Midwest Renewable Energy Assoc., www.the-mrea.org	80
Alternative Energy Store, www.altenergystore.com	33	Mike's Windmill Shop, www.mikeswindmillshop.com	103
Alternative Hydro Solutions Ltd., www.althydrosolutions.com	120	Morningstar Corp., www.morningstarcorp.com	20
Alternative Power & Machine, www.apmhydro.com	105	N. American Board of Certified Energy Practitioners, www.nabcep.org	81
Apollo Solar, www.apollo-solar.net	53	Natural Power Products, www.npp.ca	97
Apricus Solar Co. LTD, www.apricus.com	21	Northern Arizona Wind & Sun, www.solar-electric.com	109
BZ Products, www.bzproducts.net	115,117	Northwest Energy Storage, www.solaronebatteries.com	81
BackHome magazine, www.backhomemagazine.com	112	Offline Independent Energy Systems, www.psnw.com/~ofln	109
Backwoods Solar Electric Systems, www.backwoodssolar.com	66	OutBack Power Systems, www.outbackpower.com	8,9
Barn World, www.barnworld.com	116,120	Phocos USA, www.phocos.com	47
Blue Sky Energy Inc., www.blueskyenergyinc.com	59	RAE Storage Battery Co., 860-828-6007	103
Bogart Engineering, www.bogartengineering.com	91	Radiant Solar Technology, www.radiantsolartech.com	121
Brand Electronics, www.brandelectronics.com	108	Rheem Water Heaters, www.solahart.com	4
Butler Sun Solutions, www.butlersunsolutions.com	108	RightHand Engineering, www.RightHandEng.com	121
C Crane Co., www.ccrane.com	107	SMA America Inc., www.sma-america.com	25
California Solar Supply, www.californiasolarsupply.com	84	Samlex America Inc., www.samlexamerica.com/solar	38
Colorado Solar Inc., www.cosolar.com	103	San Juan College, www.sanjuacollege.edu/reng	111
Conergy Inc., www.conergy.us	3	Sanyo Energy Corp., www.sanyo.com	BC
DC Power Systems Inc., www.dcpower-systems.com	15	Sat Control, www.solar-motors.com	119
Direct Power and Water Corp., www.power-fab.com	40	Simmons Natural Bodycare, www.simmonsnaturals.com	121
DSIRE, www.dsireusa.org	121	SolWest RE Fair, www.solwest.org	113
ECO STAR Solar, www.ecostarsolar.com	117,121	Solacity Inc., www.solacity.com	22
Earth Solar, www.earthsolar.com	59	Solar Converters Inc., www.solarconverters.com	96
Electric Auto Association, www.eaaev.org	120	Solar Depot Inc., www.solardepot.com	IFC
Electro Automotive, www.electroauto.com	85	Solar Energy International, www.solarenergy.org	67,80
Electron Connection, www.electronconnection.com	41	Solar Home Inc., www.solarhome.com	85
Energy Conservation Services, www.ecs-solar.com	93	Solar Pathfinder, www.solarpathfinder.com	93,116
Energy Star, www.energystar.gov	126	Solar Wind Works, www.solarwindworks.com	108
Energy Systems & Design, www.microhydropower.com	112	SolarTech Power Inc., www.solartechpower.com	115
Energy Wise Solutions, www.energywisesolutions.net	111	Solectria Renewables, www.solren.com	97
Exeltech, www.exeltech.com	53	Solmetric Corp., www.solmetric.com	32
Flying F Biofuels, www.ffbiofuels.com	120	Southwest Solar, www.southwest-solar.com	116
Forcefield, www.otherpower.com	105	Southwest Windpower, www.skystreamenergy.com	13
Fronius USA LLC, www.fronius-usa.com	10,11	Sun Frost, www.sunfrost.com	117
Fullriver Battery Mfg. Co. Ltd., www.fullriverdcbattery.com	47	Sun Pipe Co. Inc., www.sunpipe.com	109
Global Solar Inc., www.globalsolarinc.com	97	Sun Pumps Inc., www.sunpumps.com	79
Gorilla Vehicles, www.gorillavehicles.com	111	Sun Spot Solar, www.sssolar.com	93,112
Green Festivals, www.greenfestivals.org	73	SunDanzer, www.sundanzer.com	109
GroSolar (Global Resource Options), www.grosolar.com	24	SunEarth, www.sunearthinc.com	40
Harris Hydroelectric, 707-986-7771	32	SunWize, www.sunwize.com	66, 117
Home Power, www.homepower.com/bestof	65	Surrette Battery Company Ltd (Rolls Battery), www.rollsbattery.com	IBC
Hydrocap Corp., 305-696-2504	113	Thermomax, www.SolarThermal.com	118
Hydroscreen Co LLC, www.hydroscreen.com	103	Trojan Battery Co., www.trojanbattery.com	71
Inverter Service Co., www.directpower.com	112	U.S. Battery, www.usbattery.com	91
Insuladd Insulating Paint Additive www.insuladd.com	121	UniRac Inc., www.unirac.com	23
Jan Watercraft Products/Battery Fill Systems, www.janwp.com	103	Wattsun (Array Technologies Inc.), www.wattsun.com	97
Kaco Solar Inc., www.kacosolar.com	5	Xantrex, www.xantrex.com	1
Liberty Enterprises Inc., www.iloveebikes.com	113	Zephyr Industries Inc., www.zephyrvent.com	113
Lorentz GMBH & Co. KG, www.lorentzpumps.com	17	Zomeworks Corp., www.zomeworks.com	108

For easy online access to advertisers, visit www.homepower.com/advertisers

RE People

Who: The Janssen family

Where: Basalt, Colorado

When: 1994 to present

What: Off-grid microhydro-
& solar-electric systems

Why: Necessity & passion

Ten years ago, Robb and Ginger wrote *Home Power* this letter:

We live in a solar powered tipi at 9,300 feet. It is amazingly satisfying, and the system is so small. We have 44 watts of PV, an 81 amp-hour battery, and small controls. It powers lots of light, radio, CD, CB, AA battery charger for headlamps, chain saw sharpener, and charger for 9.6-volt Makita cordless tools, etc. We have lots of sun! Robert Janssen • Aspen, Colorado

Over the years, Robb and Ginger have continued to develop their strong interest in creating a self-sufficient lifestyle. Their home and work reflect an interest in sustainability and renewable energy (RE) in its many aspects. Robb and Ginger own and operate Basalt Mountain Gardens, a chemical-free nursery and landscaping service specializing in edible, native, and drought-tolerant plants, and landscaping for energy efficiency. They love working for clients who use renewable energy.

“For us to keep clients for the long term, there has to be some sort of mutual respect—friendship. We admire and want to help clients who are trying to use less irrigation water and fewer pesticides, herbicides, and chemical fertilizers. We feel a kinship with people who are trying to grow some of their own food and trying to use less fossil fuel energy.”

Robb says that they found RE out of necessity. “Ginger and I bought our tipi because it was bigger than our ’76 Volkswagen Westfalia,” says Robb with a smile. “We lived in the tipi, outside of town and away from the grid because we did not want to pay rent on housing or electricity. We used an old propane fridge out of an

The Janssens’ new home will incorporate passive and active solar heating.



A microhydro turbine (shown here) and solar-electric modules provide the Janssens’ electricity.



The original tipi.

The Janssen family at the hydro intake in winter.



RV to keep our beer cold and food fresh. When we wanted lighting at night and music too, a friend showed us a solar energy catalog. The technology was a perfect fit for us—clean, portable power for a self-sufficient-ish lifestyle.”

A single-module solar-electric system gave Robb and Ginger a taste of what renewable energy can do, and after three years of tipi living, they purchased 35 acres of steep ground in the mountains above Basalt, Colorado. It met their requirements for southern exposure and flowing water, and the property included a 1970s-vintage, 700-square-foot cabin, where Robb & Ginger’s two daughters were born. The girls, now 7 and 5, “have only known RE at home.”

A microhydro turbine produces most of the Janssens’ household electricity, and a 240-watt PV system provides the rest. Traveling the dusty road up from the valley floor through desert scrub to their homestead leaves you wondering how there could possibly be an on-site hydro system, but as you drive into the yard, you’re greeted by a large, year-round creek flowing down the hillside in what is otherwise a very arid landscape.

Robb and Ginger are now hard at work building their dream home. Plans for their hybrid, earth-bermed, stick-and-timber frame structure call for passive and active solar heating, including solar thermal for water and space heating, and, of course, use of their existing solar- and hydro-electric systems.

Robb and Ginger’s goal is to complete their new house and move in before their spring landscaping season starts. Their next project is to build a solar greenhouse where they can grow enough food to feed their family year-round, bringing them even closer to their dream of self-sufficiency.

—Ian Woofenden

OUR STANDARD LABEL



Rolls has been producing premium batteries specifically designed for the renewable energy market since 1984. That's why those who can't afford to go without power know they can't afford to trust anyone else.



Superior Cycling | Dual-Container Construction | Widest Range of Specs
Largest Liquid Reserves | Easiest to Install | Longest Life Span | Premium Warranties

T. 1.800.681.9914 E. sales@rollsbattery.com www.rollsbattery.com

SANYO

Think GAIA
For Life and the Earth

Brighten your future...
experience premium solar panels
from SANYO.



H.I.T. Solar Photovoltaic Panel
Silicon wafers made in USA

SANYO has made premium solar products for homes and businesses for 32 years. Experience the best in pollution-free electricity using hybrid H.I.T. solar technology. Eliminate electric bills, increase the value of your home or business, and help brighten the future for generations to come with solar panels from SANYO.

H.I.T. PERFORMANCE!

- Ultra-high cell efficiency of 21.8%¹
- Lowest temperature coefficients²
- Highest rebate payments via PBI
- Most energy (kWh) per rated watt
- Least labor and balance of system components per installed watt
- 30% more power per square foot³

1) March 2006, SANYO R&D Labs. 2) Single c-si cells. 3) Compared to industry average.